



Capturas de pantalla

LISTAR



AGREGAR



RESERVAR

HTTP New Collection / **reservar**

POST `http://localhost:3000/api/pistas/reservar/1`

Params Authorization Headers (8) Body Scripts Settings

Query Params

Key
Key

Body Cookies Headers (7) Test Results

Pretty Raw Preview JSON ↕

```
1 "Pista con id (1) reservada!"
```

(Comprobar)

HTTP New Collection / **get all**

GET `http://localhost:3000/api/pistas`

Params Authorization Headers (7) Body Scripts Settings

Query Params


Key
Key

Body Cookies Headers (7) Test Results

Pretty Raw Preview JSON ↕

```
1 [
2   {
3     "id": 1,
4     "nombre": "Pista 1",
5     "reservada": true
6   },
7   {
8     "id": 2,
9     "nombre": "Pista 2",
10    "reservada": false
11  },
12  {
13    "id": 3,
14    "nombre": "Pista 3",
15    "reservada": false
16  },
17  {
18    "id": 4,
19    "nombre": "PistaPavel",
20    "reservada": false
21  }
22 ]
```

CANCELAR



The screenshot shows the Postman interface for a new collection named "cancelar". The request method is "POST" and the URL is "http://localhost:3000/api/pistas/cancelar/1". The "Query Params" tab is active, showing a table with two columns: "Key" and "Key". The "Body" tab is also active, showing a "Pretty" view of the response: "1 'Pista con id (1) cancelada!'".

New Collection / cancelar

POST http://localhost:3000/api/pistas/cancelar/1

Params Authorization Headers (8) Body Scripts Settings

Query Params


	Key
	Key

Body Cookies Headers (7) Test Results

Pretty Raw Preview JSON ↕

1 "Pista con id (1) cancelada!"

(Comprobar)



The screenshot shows the Postman interface for a new collection named "get all". The request method is "GET" and the URL is "http://localhost:3000/api/pistas". The "Query Params" tab is active, showing a table with two columns: "Key" and "Key". The "Body" tab is also active, showing a "Pretty" view of the response: a JSON array of four reservation objects.

New Collection / get all

GET http://localhost:3000/api/pistas

Params Authorization Headers (7) Body Scripts Settings

Query Params

	Key
	Key

Body Cookies Headers (7) Test Results

Pretty Raw Preview JSON ↕

```
1 [
2   {
3     "id": 1,
4     "nombre": "Pista 1",
5     "reservada": false
6   },
7   {
8     "id": 2,
9     "nombre": "Pista 2",
10    "reservada": true
11  },
12  {
13    "id": 3,
14    "nombre": "Pista 3",
15    "reservada": true
16  },
17  {
18    "id": 4,
19    "nombre": "PistaPavel",
20    "reservada": false
21  }
22 ]
```

