



Desarrollo Web en Entorno Servidor

PAVEL MIRON

DAW2

```
daw2@COMPUS040 MINGW64 ~/Documents/DecrolyWorkspace/DAW2/DMES/UD7/Actividad6 (main)
$ npm run dev



> actividad5@1.0.0 dev
> ts-node-dev --respawn --transpile-only src/server.ts

[INFO] 19:40:27 ts-node-dev ver. 2.0.0 (using ts-node ver. 10.9.2, typescript ver. 5.9.3)
[dotenv@17.2.3] injecting env (7) from .env -- tip: add secrets lifecycle management: https://dotenvx.com/ops
[dotenv@17.2.3] injecting env (0) from .env -- tip: override existing env vars with { override: true }
Conexión a MySQL OK
API escuchando en puerto 3000
```


Capturas POSTMAN

Pistas

Crear




Ver



The screenshot shows a REST client interface with the URL `http://localhost:3000/pistas` and the method `GET`. The response body is displayed in JSON format, showing an array of four pista objects. Each object contains fields for `id`, `nombre`, `tipo`, `precio_hora`, `created_at`, and `updated_at`.

```
1 {
2   {
3     "id": 1,
4     "nombre": "Pista 1 - Central",
5     "tipo": "INDOOR",
6     "precio_hora": "22.00",
7     "created_at": "2026-01-26T20:19:15.000Z",
8     "updated_at": "2026-01-26T20:19:15.000Z"
9   },
10  {
11    "id": 2,
12    "nombre": "Pista 2 - Outdoor",
13    "tipo": "OUTDOOR",
14    "precio_hora": "16.50",
15    "created_at": "2026-01-26T20:19:15.000Z",
16    "updated_at": "2026-01-26T20:19:15.000Z"
17  },
18  {
19    "id": 3,
20    "nombre": "Pista 3 - Indoor",
21    "tipo": "INDOOR",
22    "precio_hora": "18.00",
23    "created_at": "2026-01-26T19:19:23.000Z",
24    "updated_at": "2026-01-26T19:23.000Z"
25  },
26  {
27    "id": 9,
28    "nombre": "Pista 7 - Indoor",
29    "tipo": "INDOOR",
30    "precio_hora": "18.00",
31    "created_at": "2026-01-26T19:23:47.000Z",
32    "updated_at": "2026-01-26T19:23:47.000Z"
33  }
34 }
```



Ver por id




The screenshot shows a REST client interface with the URL `http://localhost:3000/pistas/1` and the method `GET`. The response body is displayed in JSON format, showing a single pista object with the same fields as the first object in the 'get all' response.

```
1 {
2   "id": 1,
3   "nombre": "Pista 1 - Central",
4   "tipo": "INDOOR",
5   "precio_hora": "22.00",
6   "created_at": "2026-01-26T20:19:15.000Z",
7   "updated_at": "2026-01-26T20:19:15.000Z"
8 }
```

Borrar



Modificar



Reservas

reservas / **getall**

GET ▼ | http://localhost:3000/reservas

Params Authorization Headers (8) Body Scripts Settings

Query Params

Key
Key

Body Cookies (1) Headers (9) Test Results

Pretty Raw Preview JSON ▼ 🔍

```
1 {
2   {
3     "id": 1,
4     "pista_id": 1,
5     "fecha": "2026-01-12",
6     "hora_inicio": "18:00:00",
7     "hora_fin": "19:00:00",
8     "created_at": "2026-01-26T20:19:15.000Z",
9     "updated_at": "2026-01-26T20:19:15.000Z"
10  }
11 }
```

reservas / **reservar**

POST ▼ | http://localhost:3000/reservas

Params Authorization Headers (10) Body ● Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary

```
1 {
2   "pista_id": 1,
3   "fecha": "2026-01-12",
4   "hora_inicio": "19:00:00",
5   "hora_fin": "20:00:00"
6 }
```

Body Cookies (1) Headers (9) Test Results

Pretty Raw Preview JSON ▼ 🔍

```
1 {
2   "id": 2,
3   "pista_id": 1,
4   "fecha": "2026-01-12",
5   "hora_inicio": "19:00:00",
6   "hora_fin": "20:00:00",
7   "updated_at": "2026-01-26T19:34:46.181Z",
8   "created_at": "2026-01-26T19:34:46.181Z"
9 }
```

 reservas / **borrar**

DELETE

▼

http://localhost:3000/reservas/1

ParamsAuthorizationHeaders (8)BodyScriptsSettings

Query Params

	Key
	Key

BodyCookies (1)Headers (9)Test Results

PrettyRawPreviewJSON ▼

1

{

2

"message": "Reserva eliminada"

3

}

 reservas / **borrar**

DELETE

▼

http://localhost:3000/reservas/1

ParamsAuthorizationHeaders (8)BodyScriptsSettings

BodyCookies (1)Headers (9)Test Results

PrettyRawPreviewJSON ▼

1

{

2

"message": "Reserva no encontrada"

3

}

HTTP reservas / reservar

POST

http://localhost:3000/reservas

Params

Authorization

Headers (10)

Body

Scripts

Settings

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

```
1 {  
2   "pista_id": 10,  
3   "fecha": "2026-01-12",  
4   "hora_inicio": "19:00:00",  
5   "hora_fin": "20:00:00"  
6 }
```

Body

Cookies (1)

Headers (9)

Test Results

Pretty

Raw

Preview

JSON

≡

```
1 {  
2   "message": "La pista no existe"  
3 }
```