







● - DENOTES: CLIP LOCATION
SC90 AT 8" PURLINS
SC92 AT 10" PURLINS
SC94 AT 12" PURLINS

**** DENOTES: CLIPS AT FLANGE BRACE**
CL196 & CL199 AT 8" PURLINS/GIRTS
CL197 & CL199 AT 10" PURLINS/GIRTS
CL198 & CL199 AT 12" PURLINS/GIRTS

SYMBOL	LAP LENGTH	SYMBOL	LAP LENGTH
	0'-0 1/4"		2'-5 1/4"
	0'-3 3/4"		3'-1 1/4"
	1'-5 1/4"	REFER TO CF01122	



SWC (H.S.)

EWB


KEY PLAN


EWD

SWA

ROOF FRAMING PLAN

This item has been electronically signed and sealed by Kaushikkumar J. Patel, P.E. on the date and/or time stamp shown using a digital signature. Printed copies of this document are not considered signed and sealed and the signature must be verified by a 3rd Party Certificate Authority on any electronic copy.



 PROFESSIONAL ENGINEER
 No. 12592792
 KAUSHIKKUMAR J. PATEL
 STATE OF UTAH

[illegible]


** DENOTES: CLIPS AT FLANGE BRACE CL196 & CL199 AT 8" PURLINS/GIRTS CL197 & CL199 AT 10" PURLINS/GIRTS CL198 & CL199 AT 12" PURLINS/GIRTS

SCHEDULE OF ACCESSORIES	
NO. REQD	DESCRIPTION
1	6'-0 X 2'-6 FACTORY LOCATED FRAMED OPENING
1	12'-0 X 14'-0 FACTORY LOCATED FRAMED OPENING
4	3'-4 X 7'-2 FACTORY LOCATED FRAMED OPENINGS
4	16'-0 X 2'-6 FACTORY LOCATED FRAMED OPENINGS

REFER TO DETAILS ON INSTALLATION OF FRAMED OPENINGS.
USE STANDARD WALL PROCEDURES TO ERECT THE SIDEWALL AND ENDWALL PANELS.



ELEVATION "SWA"




PBR WALL PANELS
PANEL COVERAGE = 3'-0"
COLOR = ALMOND
PANEL PKG. REQ'D. = PBS-2
Field Cut Panel and Trim as
required per Construction Details

WALL SHEETING ELEVATION "SWA"
BLDG "A"

(GUTTER EXPANSION JOINT AT EACH 100'-0")
(SEE SPRO4003)


FOR SEALED WALL CONDITION USE HW507 AT EAVE, RAKE, BASE, HEAD,SILL,
CORNER AND WALL PANEL SIDE LAP.

USE #3A MEMBER FASTENER (1 1/2" LL.) FOR WALL PANEL IN LIEU OF #17A.
USE #4 STITCH FASTENER (LL.) FOR WALL PANEL AND TRIM ATTACHMENT IN LIEU OF #4A.




This item has been electronically signed and sealed by Kaushikkumar J. Patel, P.E. on the date and/or time stamp shown using a digital signature. Printed copies of this document are not considered signed and sealed and the signature must be verified by a 3rd Party Certificate Authority on any electronic copy.

Oct 24, 2024




** DENOTES: CLIPS AT FLANGE BRACE CL196 & CL199 AT 8" PURLINS/GIRTS CL197 & CL199 AT 10" PURLINS/GIRTS CL198 & CL199 AT 12" PURLINS/GIRTS
--

CL292- FASTENS BETWEEN THE GIRTS ON EACH SIDE OF THE SIDEWALL COLUMNS, AT ALL GIRT ELEVATIONS. REFER TO DETAILS.




ELEVATION "SWC"



WALL SHEETING ELEVATION "SWC"
BLDG "A"


FOR SEALED WALL CONDITION USE HW507 AT EAVE, RAKE, BASE, HEAD,SILL,
CORNER AND WALL PANEL SIDE LAP.






USE #3A MEMBER FASTENER (1 1/2" LL.) FOR WALL PANEL IN LIEU OF #17A.
USE #4 STITCH FASTENER (LL.) FOR WALL PANEL AND TRIM ATTACHMENT IN LIEU OF #4A.








This item has been electronically signed and sealed by Kaushikkumar J. Patel, P.E. on the date and/or time stamp shown using a digital signature. Printed copies of this document are not considered signed and sealed and the signature must be verified by a 3rd Party Certificate Authority on any electronic copy.

Oct 24, 2024



ZEE SECTION LAP TABLE			
SYMBOL	LAP LENGTH	SYMBOL	LAP LENGTH
	0'-0 1/4"		2'-5 3/4"
	0'-3 3/4"		3'-1 3/4"
	1'-5 3/4"	REFER TO CF01122	



A rectangular diagram labeled "KEY PLAN" in the center. The top edge is labeled "SWC (H.S.)", the bottom edge is labeled "SWA", the left edge is labeled "EWB", and the right edge is labeled "EWD".

ZEE SECTION LAP TABLE			
SYMBOL	LAP LENGTH	SYMBOL	LAP LENGTH
	0'-0 1/4"		2'-5 3/4"
	0'-3 3/4"		3'-1 3/4"
	1'-5 3/4"	REFER TO CF01122	

CL292- FASTENS BETWEEN THE
GIRTS ON EACH SIDE OF THE
ENDWALL COLUMNS, AT ALL
GIRT ELEVATIONS.
REFER TO DETAILS.




(5) F7046-2
(7) F1125-1
(5) F268-1
(4) F7068-1




This item has been electronically signed and sealed by Kaushikkumar J. Patel, P.E. on the date and/or time stamp shown using a digital signature. Printed copies of this document are not considered signed and sealed and the signature must be verified by a 3rd Party Certificate Authority on any electronic copy.

FOR SEALED WALL CONDITION USE HW507 AT EAVE, RAKE, BASE, HEAD,SILL,
CORNER AND WALL PANEL SIDE LAP.

USE #3A MEMBER FASTENER (1 1/2" LL.) FOR WALL PANEL IN LIEU OF #17A.
USE #4 STITCH FASTENER (LL.) FOR WALL PANEL AND TRIM ATTACHMENT IN LIEU OF #4A.



 <small>Part of The Construction Building Brands Family</small>	Customer: B LOGIC CONSTRUCTION LL 390 E PAGES LN STE 1 CENTERVILLE UT 84014-256 BRIAN BAGNELL		Project Name & Location: CARBON COUNTY – PRICE RE 3095 E AIRPORT RD PRICE UT 84501-3602		Cornerstone Building Brands 13105 Northwest Freeway, Suite 500 Houston, TX 77040 cornerstonebuildingbrands.com	Revision	Date	Description	By	Ck'd
	Drawing Status: <input type="checkbox"/> Issued For Approval <input checked="" type="checkbox"/> Issued For Construction		<input type="checkbox"/> Issued For Permit							
Scale: NOT TO SCALE										
Drawn by: AC		10/24/24								
Checked by: GK		10/24/24								
Project Engineer: JSS										
Job Number: 19-B-73915-1										
Sheet Number: E8 of 18										
The engineer whose seal appears hereon is an employee of the manufacturer for the materials described herein. Said seal or certification is limited to the products designed and manufactured by manufacturer only. The undersigned engineer is not the overall engineer of record for this project.										
KAUSHIKKUMAR J. PATEL, P.E. UTAH P.E. 12592792-2202										

Oct 24, 2024

