


SPLICE PLATE & BOLT TABLE											CAP PLATE BOLTS				
Mark	Qty Top	Bot	Int	Type	Dia	Length	Width	Thick	Length	Mark	Qty	Type	Dia	Length	
SP-1	4	4	0	A325	0.750	2.13	6"	1/2"	2'-8 1/4"	RF1-6	4	A325	0.750	2.13	
SP-2	4	4	0	A325	0.750	2.13	6"	3/8"	2'-8 3/8"						
SP-4	4	0	0	A325	0.750	2.13	6"	1/4"	11 3/4"						

FLANGE BRACE TABLE									
FRAME LINE 2 3 4 5 6									
▽ID	#	SIDES	MARK	LENGTH	PART				
1	1		FB1	2'-10 1/8"	L2x2x16G				
2	1		FB2	2'-11 3/8"	L2x2x16G				
3	1		FB3	2'-11 3/8"	L2x2x14G				
4	1		FB5	4'-1 5/8"	L2x2x16G				
5	1		FB4	2'-11 1/2"	L2x2x14G				
6	1		FB100	1'-5"	L2x2x14G				
7	1		FB101	1'-5"	L2x2x16G				

STIFFENER TABLE				
Mark	Stiff Mark	Width	Thick	Plate Size Length
RF1-1	St- 1	2.500	0.188	26.30
RF1-3	St- 1	2.500	0.188	33.68
RF1-5	St- 1	2.500	0.188	26.30

MEMBER TABLE									
Mark	Web Depth		Web Plate		Outside Flange		Inside Flange		
	Start/End	Thick	Length	Thick	W x Thk x Length	W x Thk x Length	W x Thk x Length	W x Thk x Length	W x Thk x Length
RF1-1	10.0/27.0	0.188	234.3		6 x 1/4" x 230.6	6 x 1/4" x 206.8			
RF1-2	25.0/25.0	0.188	240.0		6 x 1/4" x 30.7	6 x 1/4" x 364.1			
RF1-3	25.0/25.0	0.188	124.1		6 x 1/4" x 59.2	6 x 1/4" x 108.5			
RF1-4	25.1/34.5	0.250	116.8		6 x 1/4" x 59.3	6 x 1/4" x 364.2			
RF1-5	25.0/25.0	0.188	124.2		6 x 5/16" x 252.0	6 x 1/4" x 364.2			
RF1-6	25.0/25.0	0.188	240.0		6 x 1/4" x 112.2	6 x 3/8" x 206.8			
RF1-100	27.0/10.0	0.188	234.3		6 x 1/4" x 30.9	6 x 1/4" x 230.6			
RF1-6	08B22								
RF1-100	9.0/ 9.0	0.135	190.8		6 x 1/4" x 189.2	6 x 1/4" x 179.4			
RF1-101	11.0/11.0	0.135	235.0		6 x 1/4" x 9.3	6 x 5/16" x 233.1	6 x 1/4" x 233.1		



**BUILDING
SYSTEMS
INC.**



RIGID FRAME ELEVATION


CRAIG EBY
567 WEST 2000 SOUTH
PRESTON, ID 83263

SHOP STORAGE

REVISIONS

DESCRIPTION

REV DATE:




Digitally signed by
Cory James Price
2021-01-26 15:45:07 -0700

DESIGN: CP
DRAFT: CC
CHECK:
DATE: 1/14/21

JOB # 20113690

SHEET 3 OF 12 REV 0



GENERAL NOTES:

1. STANDARD CONNECTION FOR ALL ROOF PURLINS TO FRAMES ARE 2 EA. 1/2" A307 BOLTS.
STANDARD CONNECTION FOR EAVE STRUTS TO FRAMES ARE 2 EA. 1/2" A325 BOLTS.
EXCEPTIONS WILL BE NOTED IN A BOLT TABLE ON THIS DRAWING
IT IS THE RESPONSIBILITY OF THE CONTRACTOR/ERECTOR TO ENSURE THAT ALL BOLT GRADES, DIAMETERS, AND QUANTITIES ARE LOCATED AND INSTALLED AS SPECIFIED.

2. SEE DETAILS S49, S50, S51, S52, AND S53 BEFORE INSTALLATION OF ROOF PANELS


3. SEAL ALL TRIM LAPS AS NECESSARY TO INSURE WEATHERTIGHTNESS.

4. IT IS THE RESPONSIBILITY OF THE ERECTOR TO MAINTAIN PANEL MODULE WIDTH.


ROOF FRAMING PLAN

MEMBER TABLE					
ROOF PLAN					
QUAN	MARK	PART	LENGTH		
20113691					
20	P-1	Z1025_12	28'-1	1/2"	
42	P-2	Z1025_12	31'-3"		
40	P-3	Z1025_14	31'-3"		
20	P-4	Z1025_12	28'-1	1/2"	
1	E-1	E1045_14	24'-11	3/4"	
4	E-2	E1045_14	24'-11	1/2"	
1	E-3	E1045_14	24'-11	3/4"	
1	E-4	E1045_14	24'-11	3/4"	
2	E-5	E1045_12	24'-11	1/2"	
2	E-6	E1045_14	24'-11	1/2"	
1	E-7	E1045_14	24'-11	3/4"	
4	CB-5	0.38_CBL	26'-2	1/2"	
8	CB-6	0.25_CBL	28'-9	1/2"	
8	CB-7	0.25_CBL	24'-5"		
4	CB-8	0.38_CBL	26'-0	1/2"	
8	ESS	ESS-2	6"		
8	ESS-M	ESS-2M	6"		
20113692					
5	P-100	Z1025_12	28'-1	1/2"	
10	P-101	Z1025_12	31'-3"		
10	P-102	Z1025_14	31'-3"		
5	P-103	Z1025_12	28'-1	1/2"	
1	E-100	E1045_12	24'-11	3/4"	
4	E-101	E1045_12	24'-11	1/2"	
1	E-102	E1045_12	24'-11	3/4"	
4	CB-100	0.25_CBL	25'-8	1/4"	
4	CB-101	0.25_CBL	24'-10"		


SPECIAL BOLTS						
ROOF PLAN						
ID	QUAN	TYPE	DIA	LENGTH	WASH	
1	4	A325	1/2"	1 1/4"	1	
2	2	A325	1/2"	1 1/4"	2	



**BUILDING
SYSTEMS
INC.**



MEMBER




ACCREDITED
Metal Building Systems
AC 472

ROOF FRAMING

CRAIG EBY
567 WEST 2000 SOUTH
PRESTON, ID 83263

SHOP STORAGE

REVISIONS		DESCRIPTION						
REV	DATE							
1								
2								
3								
4								
5								
6								




PROFESSIONAL ENGINEER
LICENSED
18497
STATE OF IDAHO
CORY PRICE

DESIGN: CP
DRAFT: CC
CHECK:
DATE: 1/14/21

JOB #
20113690


SHEET 4 OF 12 REV 0




PANELS: 26 Ga. PBr – Polar White

1. STANDARD CONNECTION FOR ALL ROOF PURLINS TO FRAMES ARE 2 EA. 1/2" A307 BOLTS.
STANDARD CONNECTION FOR EAVE STRUTS TO FRAMES ARE 2 EA. 1/2" A325 BOLTS.
EXCEPTIONS WILL BE NOTED IN A BOLT TABLE ON THIS DRAWING
IT IS THE RESPONSIBILITY OF THE CONTRACTOR/ERECTOR TO ENSURE THAT ALL BOLT
GRADES, DIAMETERS, AND QUANTITIES ARE LOCATED AND INSTALLED AS SPECIFIED.


2. SEE DETAILS S49, S50, S51, S52, AND S53 BEFORE INSTALLATION OF ROOF PANELS.
3. SEAL ALL TRIM LAPS AS NECESSARY TO INSURE WEATHERTIGHTNESS.
4. IT IS THE RESPONSIBILITY OF THE ERECTOR TO MAINTAIN PANEL MODULE WIDTH.



**BUILDING
SYSTEMS
INC.**




MEMBER



ACCREDITED
Metal Building Systems
AS 472

REV	DATE:	DESCRIPTION
A		ROOF SHEETING
A		CRAIG EBY
A		567 WEST 2000 SOUTH
A		PRESTON, ID 83263
A		SHOP STORAGE
A		
A		



Digitally signed by
Cory James Price
2021-01-26 15:45:09 -0700

DESIGN: CP
 DRAFT: CC
 CHECK:
 DATE: 1/14/21


JOB # 20113690

SHEET 5 OF 12
REV 0


BOLT TABLE: FRAME LINE F					PLATE SIZE		
LOCATION	QUAN	TYPE	DIA	LENGTH	WIDTH	THICK	LENGTH
WF-1 - WF-2	8	A325	3/4"	2 3/8"	8"	5/8"	2'-2 3/4"
WF-1 - RF1-5	4	A325	5/8"	1 1/2"			

MEMBER TABLE FRAME LINE A		
MARK	PART	LENGTH
WF-1	20B29	19'-6"
WF-2	20B29	20'-8 7/8"
DJ-1	c825_14	16'-0"
DJ-2	c825_16	16'-0"
E-1	E1045_14	24'-11 3/4"
E-2	E1045_14	24'-11 1/2"
E-3	E1045_14	24'-11 3/4"
G-3	Z825_16	2'-2 1/4"
G-4	c825_16	24'-11 3/4"
G-5	Z825_16	4'-4 1/2"
G-6	c825_16	24'-11 1/2"
G-7	Z825_16	2'-2 1/4"
JB-1	c825_16	2'-9 3/4"


CONNECTION PLATES FRAME LINE A	
ID	MARK/PART
1	PFC5
2	PBC3N
3	GC35
4	EJ1L
5	EJ1R



SIDEWALL FRAMING: FRAME LINE A



SIDEWALL SHEETING & TRIM: FRAME LINE A
PANELS: 26 Ga. PBR - Light Stone




SIDEWALL FRAMING

CRAIG EBY
567 WEST 2000 SOUTH
PRESTON, ID 83263

SHOP STORAGE


REVISIONS

REV	DATE	DESCRIPTION
1	Δ	
2	Δ	
3	Δ	
4	Δ	
5	Δ	




DESIGN: CP
DRAFT: CC
CHECK: DATE: 1/14/21

JOB #	20113690
SHEET	6
OF	12
REV	0



SIDEWALL FRAMING: FRAME LINE F



SIDEWALL SHEETING & TRIM: FRAME LINE F
PANELS: 26 Ga. PBR – Light Stone

MEMBER TABLE		
MARK	PART	LENGTH
DJ-3	c825_16	13'-2"
DH-1	c825_16	18'-0"
E-4	E1045_14	24'-11 3/4"
E-5	E1045_12	24'-11 1/2"
E-6	E1045_14	24'-11 1/2"
E-7	E1045_14	24'-11 3/4"
G-8	Z825_14	28'-1 1/2"
G-9	Z825_16	31'-3"
G-10	Z825_16	30'-9 3/4"
G-11	Z825_16	31'-3"
G-12	Z825_14	28'-1 1/2"
G-13	Z825_16	3'-8 1/4"
CB-3	1.25RD	20'-0"
CB-4	1.25RD	11'-10"
JB-2	c825_16	5'-3 3/4"

CONNECTION PLATES	
FRAME LINE F	
1	MARK/PART
1	ESP
2	PBC3N
3	GC35
4	EJ1L
5	EJ1R



SIDEWALL FRAMING


CRAIG EBY
567 WEST 2000 SOUTH
PRESTON, ID 83263

SHOP STORAGE

REVISIONS

DESCRIPTION

REV DATE



DESIGN: CP
DRAFT: CC
CHECK:
DATE: 1/14/21




JOB # 20113690

SHEET 7 OF 12 REV 0

BOLT TABLE: FRAME LINE H					PLATE SIZE		
LOCATION		QUAN	TYPE	DIA	LENGTH	WIDTH	THICK
WF-100 - WF-101		8	A325	3/4"	2 1/8"	6"	1/2"
WF-100 - RF1-100		4	A325	5/8"	1 1/2"	18	3/4"

MEMBER TABLE FRAME LINE H		
MARK	PART	LENGTH
WF-100	12B15	15'-6"
WF-101	12B15	22'-1"
E-100	E1045_12	24'-11 3/4"
E-101	E1045_12	24'-11 1/2"
E-102	E1045_12	24'-11 3/4"

CONNECTION PLATES FRAME LINE H	
ID	MARK/PART
1	PFC5



**BUILDING
SYSTEMS
INC.**




SIDEWALL FRAMING

CRAIG EBY
567 WEST 2000 SOUTH
PRESTON, ID 83263

SHOP STORAGE


REVISIONS

REV	DATE	DESCRIPTION
A		
A		
A		
A		
A		
A		




DESIGN: CP
DRAFT: CC
CHECK:
DATE: 1/14/21

JOB # 20113690
SHEET 8 OF 12 REV 0



ENDWALL FRAMING: FRAME LINE 1



ENDWALL SHEETING & TRIM: FRAME LINE 1
PANELS: 26 Ga. PBR - Light Stone

BOLT TABLE				
FRAME LINE 1				
LOCATION	QUAN	TYPE	DIA	LENGTH
20113691				
ER-1/ER-2	12	A325	1/2"	1 1/2"
ER-100/ER-1	4	A325	1/2"	1 1/2"
Columns/Raf	8	A325	1/2"	1 1/4"
20113692				
Columns/Raf	8	A325	1/2"	1 1/4"

MEMBER TABLE		
FRAME LINE 1		
MARK	PART	LENGTH
20113691		
EC-1	c825D16	18'-5 3/8"
EC-2	c825D12	20'-9 1/2"
EC-3	c825D12	23'-5 1/2"
EC-4	c825D16	18'-5 3/8"
ER-1	C1035D12	37'-8 11/16"
ER-2	C1035D12	37'-8 11/16"
G-1	z825_16	13'-5"
G-2	z825_16	14'-4 1/2"
CB-1	0.31_CBL	25'-5 3/4"
CB-2	0.31_CBL	23'-5"
20113692		
EC-100	c825_16	15'-3 7/16"
EC-101	c825_12	16'-9 1/2"
EC-102	c825_16	18'-4 5/16"
ER-100	C835D14	19'-11 3/4"
G-100	z825_16	8'-8 1/2"
G-101	z825_16	9'-4 1/2"
G-104	z825_16	0'-7 3/4"

CONNECTION PLATES		
FRAME LINE 1		
ID	MARK/PART	
1	GCBP	
2	PBC3N	
3	PTC-ER2	
4	GC35	
5	BCC3/5	
6	RPL2-31	
7	RPS0-31M	



**BUILDING
SYSTEMS
INC.**




ENDWALL FRAMING

CRAIG EBY
567 WEST 2000 SOUTH
PRESTON, ID 83263

SHOP STORAGE


REVISIONS

REV	DATE	DESCRIPTION
1	Δ	
2	Δ	
3	Δ	
4	Δ	
5	Δ	
6	Δ	




DESIGN: CP
DRAFT: CC
CHECK:
DATE: 1/14/21

JOB #	20113690
SHEET	9
OF	12
REV	0



ENDWALL FRAMING: FRAME LINE 7



ENDWALL SHEETING & TRIM: FRAME LINE 7
PANELS: 26 Ga. PBR - Light Stone

BOLT TABLE				
FRAME LINE 7				
LOCATION	QUAN	TYPE	DIA	LENGTH
20113691				
ER-1/ER-2	12	A325	1/2"	1 1/2"
ER-100/ER-1	4	A325	1/2"	1 1/2"
Columns/Raf	8	A325	1/2"	1 1/4"
20113692				
Columns/Raf	8	A325	1/2"	1 1/4"

MEMBER TABLE		
FRAME LINE 7		
MARK	PART	LENGTH
20113691		
EC-2	c825D12	20'-9 1/2"
EC-3	c825D12	23'-3 1/2"
EC-5	c825D16	18'-5 3/8"
EC-6	c825D16	18'-5 3/8"
ER-1	C1035D12	37'-8 11/16"
ER-2	C1035D12	37'-8 11/16"
G-1	z825_16	13'-5"
G-2	z825_16	14'-4 1/2"
CB-1	0.31_CBL	25'-5 3/4"
CB-2	0.31_CBL	23'-5"
20113692		
EC-100	c825_16	15'-3 7/16"
EC-101	c825_12	16'-9 1/2"
EC-102	c825_16	18'-4 5/16"
ER-100	C835D14	19'-11 3/4"
G-102	z825_16	9'-1"
G-103	z825_16	9'-0"
G-104	z825_16	0'-7 3/4"

CONNECTION PLATES	
FRAME LINE 7	
ID	MARK/PART
1	BCC3/5
2	GCBP
3	PBC3N
4	PTC-ER2
5	GC35
6	RPL2-31
7	RPS0-31M



**BUILDING
SYSTEMS
INC.**




ENDWALL FRAMING

CRAIG EBY
567 WEST 2000 SOUTH
PRESTON, ID 83263

SHOP STORAGE

REVISIONS

REV	DATE	DESCRIPTION
1		
2		
3		
4		
5		
6		



Digitally signed by
Cory James Price
2021-01-26 15:45:13 -0700

DESIGN: CP
DRAFT: CC
CHECK:
DATE: 1/14/21

JOB #
20113690

SHEET 10 OF 12 REV 0