




GENERAL NOTES:

CO BUILDING SYSTEMS RECOMMENDS THAT AT LEAST ONE BRACED BAY BE INSTALLED PRIOR TO OTHER FRAME LINES. THIS INCLUDES EAVE STRUTS, PURLIN STRUTS, WIND BENTS, AND BRACE CABLE/ROD OVER THE COMPLETE BAY. FAILURE TO DO SO MAY RESULT IN SERIOUS DAMAGE TO THE STRUCTURE AND/OR BODILY INJURY.



(HCT) SIDEWALL HEIGHT CHANGE

BOLT TABLE: FRAME LINE A				
LOCATION	QUAN	TYPE	DIA	LENGTH
RF2-3/ST-1	3	A325	5/8"	1 1/2"

MEMBER TABLE FRAME LINE A		
MARK	PART	LENGTH
E-1	C945_14	19'-11 3/4"
E-2	C945_12	19'-11 1/2"
E-3	C945_14	19'-11 3/4"
ST-1	c825D16	19'-2 1/2"
CB-1	0.31_CBL	20'-7"
CB-2	0.31_CBL	20'-0"

CONNECTION PLATES FRAME LINE A	
<input type="checkbox"/> ID	MARK/PART
1	SSP3



SIDEWALL FRAMING

EAO SERVICES, INC.  
3315 S 1200 E LAWRENCE RD.  
HUNTINGTON, UT 84528  
EAO SERVICES MACHINE SHOP

REVISIONS

REV	DATE	DESCRIPTION
1		
2		
3		
4		
5		



DESIGN: ML  
DRAFT: CC  
CHECK: SK  
DATE: 7/12/21


JOB # 21055430

SHEET 7 OF 14 REV 0




GENERAL NOTES:

CO BUILDING SYSTEMS RECOMMENDS THAT AT LEAST ONE BRACED BAY BE INSTALLED PRIOR TO OTHER FRAME LINES. THIS INCLUDES EAVE STRUTS, PURLIN STRUTS, WIND BENTS, AND BRACE CABLE/ROD OVER THE COMPLETE BAY. FAILURE TO DO SO MAY RESULT IN SERIOUS DAMAGE TO THE STRUCTURE AND/OR BODILY INJURY.



SIDEWALL FRAMING: FRAME LINE D



SIDEWALL SHEETING & TRIM: FRAME LINE D  
PANELS: 26 Ga. PBR - Ash Grey

BOLT TABLE: FRAME LINE D				
LOCATION	QUAN	TYPE	DIA	LENGTH
Strut	3	A325	5/8"	1 1/2"

MEMBER TABLE FRAME LINE D		
MARK	PART	LENGTH
E-4	E945_14	19'-11 3/4"
E-5	E945_14	19'-11 1/2"
E-6	E945_14	19'-11 3/4"
G-5	Z825_16	21'-1 1/2"
G-6	Z825_16	22'-3"
G-7	Z825_16	21'-1 1/2"
ST-1	c825D16	19'-2 1/2"
CB-1	0.31_CBL	20'-7"
CB-3	0.31_CBL	19'-4"

CONNECTION PLATES FRAME LINE D	
ID	MARK/PART
1	SSP3



SIDEWALL FRAMING

EAO SERVICES, INC.  
3315 S 1200 E LAWRENCE RD.  
HUNTINGTON, UT 84528  
EAO SERVICES MACHINE SHOP

REVISIONS


REV	DATE	DESCRIPTION
1		
2		
3		
4		
5		




DESIGN: ML  
DRAFT: CC  
CHECK: SK  
DATE: 7/12/21

JOB # 21055430  
SHEET 8 OF 14 REV 0





ENDWALL FRAMING: FRAME LINE 1




ENDWALL SHEETING & TRIM: FRAME LINE 1  
PANELS: 26 Ga. PBR - Ash Grey


BOLT TABLE FRAME LINE 1				
LOCATION	QUAN	TYPE	DIA	LENGTH
Columns/Raf	4	A325	5/8"	1 1/2"
Jamb/Raf	2	A325	5/8"	1 1/2"

MEMBER TABLE FRAME LINE 1		
MARK	PART	LENGTH
EC-1	c835_14	15'-1 15/16"
EC-2	c835_14	16'-3 15/16"
DH-1	c825_16	14'-0"
DH-2	C845_14	14'-0"
DJ-1	c835_14	16'-3 15/16"
DJ-2	c835_14	16'-3 15/16"
G-1	z825_16	11'-0"
G-2	z825_16	11'-8 1/4"
G-3	z825_16	3'-8 1/4"

CONNECTION PLATES FRAME LINE 1	
ID	MARK/PART
1	PBCM-L
2	PBCM-R
3	DFP-12S
4	GC35
5	RC8-8B
6	ESP
7	PBC3N



(DDH) DOUBLE DOOR HEADER



(DDJ) ENDWALL COLUMN TO RAFTER  
AND DOOR JAMB W/ DEFLECTION PLATES



**BUILDING  
SYSTEMS  
INC.**




ENDWALL FRAMING

EAO SERVICES, INC.  
3315 S 1200 E LAWRENCE RD.  
HUNTINGTON, UT 84528

EAO SERVICES MACHINE SHOP

REVISIONS

REV	DATE	DESCRIPTION
1		
2		
3		
4		
5		



DESIGN: ML  
DRAFT: CC  
CHECK: SK  
DATE: 7/12/21

JOB # 21055430  
SHEET 9 OF 14 REV 0





**BUILDING  
SYSTEMS  
INC.**




ENDWALL FRAMING

EAO SERVICES, INC.  
3315 S 1200 E LAWRENCE RD.  
HUNTINGTON, UT 84528

EAO SERVICES MACHINE SHOP

REVISIONS

REV	DATE	DESCRIPTION
1		
2		
3		
4		
5		



DESIGN: ML  
DRAFT: CC  
CHECK: SK  
DATE: 7/12/21


JOB # 21055430

SHEET 10 OF 14 REV 0


BOLT TABLE				
FRAME LINE 5				
LOCATION	QUAN	TYPE	DIA	LENGTH
Columns/Raf	4	A325	5/8"	1 1/2"

MEMBER TABLE		
FRAME LINE 5		
MARK	PART	LENGTH
EC-3	c835_14	15'-1 15/16"
G-1	z825_16	11'-0"
G-4	z825_16	17'-11 3/4"


CONNECTION PLATES	
FRAME LINE 5	
ID	MARK/PART
1	PBCM-L
2	PBCM-R
3	RC8-8B
4	GC35
5	ESP
6	DFP-12S



ENDWALL COLUMN TO RAFTER  
W/ DEFLECTION PLATES



ENDWALL FRAMING: FRAME LINE 5



ENDWALL SHEETING & TRIM: FRAME LINE 5  
PANELS: 26 Ga. PBR - Ash Grey