

SIDEWALL FRAMING: FRAME LINE A

| SPECIAL BOLTS | | | | | |
|---------------|------|------|------|--------|------|
| Q ID | QUAN | TYPE | DIA | LENGTH | WASH |
| 2 | 4 | A325 | 1/2" | 2' | 1 |

| MEMBER TABLE | | |
|--------------|---------|-------------|
| FRAME LINE A | | |
| MARK | PART | LENGTH |
| DJ-2 | J08C060 | 15'-2 1/4" |
| DH-2 | J08C060 | 12'-0" |
| E-1 | 08E3060 | 16'-11 1/2" |
| E-2 | 08E3060 | 18'-11 1/2" |
| E-3 | 08E3060 | 16'-11 1/2" |
| G-5 | 08Z060 | 18'-3 1/2" |
| G-8 | 08Z060 | 23'-6 1/2" |
| G-9 | 08Z060 | 20'-2 1/2" |
| CB-4 | CAB- | 21'-8" |

| CONNECTION PLATES | |
|-------------------|-----------|
| FRAME LINE A | |
| Q ID | MARK/PART |
| 1 | ESC02 |
| 2 | JCE04 |
| 3 | JCA&P02 |


SIDEWALL FRAMING PLAN

GENERAL NOTES

- STD. ROD/CABLE SIZES PER PART PREFIX ARE:

| | |
|-------------------|-------------------|
| ROD | CABLE |
| RDB- = 5/8" ROD | CAA- = 1/4" CABLE |
| RDC- = 3/4" ROD | CAB- = 3/8" CABLE |
| RDD- = 7/8" ROD | CAC- = 1/2" CABLE |
| RDE- = 1" ROD | |
| RDF- = 1 1/8" ROD | |
| RDG- = 1 1/4" ROD | |
- ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
- FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
- THIS DRAWING IS NOT TO SCALE.

| | | | |
|-----------------------|--|-----------------------|---------------|
| New Jersey Mining Co. | | RapidsetBuildings.com | |
| PROJECT | New Jersey Mining Co. | PHONE: | 800.793.8555 |
| ID | DBS046890 | SIDEWALL FRAMING | |
| PROJECT ADDRESS | 1427 Thompson Pass Rd. Murray, ID 83873 | DESIGN: Scott H. | NBS |
| | | DATE: 7/ 5/18 | SHEET 6 OF 19 |



ENDWALL FRAMING: FRAME LINE 1

| BOLT TABLE FRAME LINE 1 | | | | |
|----------------------------|------|------|------|--------|
| LOCATION | QUAN | TYPE | DIA | LENGTH |
| ER-1/ER-1 | 8 | A325 | 1/2" | 2" |
| Columns/Raf | 4 | A325 | 1/2" | 2" |
| Jamb | 4 | A325 | 1/2" | 2" |

| MEMBER TABLE FRAME LINE 1 | | |
|------------------------------|----------|--------------|
| MARK | PART | LENGTH |
| EC-1 | W0912519 | 15'-0 1/4" |
| EC-2 | W0912519 | 18'-0 15/16" |
| EC-3 | W0912519 | 18'-0 15/16" |
| EC-4 | W0912519 | 15'-0 1/4" |
| ER-1 | W0912519 | 17'-10 3/4" |
| DJ-1 | J08C060 | 18'-2 1/8" |
| DH-1 | J08C060 | 10'-0" |
| G-1 | 08Z060 | 8'-5 1/2" |
| G-2 | 08Z060 | 10 1/2" |
| G-3 | 08Z060 | 10 1/2" |
| CB-1 | CAA- | 8'-11" |
| CB-2 | CAA- | 10'-10" |

| FLANGE BRACE TABLE FRAME LINE 1 | | | |
|------------------------------------|-------|-------|------|
| ∇ ID | SIDES | MARK | CLIP |
| 1 | 1 | FBC30 | |

| CONNECTION PLATES FRAME LINE 1 | |
|-----------------------------------|-----------|
| ∇ ID | MARK/PART |
| 1 | JCS04ewa |
| 2 | JCA&P02 |
| 3 | JGC01 |

ENDWALL FRAMING PLAN

GENERAL NOTES

- STD. ROD/CABLE SIZES PER PART PREFIX ARE:


| | |
|-------------------|-------------------|
| ROD | CABLE |
| RDB- = 5/8" ROD | CAA- = 1/4" CABLE |
| RDC- = 3/4" ROD | CAB- = 3/8" CABLE |
| RDD- = 7/8" ROD | CAC- = 1/2" CABLE |
| RDE- = 1" ROD | |
| RDF- = 1 1/8" ROD | |
| RDG- = 1 1/4" ROD | |
- ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
- FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
- THIS DRAWING IS NOT TO SCALE.

| | | | |
|-----------------------|--|-----------------------|--------------|
| New Jersey Mining Co. | | RapidsetBuildings.com | |
| PROJECT | New Jersey Mining Co. | PHONE: | 800.793.8555 |
| ID | DBS046890 | ENDWALL FRAMING | |
| PROJECT ADDRESS | 1427 Thompson Pass Rd. Murray, ID 83873 | DESIGN: | Scott H. NBS |
| | | DATE: | 7/ 5/18 |
| | | SHEET | 8 OF 19 |

| SPLICE BOLT TABLE | | | | | | |
|-------------------|-----|-----|-----|------|-------|------------|
| Mark | Qty | Top | Bot | Int | Type | Dia Length |
| SP-1 | 4 | 4 | 0 | A325 | 0.625 | 2.25 |

| MEMBER TABLE | | | | | |
|--------------|-----------|---------------|-------------|--------|--|
| Mark | Web Depth | Web Start/End | Plate Thick | Length | |
| RF1-1 | 12.0/22.0 | 0.150 | 169.9 | | |
| | 22.0/22.0 | 0.188 | 23.1 | | |
| RF1-2 | 19.0/12.0 | 0.188 | 187.7 | | |

| Outside Flange | | Inside Flange | |
|-------------------|--|------------------|--|
| W x Thk x Length | | W x Thk x Length | |
| 5 x 3/16" x 185.7 | | 5 x 3/8" x 170.2 | |
| 6 x 3/16" x 31.5 | | | |
| 5 x 1/4" x 181.3 | | 5 x 1/4" x 183.7 | |



RIGID FRAME ELEVATION: FRAME LINE 2 4

THIS DRAWING IS NOT TO SCALE

| | | | |
|-----------------------|--|-----------------------|--------------|
| New Jersey Mining Co. | | RapidsetBuildings.com | |
| PROJECT | New Jersey Mining Co. | PHONE: | 800.793.8555 |
| ID | DBS046890 | RIGID FRAME ELEVATION | |
| PROJECT ADDRESS | 1427 Thompson Pass Rd. Murray, ID 83873 | DESIGN: | Scott H. NBS |
| | | DATE: | 7/ 5/18 |
| | | SHEET | 14 OF 19 |

