

ROOF FRAMING PLAN

ROOF SHEETING
PANELS: 26 Ga. RPR
Galvalume Plus


ROOF FRAMING PLAN

GENERAL NOTES

- PLACE TAGGED END OF RAFTERS TOWARDS THE LOW EAVE.
- STD. ROD/CABLE SIZES PER PART PREFIX ARE:

ROD	CABLE
RD05- = 5/8" ROD	CA02- = 1/4" CABLE
RD06- = 3/4" ROD	CA03- = 3/8" CABLE
RD07- = 7/8" ROD	CA04- = 1/2" CABLE
RD08- = 1" ROD	
RD09- = 1 1/8" ROD	
RD10- = 1 1/4" ROD	
- PURLIN AND EAVE STRUT CONNECTIONS UTILIZE BOTH A307 AND A325 BOLTS. REFER TO THE DETAILS FOR SPECIFIC USAGE REQUIREMENTS.
- THIS DRAWING IS NOT TO SCALE.

MEMBER TABLE		
ROOF PLAN		
MARK	PART	LENGTH
P-1	95Z099	341.750
P-2	95Z089	366.000
P-3	95Z089	366.000
P-4	95Z099	341.750
E-1	95E060	299.625
E-2	95E060	299.750
E-3	95E060	299.625
E-4	95HE099	299.625
E-5	95HE099	299.750
E-6	95HE099	299.625
ST-1	W08SB075	294.750
ST-2	W08SB099	294.750
CB-4	RD10-2	330.000
CB-1	RD05-1	16.000
CB-2	RD05-2	416.000



1700 East Louise Avenue
La Habra, CA 95330
209-983-0910

PROJECT NAME
RON BRACKIN 50X100

Preston, ID

CUSTOMER NAME

SS JOHNSON CONSTRUCTION

Preston, ID


JOB NUMBER

C24A0971A




This seal certifies only the individual designations used by the Metal Building Manufacturer. The drawings and the metal buildings which they represent are the product of the Metal Building Manufacturer. The registered professional engineer whose seal appears on these drawings is employed by the Metal Building Manufacturer and does not serve as or represent the project engineer of record and shall not be considered as such.

SHEET
E1 OF 6




CONNECTION PLATES	
FRAME LINE D	
ID	MARK/PART
1	JCE01
2	GCC03&bt
3	ESC02

1. STD. ROD/CABLE SIZES PER PART PREFIX ARE:
- | <u>ROD</u> | <u>CABLE</u> |
|--------------------|--------------------|
| RD05- = 5/8" ROD | CA02- = 1/4" CABLE |
| RD06- = 3/4" ROD | CA03- = 3/8" CABLE |
| RD07- = 7/8" ROD | CA04- = 1/2" CABLE |
| RD08- = 1" ROD | |
| RD09- = 1 1/8" ROD | |
| RD10- = 1 1/4" ROD | |
2. ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
3. FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
4. FOR WALL PANEL, USE 0" START DIMENSION IF NO START/FINISH DIMENSIONS ARE SHOWN.
5. THIS DRAWING IS NOT TO SCALE.



SIDEWALL FRAMING: FRAME LINE A



SIDEWALL SHEETING & TRIM: FRAME LINE A
PANELS: 26 Ga. RPW - Fox Gray SP

BOLT TABLE FRAME LINE A				
LOCATION		QUAN	TYPE	DIA
WF-1 - WF-2		12	A325	1 1/4"
WF-1 - RF1-1		8	A325	1"

TRIM TABLE FRAME LINE A			
ID	PART	LENGTH	DETAIL
1	COB242	242.000	TRIM_353
2	BSC121	121.000	TRIM_367
3	BSC121	Use Drop	TRIM_367
4	HRSN242	242.000	TRIM_548
5	H4000N	10.120	TRIM_509
6	RSCE	9.250	TRIM_509
7	CS8145	145.000	TRIM_375
8	CC8121	121.000	TRIM_375
9	JTA087	87.000	TRIM_373
10	CW8040	40.000	TRIM_375
11	HTA044	44.000	TRIM_373
12	CC8145	145.000	TRIM_375
13	JTA145	145.000	TRIM_373
14	HTA148	148.000	TRIM_373

MEMBER TABLE FRAME LINE A		
MARK	PART	LENGTH
WF-1	W1619850	179.000
WF-2	W2016850	254.500
DJ-2	J08C060	66.000
DJ-4	J08C060	144.000
E-4	95HE099	299.625
E-5	95HE099	299.750
E-6	95HE099	299.625
G-8	08Z060	116.750
G-9	08S075	299.000
G-10	08Z060	66.000
G-11	08C075	298.500
G-12	08Z060	132.000
G-13	08Z060	132.000
G-14	08Z060	116.750
JB-1	J08C060	38.500

CONNECTION PLATES FRAME LINE A	
ID	MARK/PART
1	CLIP-1
2	JCE09
3	GCC03&bt
4	ESC02

SIDEWALL FRAMING PLAN

GENERAL NOTES

1. STD. ROD/CABLE SIZES PER PART PREFIX ARE:

ROD	CABLE
RD05- = 5/8" ROD	CA02- = 1/4" CABLE
RD06- = 3/4" ROD	CA03- = 3/8" CABLE
RD07- = 7/8" ROD	CA04- = 1/2" CABLE
RD08- = 1" ROD	
RD09- = 1 1/8" ROD	
RD10- = 1 1/4" ROD	

2. ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRTS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.

3. FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.

4. FOR WALL PANEL, USE 0" START DIMENSION IF NO START/FINISH DIMENSIONS ARE SHOWN.

5. THIS DRAWING IS NOT TO SCALE.

DATE	ISSUE	CHK	ENG	PE
11/19/2024		JSW	HH	
11/19/2024		JSW	HH	
11/20/2024		JSW	HH	

Anchor Bolts
Building Department Review
Finals

1700 East Louise Avenue
La Habra, CA 95330
209-963-0910

CBC
STEEL BUILDINGS
A NUCOR BRAND

PROJECT NAME
RON BRACKIN 50X100
Preston, ID

CUSTOMER NAME
SS JOHNSON CONSTRUCTION
Preston, ID

JOB NUMBER
C24A0971A



SHEET TITLE

12/04/2024

PROFESSIONAL ENGINEER
LICENSED
20724
MEAGAN WALKER
STATE OF IDAHO

This seal certifies only the engineering design and calculations used by the Metal Building Manufacturer. The drawings and the metal buildings which they represent are the product of the Metal Building Manufacturer. The registered professional engineer whose seal appears on these drawings is employed by the Metal Building Manufacturer and does not serve as or represent the project engineer of record and shall not be used for such.

SHEET
E4 OF 6



BOLT TABLE				
FRAME LINE 1				
LOCATION	QUAN	TYPE	DIA	LENGTH
ER-1/ER-2	4	A325	1/2"	2"
Columns/Raf	4	A325	1/2"	2"

TRIM TABLE			
FRAME LINE 1			
◇ ID	PART	LENGTH	DETAIL
1	COB242	242.000	TRIM_353
2	BSC121	121.000	TRIM_367
3	BSC121	Use Drop	TRIM_367
4	RSN242	242.000	TRIM_398
6	CC8121	121.000	TRIM_375
7	JTA087	87.000	TRIM_374
8	CC8121	Use Drop	TRIM_375
10	HTA080	80.000	TRIM_374
11	STA076	76.000	TRIM_374
12	JTA087	87.000	TRIM_373
13	CW8040	40.000	TRIM_375
14	HTA044	44.000	TRIM_373

MEMBER TABLE		
FRAME LINE 1		
MARK	PART	LENGTH
EC-1	W8x10	175.125
EC-2	W8x10	164.438
EC-3	W8x10	138.438
EC-4	W8x10	127.813
ER-1	W8x18	203.438
ER-2	W8x18	398.813
DJ-1	J08C060	42.000
DJ-2	J08C060	66.000
DS-1	J08C060	48.000
G-1	08Z060	115.000
G-2	08Z075	299.000
G-3	08C075	299.000
G-4	08C060	115.000
CB-5	RD06-1	151.000
CB-6	RD06-2	159.000

FLANGE BRACE TABLE			
FRAME LINE 1			
▽ ID	# SIDES	MARK	CLIP
1	1	FBC30	FBL&N01

CONNECTION PLATES	
FRAME LINE 1	
□ ID	MARK/PART
1	GCC03&bt

ENDWALL FRAMING PLAN

GENERAL NOTES

1. STD. ROD/CABLE SIZES PER PART PREFIX ARE:

ROD	CABLE
RD05- = 5/8" ROD	CA02- = 1/4" CABLE
RD06- = 3/4" ROD	CA03- = 3/8" CABLE
RD07- = 7/8" ROD	CA04- = 1/2" CABLE
RD08- = 1" ROD	
RD09- = 1 1/8" ROD	
RD10- = 1 1/4" ROD	

2. ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.

3. FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.

4. FOR WALL PANEL, USE 0" START DIMENSION IF NO START/FINISH DIMENSIONS ARE SHOWN.

5. THIS DRAWING IS NOT TO SCALE.

DATE	DATE	DATE	DATE	DATE	DATE
11/19/2024	11/19/2024	11/19/2024	11/19/2024	11/19/2024	11/19/2024
CHK	CHK	CHK	CHK	CHK	CHK
ENG	ENG	ENG	ENG	ENG	ENG
PE	PE	PE	PE	PE	PE
ANCHOR BOLTS	ANCHOR BOLTS	ANCHOR BOLTS	ANCHOR BOLTS	ANCHOR BOLTS	ANCHOR BOLTS
JSW	JSW	JSW	JSW	JSW	JSW
MBS	MBS	MBS	MBS	MBS	MBS
REVIEW	REVIEW	REVIEW	REVIEW	REVIEW	REVIEW
FINALS	FINALS	FINALS	FINALS	FINALS	FINALS

1700 East Louise Avenue
La Habra, CA 90630
209-963-0910

CBC STEEL BUILDINGS
A NUCOR BRAND

PROJECT NAME
RON BRACKIN 50X100
Preston, ID

CUSTOMER NAME
SS JOHNSON CONSTRUCTION
Preston, ID

JOB NUMBER
C24A0971A

SHEET TITLE

12/04/2024

PROFESSIONAL ENGINEER
LICENSED
20724
MEAGAN WALKER
STATE OF IDAHO

This seal and signature are for the professional engineer's use only. The seal and signature are not to be used for any other purpose. The seal and signature are not to be used for any other purpose. The seal and signature are not to be used for any other purpose.

SHEET
E5 OF 6

