

SIDEWALL FRAMING: FRAME LINE E

| MEMBER TABLE |         |            |
|--------------|---------|------------|
| FRAME LINE E |         |            |
| MARK         | PART    | LENGTH     |
| DJ-5         | J08C060 | 9'-0"      |
| DJ-6         | J08C060 | 9'-0"      |
| DH-3         | J08C060 | 3'-2 3/8"  |
| DH-4         | J08C060 | 4'-0"      |
| DS-1         | J08C060 | 4'-0"      |
| E-1          | 08E3060 | 12'-5 1/2" |
| E-2          | 08E3060 | 12'-5 1/2" |
| G-10         | 08Z060  | 6'-8 1/2"  |
| G-11         | 08Z060  | 12'-8"     |
| G-12         | 08Z060  | 13'-8 1/2" |
| CB-2         | RDB-    | 16'-8"     |
| CB-3         | RDB-    | 13'-4"     |

| CONNECTION PLATES |  |
|-------------------|--|
| FRAME LINE E      |  |
| OLD MARK/PART     |  |
| 1 JCA&P02         |  |


# SIDEWALL FRAMING PLAN

## GENERAL NOTES

- STD. ROD/CABLE SIZES PER PART PREFIX ARE:  

|                   |                   |
|-------------------|-------------------|
| ROD               | CABLE             |
| RDB- = 5/8" ROD   | CAA- = 1/4" CABLE |
| RDC- = 3/4" ROD   | CAB- = 3/8" CABLE |
| RDD- = 7/8" ROD   | CAC- = 1/2" CABLE |
| RDE- = 1" ROD     |                   |
| RDF- = 1 1/8" ROD |                   |
| RDG- = 1 1/4" ROD |                   |
- ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
- FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
- THIS DRAWING IS NOT TO SCALE.

|                 |                                       |                       |              |
|-----------------|---------------------------------------|-----------------------|--------------|
| Eric Rooney     |                                       | RapidsetBuildings.com |              |
| PROJECT         | Eric Rooney                           | PHONE:                | 800.793.8555 |
| ID              | DBS072106                             | SIDEWALL FRAMING      |              |
| PROJECT ADDRESS | 2310 Wakonda Way<br>Monument CO 80132 | DESIGN:               | Designer NBS |
|                 |                                       | DATE:                 | 8/ 7/20      |
|                 |                                       | SHEET                 | 4 OF 21      |



SIDEWALL FRAMING: FRAME LINE A

| MEMBER TABLE |         |            |
|--------------|---------|------------|
| FRAME        | LINE    | A          |
| MARK         | PART    | LENGTH     |
| E-1          | 08E3060 | 12'-5 1/2" |
| E-2          | 08E3060 | 12'-5 1/2" |
| G-13         | 08Z060  | 13'-9 1/2" |
| G-14         | 08Z060  | 13'-9 1/2" |
| CB-2         | RDB-    | 16'-8"     |
| CB-3         | RDB-    | 13'-4"     |

SIDEWALL FRAMING PLAN

GENERAL NOTES

- STD. ROD/CABLE SIZES PER PART PREFIX ARE:  

|                   |                   |
|-------------------|-------------------|
| RDB- = 5/8" ROD   | CAB- = 1/4" CABLE |
| RDC- = 3/4" ROD   | CAB- = 3/8" CABLE |
| RDD- = 7/8" ROD   | CAC- = 1/2" CABLE |
| RDE- = 1" ROD     |                   |
| RDF- = 1 1/8" ROD |                   |
| RDG- = 1 1/4" ROD |                   |
- ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRTS WILL REQUIRE FIELD SLOTTING OF GIRTS TO ALLOW FOR BRACING.
- FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
- THIS DRAWING IS NOT TO SCALE.

|                 |                                       |                       |              |
|-----------------|---------------------------------------|-----------------------|--------------|
| Eric Rooney     |                                       | RapidsetBuildings.com |              |
| PROJECT         | Eric Rooney                           | PHONE:                | 800.793.8555 |
| ID              | DBS072106                             | SIDEWALL FRAMING      |              |
| PROJECT ADDRESS | 2310 Wakonda Way<br>Monument CO 80132 | DESIGN:               | Designer NBS |
|                 |                                       | DATE:                 | 8/ 7/20      |
|                 |                                       | SHEET                 | 6 OF 21      |

| BOLT TABLE<br>FRAME LINE 1 |      |      |      |        |
|----------------------------|------|------|------|--------|
| LOCATION                   | QUAN | TYPE | DIA  | LENGTH |
| ER-1/ER-2                  | 4    | A325 | 1/2" | 2"     |
| Columns/Raf                | 6    | A325 | 1/2" | 2"     |
| Jamb                       | 4    | A325 | 1/2" | 2"     |

| MEMBER TABLE<br>FRAME LINE 1 |         |               |
|------------------------------|---------|---------------|
| MARK                         | PART    | LENGTH        |
| EC-1                         | W08S075 | 10'-8 1/4"    |
| EC-2                         | W12S099 | 16'-10 15/16" |
| EC-3                         | W08S075 | 10'-8 1/4"    |
| ER-1                         | W12S099 | 20'-8 7/16"   |
| ER-2                         | W12S099 | 20'-8 7/16"   |
| DJ-1                         | J08C067 | 11'-6 7/8"    |
| DJ-2                         | J08C067 | 14'-10 7/8"   |
| DJ-3                         | J08C060 | 14'-6 7/8"    |
| DJ-4                         | J08C060 | 11'-10 7/8"   |
| DH-1                         | J08C060 | 10'-0"        |
| DH-2                         | J08C060 | 8'-0"         |
| G-1                          | 08Z060  | 3'-0 1/2"     |
| G-2                          | 08Z060  | 6'-0"         |
| G-3                          | 08Z060  | 4'-4 1/2"     |
| G-4                          | 08Z060  | 5'-4 1/2"     |
| G-5                          | 08Z060  | 7'-5 1/2"     |
| G-6                          | 08Z060  | 4'-0 1/2"     |

| FLANGE BRACE TABLE<br>FRAME LINE 1 |   |       |      |
|------------------------------------|---|-------|------|
| ▽ ID                               | # | MARK  | CLIP |
| 1                                  | 1 | FBE01 |      |


| CONNECTION PLATES<br>FRAME LINE 1 |           |
|-----------------------------------|-----------|
| OID                               | MARK/PART |
| 1                                 | EWAO1     |
| 2                                 | GCR34gcb  |
| 3                                 | NCR06     |
| 4                                 | JCS04ewa  |
| 5                                 | JCA&P02   |
| 6                                 | JGC01     |

## ENDWALL FRAMING PLAN

### GENERAL NOTES

- STD. ROD/CABLE SIZES PER PART PREFIX ARE:  

|                   |                   |
|-------------------|-------------------|
| ROD-              | CABLE             |
| RDB- = 5/8" ROD   | CAA- = 1/4" CABLE |
| RDC- = 3/4" ROD   | CAB- = 3/8" CABLE |
| RDD- = 7/8" ROD   | CAC- = 1/2" CABLE |
| RDE- = 1" ROD     |                   |
| RDF- = 1 1/8" ROD |                   |
| RDG- = 1 1/4" ROD |                   |
- ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
- FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
- THIS DRAWING IS NOT TO SCALE.



ENDWALL FRAMING: FRAME LINE 1


|                 |                                       |                       |              |
|-----------------|---------------------------------------|-----------------------|--------------|
| Eric Rooney     |                                       | RapidsetBuildings.com |              |
| PROJECT         | Eric Rooney                           | PHONE:                | 800.793.8555 |
| ID              | DBS072106                             | ENDWALL FRAMING       |              |
| PROJECT ADDRESS | 2310 Wakonda Way<br>Monument CO 80132 | DESIGN:               | Designer NBS |
|                 |                                       | DATE:                 | 8/ 7/20      |
|                 |                                       | SHEET                 | 8 OF 21      |

| BOLT TABLE<br>FRAME LINE 3 |      |      |      |        |
|----------------------------|------|------|------|--------|
| LOCATION                   | QUAN | TYPE | DIA  | LENGTH |
| ER-3/ER-4                  | 4    | A325 | 1/2" | 2"     |
| Columns/Raf                | 6    | A325 | 1/2" | 2"     |

| MEMBER TABLE<br>FRAME LINE 3 |         |              |
|------------------------------|---------|--------------|
| MARK                         | PART    | LENGTH       |
| EC-4                         | W08S075 | 11'-0 7/16"  |
| EC-5                         | W08S089 | 14'-9 1/8"   |
| EC-6                         | W08S089 | 14'-9 1/8"   |
| EC-7                         | W08S075 | 11'-0 7/16"  |
| ER-3                         | W08S099 | 20'-9 13/16" |
| ER-4                         | W08S099 | 20'-9 13/16" |
| G-7                          | 08Z060  | 10'-5 1/2"   |
| G-8                          | 08Z060  | 4'-5 11/16"  |
| G-9                          | 08Z060  | 14'-3 1/2"   |
| CB-1                         | RDB-    | 20'-6"       |

| FLANGE BRACE TABLE<br>FRAME LINE 3 |   |       |      |
|------------------------------------|---|-------|------|
| ∇ID                                | # | MARK  | CLIP |
| 1                                  | 1 | FBE01 |      |

| CONNECTION PLATES<br>FRAME LINE 3 |           |
|-----------------------------------|-----------|
| ∇ID                               | MARK/PART |
| 1                                 | EWA01     |
| 2                                 | GCR34gcb  |
| 3                                 | INCR06    |



ENDWALL FRAMING: FRAME LINE 3


### ENDWALL FRAMING PLAN

#### GENERAL NOTES

- STD. ROD/CABLE SIZES PER PART PREFIX ARE:  
 ROD- = 5/8" ROD  
 RDC- = 3/4" ROD  
 RDD- = 7/8" ROD  
 RDE- = 1" ROD  
 RDF- = 1 1/8" ROD  
 RDG- = 1 1/4" ROD  
 CABLE  
 CAA- = 1/4" CABLE  
 CAB- = 3/8" CABLE  
 CAC- = 1/2" CABLE
- ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
- FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
- THIS DRAWING IS NOT TO SCALE.

|                 |                                       |                       |              |
|-----------------|---------------------------------------|-----------------------|--------------|
| Eric Rooney     |                                       | RapidsetBuildings.com |              |
| PROJECT         | Eric Rooney                           | PHONE:                | 800.793.8555 |
| ID              | DBS072106                             | ENDWALL FRAMING       |              |
| PROJECT ADDRESS | 2310 Wakonda Way<br>Monument CO 80132 | DESIGN:               | Designer NBS |
|                 |                                       | DATE:                 | 8/ 7/20      |
|                 |                                       | SHEET                 | 10 OF 21     |

| MEMBER TABLE |         |            |
|--------------|---------|------------|
| ROOF PLAN    |         |            |
| MARK         | PART    | LENGTH     |
| P-1          | 08Z060  | 13'-9 1/2" |
| P-2          | 08Z060  | 13'-9 1/2" |
| E-1          | 08E3060 | 12'-5 1/2" |
| E-2          | 08E3060 | 12'-5 1/2" |
| CB-4         | RDB-    | 15'-3"     |
| CB-5         | RDB-    | 15'-2"     |
| CB-6         | RDB-    | 15'-9"     |



ROOF FRAMING PLAN

### ROOF FRAMING PLAN

#### GENERAL NOTES

1. PLACE TAGGED END OF RAFTERS TOWARDS THE LOW EAVE.
2. STD. ROD/CABLE SIZES PER PART PREFIX ARE:  


|                   |                   |
|-------------------|-------------------|
| RDD               | CABLE             |
| RDB- = 5/8" ROD   | CAA- = 1/4" CABLE |
| RDC- = 3/4" ROD   | CAB- = 3/8" CABLE |
| RDD- = 7/8" ROD   | CAC- = 1/2" CABLE |
| RDE- = 1" ROD     |                   |
| RDF- = 1 1/8" ROD |                   |
| RDG- = 1 1/4" ROD |                   |
3. PURLIN AND EAVE STRUT CONNECTIONS UTILIZE BOTH A307 AND A325 BOLTS. REFER TO THE DETAILS FOR SPECIFIC USAGE REQUIREMENTS.
4. THIS DRAWING IS NOT TO SCALE.

THIS DRAWING IS NOT TO SCALE

|                 |                                       |                       |                |
|-----------------|---------------------------------------|-----------------------|----------------|
| Eric Rooney     |                                       | RapidsetBuildings.com |                |
| PROJECT         | Eric Rooney                           | PHONE:                | 800.793.8555   |
| ID              | DBS072106                             | ROOF FRAMING          |                |
| PROJECT ADDRESS | 2310 Wakonda Way<br>Monument CO 80132 | DESIGN: Designer      | NBS            |
|                 |                                       | DATE: 8/ 7/20         | SHEET 12 OF 21 |

| SPLICE BOLT TABLE |     |     |     |     |      |       |
|-------------------|-----|-----|-----|-----|------|-------|
| Mark              | Qty | Top | Bot | Int | Type | Dia   |
| SP-1              | 4   | 4   | 0   |     | A325 | 0.625 |

| MEMBER TABLE |           |           |           |              |                   |                  |
|--------------|-----------|-----------|-----------|--------------|-------------------|------------------|
| Mark         | Web Depth | Start/End | Web Thick | Plate Length | Outside Flange    | Inside Flange    |
| RF1-1        | 12.0/19.0 | 0.150     | 121.8     |              | 5 x 3/16" x 137.5 | 5 x 1/4" x 121.9 |
| RF1-2        | 19.0/19.0 | 0.164     | 22.1      |              | 5 x 3/8" x 28.3   |                  |
| RF1-3        | 18.0/12.0 | 0.150     | 228.9     |              | 5 x 3/16" x 222.8 | 5 x 1/4" x 224.9 |
|              | 19.0/19.0 | 0.164     | 22.1      |              | 5 x 3/8" x 28.3   |                  |
|              | 19.0/12.0 | 0.150     | 121.8     |              | 5 x 3/16" x 137.5 | 5 x 1/4" x 121.9 |



RIGID FRAME ELEVATION: FRAME LINE 2

THIS DRAWING IS NOT TO SCALE

|                 |                                       |                       |              |
|-----------------|---------------------------------------|-----------------------|--------------|
| Eric Rooney     |                                       | RapidsetBuildings.com |              |
| PROJECT         | Eric Rooney                           | PHONE:                | 800.793.8555 |
| ID              | DBS072106                             | RIGID FRAME ELEVATION |              |
| PROJECT ADDRESS | 2310 Wakonda Way<br>Monument CO 80132 | DESIGN:               | Designer NBS |
|                 |                                       | DATE:                 | 8/ 7/20      |
|                 |                                       | SHEET                 | 15 OF 21     |

Insulation:

Roof: 4"

Wall: 4"

(add tape, etc. in quote)

Jobsite info:

Eric Rooney  
2310 Wakonda Way  
Monument, CO 80122

Note: Job set to deliver  
on 9/24/2020

