


- GENERAL NOTES:
- STANDARD CONNECTION FOR ALL ROOF PURLINS TO FRAMES ARE 2 EA. 1/2" A307 BOLTS.
STANDARD CONNECTION FOR EAVE STRUTS TO FRAMES ARE 2 EA. 1/2" A325 BOLTS.
EXCEPTIONS WILL BE NOTED IN A BOLT TABLE ON THIS DRAWING
IT IS THE RESPONSIBILITY OF THE CONTRACTOR/ERECTOR TO ENSURE THAT ALL BOLT GRADES, DIAMETERS, AND QUANTITIES ARE LOCATED AND INSTALLED AS SPECIFIED.
 - SEE DETAILS S49, S50, S51, S52, AND S53 BEFORE INSTALLATION OF ROOF PANELS
 - SEAL ALL TRIM LAPS AS NECESSARY TO INSURE WEATHERTIGHTNESS.
 - IT IS THE RESPONSIBILITY OF THE ERECTOR TO MAINTAIN PANEL MODULE WIDTH.



ROOF FRAMING PLAN

MEMBER TABLE			
ROOF PLAN			
QUAN	MARK	PART	LENGTH
18	P-1	Z1025_12	27'-1 1/2"
18	P-2	Z1025_12	28'-3"
18	P-3	Z1025_12	28'-3"
18	P-4	Z1025_12	27'-1 1/2"
1	E-1	E1045_12	24'-11 3/4"
2	E-2	E1045_12	24'-11 1/2"
1	E-3	E1045_12	24'-11 3/4"
1	E-4	E1045_12	24'-11 3/4"
1	E-5	E1045_12	24'-11 1/2"
1	E-6	E1045_12	24'-11 1/2"
1	E-7	E1045_12	24'-11 3/4"
4	CB-8	0.25_CBL	26'-10 1/2"
4	CB-9	0.25_CBL	26'-2 3/4"
4	CB-10	0.25_CBL	26'-4 3/4"

SPECIAL BOLTS						
ROOF PLAN						
Ø ID	QUAN	TYPE	DIA	LENGTH	WASH	
1	2	A325	5/8"	1 1/2"	1	
2	4	A325	5/8"	1 1/2"	1	

39'-8 3/4" (34)

DFC (34)

39'-8 3/4" (34)

ROOF SHEETING

PANELS: 26 Ga. PBr Galvalume




ROOF FRAMING

JONATHAN BRENNAN
539 N. BROADMORE WAY
NAMPA, ID 83687

JONATHAN BRENNAN

REVISIONS

REV	DATE	DESCRIPTION
Δ		
Δ		
Δ		
Δ		
Δ		
Δ		



DESIGN: ML
DRAFT: NS
CHECK: FL
DATE: 8/27/20

JOB # 20072270

SHEET 4 OF 11 REV 0

CO BUILDING SYSTEMS RECOMMENDS THAT AT LEAST ONE BRACED BAY BE INSTALLED PRIOR TO OTHER FRAME LINES. THIS INCLUDES EAVE STRUTS, PURLIN STRUTS, WIND BENTS, AND BRACE CABLE/ROD OVER THE COMPLETE BAY. FAILURE TO DO SO MAY RESULT IN SERIOUS DAMAGE TO THE STRUCTURE AND/OR BODILY INJURY

CONNECTION PLATES	
FRAME LINE A	
<input type="checkbox"/> ID	MARK/PART
1	GC35
2	EJ1L
3	EJ1R



PANELS: 26 Ga. A - Color: Ash Grey
[A] PANELS: 26 Ga. A - Color: Burgandy



SIDEWALL FRAMING

JONATHAN BRENNAN

539 N. BROADMORE WAY

NAMPA, ID 83687

JONATHAN BRENNAN

REV	DATE:	DESCRIPTION
A	10/16/20	PANEL COLORS
B		
C		
D		
E		
F		
G		




DESIGN: ML
DRAFT: NS
CHECK: *EL*
DATE: 8/27/20

JOB # 20072270

SHEET	OF	REV
5	11	1

CO BUILDING SYSTEMS RECOMMENDS THAT AT LEAST ONE BRACED BAY BE INSTALLED PRIOR TO OTHER FRAME LINES. THIS INCLUDES EAVE STRUTS, PURLIN STRUTS, WIND BENTS, AND BRACE CABLE/ROD OVER THE COMPLETE BAY. FAILURE TO DO SO MAY RESULT IN SERIOUS DAMAGE TO THE STRUCTURE AND/OR BODILY INJURY.



CONNECTION PLATES	
FRAME LINE J	
<input type="checkbox"/> ID	MARK / PART
2	GC35
3	EJ1L
4	EJ1R
5	PBC3N

GIRT
LAPS





PANELS: 26 Ga. A - Color: Ash Grey
[A] PANELS: 26 Ga. A - Color: Burgandy



JONATHAN BRENNAN

REV	DATE:	DESCRIPTION
△	10/16/20	PANEL COLORS, LAYOUT
△		
△		
△		
△		
△		






BOLT TABLE FRAME LINE 1				
LOCATION	QUAN	TYPE	DIA	LENGTH
ER-1/ER-2	8	A325	5/8"	2"
EC-1/ER-1	4	A325	1/2"	1 1/2"
Int_Column/Raf	4	A325	1/2"	1 1/4"
EC-6/ER-2	4	A325	1/2"	1 1/4"
DJ or JB /Raf	2	A307	1/2"	1 1/2"

MEMBER TABLE FRAME LINE 1		
MARK	PART	LENGTH
EC-1	08B12	18'-7 1/4"
EC-2	c835_12	19'-5 11/16"
EC-3	c825D12	20'-9 11/16"
EC-4	c825D12	20'-9 11/16"
EC-5	c825_12	19'-5 11/16"
EC-6	c825_14	18'-6 5/8"
ER-1	08B12	40'-1 11/16"
ER-2	08B12	40'-1 11/16"
DJ-1	c825_16	6'-3 11/16"
DJ-2	c825_16	6'-9 11/16"
DJ-3	c825_16	14'-0"
DJ-12	c825_16	2'-10 11/16"
DJ-13	c825_16	3'-4 11/16"
DH-1	c825_16	6'-0"
DS-1	c825_16	6'-0"
G-1	z825_16	10'-4"
G-2	z825_16	15'-8"
G-3	C825_16	15'-8"
G-4	z825_16	4'-8"
G-5	z825_16	4'-4 1/2"
G-6	z825_16	3'-4 1/2"
G-7	c825_12	23'-4 1/2"
G-8	z825_14	23'-4 1/2"
G-9	z825_16	15'-8"
G-10	z825_16	10'-8 1/2"
CB-1	0.31_CBL	24'-0 1/2"
CB-2	0.31_CBL	23'-0"
JB-1	c825_16	2'-11"
JB-2	c825_16	3'-2 11/16"

CONNECTION PLATES FRAME LINE 1	
ID	MARK/PART
1	BCC3/5
2	PBC3N
3	GC35

ENDWALL FRAMING: FRAME LINE 1



ENDWALL SHEETING & TRIM: FRAME LINE 1

PANELS: 26 Ga. A - Color: Ash Grey
[A] PANELS: 26 Ga. A - Color: Burgandy



BUILDING
SYSTEMS
INC.



ACCREDITED
Metal Building Systems
AC 472

ENDWALL FRAMING

JONATHAN BRENNAN
539 N. BROADMORE WAY
NAMPA, ID 83687

JONATHAN BRENNAN

REVISIONS


REV	DATE	DESCRIPTION
1	10/16/20	PANEL COLORS, MEMBER TABLE
2		
3		
4		
5		
6		



DESIGN: ML
DRAFT: NS
CHECK: EL
DATE: 8/27/20

JOB # 20072270

SHEET 7 OF 11 REV 1




ENDWALL FRAMING: FRAME LINE 5

BOLT TABLE FRAME LINE 5			
LOCATION	QUAN	TYPE	DIA
ER-3/ER-4	8	A325	1/2"
Columns/Raf	8	A325	1/2"
DJ or JB /Raf	6	A307	1/2"

MEMBER TABLE FRAME LINE 5		
MARK	PART	LENGTH
EC-7	c825_16	18'-4 5/8"
EC-8	c835_12	19'-3 11/16"
EC-9	c825D14	20'-10"
EC-10	c825D14	21'-5 3/8"
EC-11	c825D14	20'-3"
EC-12	c825_12	19'-3 3/16"
ER-3	C1025D12	39'-10 3/16"
ER-4	C1025D12	39'-10 3/16"
DJ-5	c825_16	6'-1 11/16"
DJ-6	c825_16	6'-7 11/16"
DJ-7	CH830_16	2'-0"
DJ-10	c825_16	12'-11"
DJ-11	CH830_16	9'-0"
DH-1	c825_16	6'-0"
DH-2	c825_16	10'-0 1/4"
DH-4	c825_16	6'-0 1/4"
DS-1	c825_16	6'-0"
DS-4	c825_16	6'-0 1/4"
G-4	z825_16	4'-8"
G-10	z825_16	10'-8 1/2"
G-11	z825_16	7'-8"
G-12	z825_12	18'-0"
G-13	z825_16	6'-8 1/2"
G-14	z825_16	11'-4 1/2"
G-15	z825_16	13'-8 1/2"
G-16	z825_16	11'-6"
G-17	z825_16	11'-6"
G-18	z825_16	5'-2"
G-19	z825_16	10'-2 1/2"
CB-3	0.31_CBL	22'-7 1/4"
CB-4	0.31_CBL	23'-7"

CONNECTION PLATES FRAME LINE 5	
MARK	PART
1	BCC3/5
2	GCBP
3	PBC3N
4	PTC-ER1
5	GC35
6	RPS1-31



ENDWALL SHEETING & TRIM: FRAME LINE 5

PANELS: 26 Ga. A - Color: Ash Grey
[A] PANELS: 26 Ga. A - Color: Burgandy




**BUILDING
SYSTEMS
INC.**



ENDWALL FRAMING
JONATHAN BRENNAN
539 N. BROADMORE WAY
NAMPA, ID 83687
JONATHAN BRENNAN

REVISIONS	
REV	DESCRIPTION
1	10/16/20 PANEL COLORS, MEMBER TABLE
2	
3	
4	
5	
6	



DESIGN: ML
DRAFT: NS
CHECK: EL
DATE: 8/27/20
JOB # 20072270
SHEET 8 OF 11 REV 1