

ENDWALL SHEETING & TRIM: FRAME LINE PANELS: 26 Ga. PBR - Need Std. Color


GENERAL NOTES:

TRIM IS FIGURED WITH 2" TRIM LAP UNLESS NOTED ON A DETAIL.
FIELD CUT PANELS AT FRAMED OPENINGS, WALKDOORS, AND WINDOWS.
FORMED BASE TRIM TO BE FIELD MITERED AT CORNERS.
FIELD SLOT GIRTS AS REQUIRED FOR CABLE BRACE CLEARANCE.


(1)	Panel Start		
IG & TRIM: FRAME LINE 1 a. PBR - Need Std. Color			

BOLT TABLE												
FRAME LINE LOCATION Columns/Raf	1	QUAN 2	TYPE A325	DIA 5/8"	LENGTH 1 1/4"		7					
TRIM 1	ELINE 1	'					DESCRIPTION					
1 2	MARK FL-81 SF-	LENGTH 20'-0" 17'-4"		DETAIL TRIM_80 TRIM_40)	l o	DESCF	DESIGN				
3 4	SF- FL-21 FL-21L	20'-1" 11'-5" 11'-2"		TRIM_40 TRIM_33 TRIM_13)	NO.						
6	FL-21R MEMBER TA	11'-2" 11'-2" ARI F		TRIM_8	ś	REVISIONS		INITIAL				
	FRAME LIN MARK EC-1		L	ENGTH 6'-0"		R	щ	24				
	EC-2 EC-3	8X35C12 8X35C16	11	7'-3 3/16" 8'-6 3/8"			DATE	9/25/24				
	ER-1 G-1 CB-1	W8X10 8X25Z16 CB0250	1 2	2'-4 3/16" 4'-6 1/4" 0'-10"			Ö			+		
	CB-2		SE BRACE 1	9'-11" TABLE			N O	0				
		∇ID	E LINE 1 MARK FB2B	LENC 2'-9 3/	STH 4"							
						ဟ						
						N N						
						B		3827				
						\Z'\	4043	260-	NO NO			
						Ŭ Ž	Lehi, UT 84043	801-360-8827	ELEVATION			
						3 8	ehi,					
						₩	_	PHONE:	ALL	nildin		
						OUTBACK METAL BUILDINGS			ENDWALL	torage Building		
							_	_/	ш	Ś	-	
							<u> </u>	4		Outback Metal Bldgs -		
										Outback Metal Bldgs	202 3 Allens Kancr Fairfield, UT 84013	
							7			× Met	Allen: d, UT	
						\	}	$\overline{}$		utbacl	oz s airfiel	
								') JECT	
					STR	UC7	Up					
						ROFESSION	Pa	GE	R. J.	CA	TI	
						OFES	GEO	10.3	3440	SEN	ENGINEER	
						8					5	
							S.	17	OF UT	AH		
					(K.) \[\]			9-2 sc/	7-24	
							BW BW			N.T		
							date 9/25/24					
						JOB NO.	B			122)	

SHEET NO. E8



ENDWALL FRAMING: FRAME LINE 4



ENDWALL SHEETING & TRIM: FRAME LINE 4 PANELS: 26 Ga. PBR - Need Std. Color

GENERAL NOTES:

TRIM IS FIGURED WITH 2" TRIM LAP UNLESS NOTED ON A DETAIL.
FIELD CUT PANELS AT FRAMED OPENINGS, WALKDOORS, AND WINDOWS.
FORMED BASE TRIM TO BE FIELD MITERED AT CORNERS.
FIELD SLOT GIRTS AS REQUIRED FOR CABLE BRACE CLEARANCE.

uiii 1b	i iari vai		2	A307	1/2	, n	1"			Q			
	FRAM	FL-81 2 FL-81 5 SF- 2 SF- 1 FL-21 1	ENGTH 10'-0" SCRAP 10'-1" 17'-4" 11'-5" 11'-2"			DETAIL TRIM_8 TRIM_4 TRIM_4 TRIM_4 TRIM_3 TRIM_1	0 0 0 5 3		REVISIONS	DESCRIPTION	INITIAL DESIGN		
	7 8 9 10 11	FL-55 1 FL-48 1 FL-55 1 FL-52 1	11'-2" 4'-2" 4'-3" 2'-4" 2'-8"		-	TRIM_8 TRIM_5 TRIM_5	1		RE	DATE	9/25/24		
		FRAME LINE MARK	PART		LENG	TH				Ŏ.		+	+
		EC-1 EC-2 EC-3 ER-2 DJ-1 DJ-2 DH-1 G-1 G-2 CB-1 CB-2	FRAMI		NECTIO	3/16" 3/8" 3/16" 1/16" 1/16" 1 1/2" 1 1/4" /4")" " LE LENG 2'-9 3/	4"		OUTBACK METAL BUILDINGS	Lehi, UT 84043	PHONE: 801-360-8827 0	ENDWALL ELEVATION	Outback Metal Bldgs - Storage Building
									PROFESSION.	DET	STR GE I	3441 3441	TUR 109 TAP 9-
										BW		\perp	N.
								1 1				DATE	

BOLT TABLE FRAME LINE 4 LOCATION Columns/Raf

QUAN TYPE DIA 2 A325 5/8" 2 A307 1/2"

LENGTH 1 1/4" 1"

ı 2≥

Outback Metal Bldgs – 282 S Allens Ranch R Fairfield, UT 84013

PROJECT

9-27-24 SCALE N.T.S.

9/25/24

JOB NO. B24-5422