



**PANELS: 26 Ga. RPR
Galvalume Plus**

GENERAL NOTES

1. PLACE TAGGED END OF RAFTERS TOWARDS THE LOW EAVE.
2. STD. ROD/CABLE SIZES PER PART PREFIX ARE:

<u>ROD</u>	<u>CABLE</u>
RD05- = 5/8" ROD	CA02- = 1/4" CABLE
RD06- = 3/4" ROD	CA03- = 3/8" CABLE
RD07- = 7/8" ROD	CA04- = 1/2" CABLE
RD08- = 1" ROD	
RD09- = 1 1/8" ROD	
RD10- = 1 1/4" ROD	
3. PURLIN AND EAVE STRUT CONNECTIONS UTILIZE BOTH A307 AND A325 BOLTS. REFER TO THE DETAILS FOR SPECIFIC USAGE REQUIREMENTS.
4. THIS DRAWING IS NOT TO SCALE.

TRIM TABLE			
ROOF PLAN			
◇ID	PART	LENGTH	DETAIL
1	RRD2	36.000	TRIM_408

MEMBER TABLE		
ROOF PLAN		
MARK	PART	LENGTH
P-1	08Z067	275.750
P-2	08Z060	295.000
P-3	08Z060	278.000
P-4	08Z060	295.000
P-5	08Z067	275.750
P-6	08Z067	275.750
P-7	08Z067	275.750
E-1	08E2060	239.625
E-2	08E2060	239.750
E-3	08E2060	239.625
E-4	08E2060	239.625
E-5	08E2060	239.625
CB-4	RD05-	321.000
CB-5	RD05-	319.000
CB-6	RD05-	324.000
CB-7	RD05-	256.000

CONNECTION PLATES	
ROOF PLAN	
<input type="checkbox"/> ID	MARK / PART
1	ESC02

PROJECT NAME
JEREMY TAFT
, LAKE POINT, UT 84074

CUSTOMER NAME
ADVANCED STEEL BUILDING SYSTEMS LLC
WEST JORDAN, UT 84081

JOB NUMBER
U24G0360A

E1 OF 6

2002

BUILDING SYSTEMS
305 INDUSTRIAL PARKWAY, WATERLOO, IN 46793
PHONE: (260) 837-7891 FAX: (260) 837-7384
PO BOX 1006, 200 WHETSTONE RD, SWANSEA, SC 29160
PHONE: (803) 568-2110 FAX: (803) 568-2121
600 APACHE TRAIL, TERRELL, TX 75160
PHONE: (972) 524-5407 FAX: (972) 524-5417
1050 WATERY LANE, BRIGHAM CITY, UT 84302
PHONE: (435) 919-3100 FAX: (435) 919-3101

ISSUE
MITS[illegible][illegible]

--	--

MI	
DW	

SV	
SV	

CHK

11	2

NG	SS
----	----

PE

	05
--	----

DATE 5/22

306/1E

24




CONNECTION PLATES	
FRAME LINE E	
ID	MARK/PART
1	ESC02
2	JCE02
3	GCC03&bt

2. ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
3. FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
4. FOR WALL PANEL, USE 0" START DIMENSION IF NO START/FINISH DIMENSIONS ARE SHOWN.
5. THIS DRAWING IS NOT TO SCALE.



CONNECTION PLATES FRAME LINE A	
□ID	MARK/PART
1	ESC02
2	GCC03&bt



CONNECTION PLATES	
FRAME LINE 1	
<input type="checkbox"/> ID	MARK/PART
1	GCC03&bt
2	GCR36&bt

2. ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
3. FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
4. FOR WALL PANEL, USE 0" START DIMENSION IF NO START/FINISH DIMENSIONS ARE SHOWN.
5. THIS DRAWING IS NOT TO SCALE.

This seal pertains only to the materials designed and supplied by Nucor Building Systems, a division of Nucor Corporation. This seal is to be present on all buildings which are the product of Nucor Building Systems. The registered professional engineer whose seal appears on these buildings is employed by Nucor Building Systems and does not serve as or represent the project engineer of record and shall not be constituted as such.

