

Last login: Mon Mar 30 16:13:07 on ttys000
hs35@Sa09s-MacBook-Air bin % ./mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 36
Server version: 8.0.44 Source distribution

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;

```
+-----+
| Database      |
+-----+
| information_schema |
| mysql          |
| performance_schema |
| sys            |
+-----+
4 rows in set (0.00 sec)
```

mysql> CREATE DATABASE DAE;
Query OK, 1 row affected (0.01 sec)

mysql> CREATE DATABASE DAE;
ERROR 1007 (HY000): Can't create database 'DAE'; database exists
mysql> SHOW DATABASES;

```
+-----+
| Database      |
+-----+
| DAE            |
| information_schema |
| mysql          |
```

```
| performance_schema |
| sys                |
+-----+
5 rows in set (0.00 sec)
```

```
mysql> USE DAE;
Database changed
mysql> CREATE TABLE PRISHA (id INT PRIMARY KEY, FName VARCHAR(10), AGE
INT);
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> SHOW TABLES;
+-----+
| Tables_in_dae |
+-----+
| PRISHA        |
+-----+
1 row in set (0.01 sec)
```

```
mysql> INSERT INTO PRISHA (id, FName, LName, Age ) VALUES (1, "Ida", "Yohannesa",
"15");
ERROR 1054 (42S22): Unknown column 'LName' in 'field list'
mysql> INSERT INTO PRISHA (id, FName, LName, Age ) VALUES (1, "Ida", "Yohannesa",
15);
ERROR 1054 (42S22): Unknown column 'LName' in 'field list'
mysql> INSERT INTO PRISHA (id, FName, Age ) VALUES (1, "Ida", "15");
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM PRISHA
-> SELECT * FROM DAE
-> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'SELECT *
FROM DAE' at line 2
mysql> SHOW TABLES
-> ;
+-----+
| Tables_in_dae |
```

```
+-----+
| PRISHA  |
+-----+
1 row in set (0.01 sec)
```

mysql> SELECT * FROM PRISHA;

```
+---+-----+-----+
| id | FName | AGE |
+---+-----+-----+
| 1  | Ida   | 15  |
+---+-----+-----+
1 row in set (0.00 sec)
```

mysql> ALTER TABLE PRISHA

-> ;

Query OK, 0 rows affected (0.00 sec)

mysql> ALTER TABLE PRISHA ADD COLUMN LName VARCHAR(20);

Query OK, 0 rows affected (0.01 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM PRISHA;

```
+---+-----+-----+-----+
| id | FName | AGE | LName |
+---+-----+-----+-----+
| 1  | Ida   | 15  | NULL  |
+---+-----+-----+-----+
1 row in set (0.00 sec)
```

mysql> INSERT INTO PRISHA (id, FName, LName, Age) VALUES (1, "Ida", "Yohannes", 15);

ERROR 1062 (23000): Duplicate entry '1' for key 'prisha.PRIMARY'

mysql> INSERT INTO PRISHA (id, FName, LName, Age) VALUES (2, "Ida", "Yohannes", "15");

Query OK, 1 row affected (0.01 sec)

mysql> SELECT * FROM PRISHA;

```
+---+-----+-----+-----+
```

```
| id | FName | AGE | LName |
+---+-----+-----+-----+
| 1 | Ida   | 15 | NULL   |
| 2 | Ida   | 15 | Yohannes |
+---+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> mysql> INSERT INTO PRISHA (id, FName, AGE, LName ) VALUES (3,
"Samiksha", 14, "Dhanapal");
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near '(id, FName,
AGE, LName ) VALUES (3, "Samiksha", 14, "Dhanapal")' at line 1
mysql> INSERT INTO PRISHA (id, FName, AGE, LName ) VALUES (3, "Samiksha", 14,
"Dhanapal");
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM PRISHA;
+---+-----+-----+-----+
| id | FName | AGE | LName |
+---+-----+-----+-----+
| 1 | Ida   | 15 | NULL   |
| 2 | Ida   | 15 | Yohannes |
| 3 | Samiksha | 14 | Dhanapal |
+---+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> show tables;
+-----+
| Tables_in_dae |
+-----+
| PRISHA        |
+-----+
1 row in set (0.01 sec)
```

```
mysql> desc prisha;
+-----+-----+-----+-----+-----+
| Field | Type   | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
```

id	int	NO	PRI	NULL		
FName	varchar(10)	YES		NULL		
AGE	int	YES		NULL		
LName	varchar(20)	YES		NULL		

4 rows in set (0.01 sec)

```
mysql> select * from prisha;
```

id	FName	AGE	LName
1	Ida	15	NULL
2	Ida	15	Yohannes
3	Samiksha	14	Dhanapal

3 rows in set (0.00 sec)

```
mysql> update prisha set emailID = 'prisha@gmail.com' where id = 2;
ERROR 1054 (42S22): Unknown column 'emailID' in 'field list'
```

```
mysql>
```

```
mysql> SELECT * FROM PRISHA;
```

id	FName	AGE	LName
1	Ida	15	NULL
2	Ida	15	Yohannes
3	Samiksha	14	Dhanapal

3 rows in set (0.00 sec)

```
mysql> ALTER TABLE PRISHA ADD COLUMN emailId VARCHAR(30);
```

Query OK, 0 rows affected (0.02 sec)

Records: 0 Duplicates: 0 Warnings: 0

```
mysql> update prisha set emailID = 'prisha@gmail.com' where id = 2;
```

Query OK, 1 row affected (0.00 sec)

Rows matched: 1 Changed: 1 Warnings: 0

```
mysql> CREATE TABLE MAROON
```

```
-> (Fruit PRIMARY KEY, Number INT, Letter VARCHAR(1));
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near 'PRIMARY  
KEY, Number INT, Letter VARCHAR(1))' at line 2
```

```
mysql> CREATE TABLE MAROON (Fruit PRIMARY KEY, Number INT, Letter  
VARCHAR(1);
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near 'PRIMARY  
KEY, Number INT, Letter VARCHAR(1)' at line 1
```

```
mysql> CREATE TABLE MAROON (Fruit PRIMARY KEY, Number INT, Letter  
VARCHAR(1);
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near 'PRIMARY  
KEY, Number INT, Letter VARCHAR(1)' at line 1
```

```
mysql> CREATE TABLE MAROON (Fruit VARCHAR(15), PRIMARY KEY, Number INT,  
Letter VARCHAR(1);
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near ', Number  
INT, Letter VARCHAR(1)' at line 1
```

```
mysql> CREATE TABLE MAROON (Fruit VARCHAR(15) PRIMARY KEY, Number INT,  
Letter VARCHAR(1);
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near " at line 1
```

```
mysql> CREATE TABLE MAROON (Fruit VARCHAR(15) PRIMARY KEY, Number INT,  
Letter VARCHAR(1));
```

```
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> SELECT * FROM MAROON
```

```
-> ;
```

```
Empty set (0.01 sec)
```

```
mysql> SELECT * FROM MAROON;
```

```
Empty set (0.00 sec)
```

```
mysql> SHOW TABLE;
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near " at line 1
```

```
mysql> SHOW TABLESL
```

```
->
```

```
-> ;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'TABLESL' at line 1

```
mysql> SHOW TABLES;
```

```
+-----+
```

```
| Tables_in_dae |
```

```
+-----+
```

```
| MAROON      |
```

```
| PRISHA      |
```

```
+-----+
```

```
2 rows in set (0.01 sec)
```

```
mysql> SHOW TABLE MAROON;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'MAROON' at line 1

```
mysql> SELECT * FROM MAROON;
```

```
Empty set (0.01 sec)
```

```
mysql> INSERT INTO PRISHA (id, FName, LName, Age ) VALUES (1, "Ida", "Yohannesa", "15");
```

ERROR 1062 (23000): Duplicate entry '1' for key 'prisha.PRIMARY'

```
mysql> INSERT INTO PRISHA (Fruit, Number, Letter ) VALUES (Kiwi1, "89", "P");
```

ERROR 1054 (42S22): Unknown column 'Fruit' in 'field list'

```
mysql> INSERT INTO PRISHA (Fruit PRIMARY KEY, Number, Letter ) VALUES (Kiwi1, "89", "P");
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'PRIMARY KEY, Number, Letter) VALUES (Kiwi1, "89", "P")' at line 1

```
mysql> INSERT INTO PRISHA (id, FName, LName, Age ) VALUES (1, "Ida", "Yohannesa", "15");
```

ERROR 1062 (23000): Duplicate entry '1' for key 'prisha.PRIMARY'

```
mysql> INSERT INTO MAROON (Fruit, Number, Letter ) VALUES ("Kiwi", "89", "P");
```

```
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT * FROM MAROON
```

```
-> ;
```

```
+-----+-----+-----+  
| Fruit | Number | Letter |  
+-----+-----+-----+  
| Kiwi  | 89 | P    |  
+-----+-----+-----+  
1 row in set (0.00 sec)
```

```
mysql> INSERT INTO MAROON (Fruit, Number, Letter ) VALUES ("Dragonfruit", "7",  
"S");
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM MAROON
```

```
-> ;
```

```
+-----+-----+-----+  
| Fruit  | Number | Letter |  
+-----+-----+-----+  
| Dragonfruit | 7 | S    |  
| Kiwi     | 89 | P    |  
+-----+-----+-----+  
2 rows in set (0.00 sec)
```

```
mysql> CREATE TABLE MONEYISH;
```

```
ERROR 4028 (HY000): A table must have at least one visible column.
```

```
mysql> CREATE TABLE MONEYISH (Preferred name VARCHAR(15), Email ID  
VARCHAR(30) PRIMARY KEY, Feedback VARCHAR(200));
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near 'name  
VARCHAR(15), Email ID VARCHAR(30) PRIMARY KEY, Feedback VARCHAR(200))' at  
line 1
```

```
mysql> CREATE TABLE MONEYISH (Preferred name VARCHAR(15), Email ID  
VARCHAR(30) PRIMARY KEY, Feedback VARCHAR(200mysql>
```

```
mysql>
```

```
mysql>
```

```
mysql> CREATE TABLE MONEYISH (Preferred_name VARCHAR(15), Email_ID  
VARCHAR(30) PRIMARY KEY, Feedback VARCHAR(200));
```

```
Query OK, 0 rows affected (0.01 sec)
```



```
mysql> SELECT * FROM MONEYISH
```

```
-> ;
```

```
Empty set (0.01 sec)
```

```
mysql> SHOW TABLE MONEYISH
```

```
->
```

```
-> ;
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near 'MONEYISH'  
at line 1
```

```
mysql> SHOW TABLES
```

```
->
```

```
-> ;
```

```
+-----+  
| Tables_in_dae |  
+-----+  
| MAROON      |  
| MONEYISH    |  
| PRISHA      |  
+-----+
```

```
3 rows in set (0.00 sec)
```

```
mysql> INSERT INTO MONEYISH (Preferred_name, Email_ID, Feedback ) VALUES  
(Sami, "sami@gmail.com", "I thoroughly enjoy using the website!");
```

```
ERROR 1054 (42S22): Unknown column 'Sami' in 'field list'
```

```
mysql> INSERT INTO MONEYISH (Preferred_name, Email_ID, Feedback ) VALUES  
("Sami", "sami@gmail.com", "I thoroughly enjoy using the website!");
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SHOW TABLE MONEYISH
```

```
-> ;
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near 'MONEYISH'  
at line 1
```

```
mysql> SHOW TABLE MONEYISH;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'MONEYISH' at line 1

mysql> SHOW TABLES

-> ;

```
+-----+
| Tables_in_dae |
+-----+
| MAROON      |
| MONEYISH    |
| PRISHA      |
+-----+
```

3 rows in set (0.00 sec)

mysql> SELECT * FROM MONEYISH

-> ;

```
+-----+-----+-----+
| Preferred_name | Email_ID   | Feedback                |
+-----+-----+-----+
| Sami          | sami@gmail.com | I thoroughly enjoy using the website! |
+-----+-----+-----+
```

1 row in set (0.00 sec)

mysql> INSERT INTO MONEYISH (Preferred_name, Email_ID, Feedback) VALUES
("Sami", "sami@gmail.com", "I love the games and videos!");

ERROR 1062 (23000): Duplicate entry 'sami@gmail.com' for key 'moneyish.PRIMARY'

mysql> INSERT INTO MONEYISH (Preferred_name, Email_ID, Feedback) VALUES
("Manvitha", "manvitha@gmail.com", "The games are so interesting!");

Query OK, 1 row affected (0.00 sec)

mysql> SELECT * FROM MONEYISH

-> ;

```
+-----+-----+-----+
| Preferred_name | Email_ID   | Feedback                |
+-----+-----+-----+
| Manvitha      | manvitha@gmail.com | The games are so interesting!      |
| Sami          | sami@gmail.com    | I thoroughly enjoy using the website! |
+-----+-----+-----+
```

2 rows in set (0.00 sec)

```
mysql> CREATE TABLE FAVORITE_THINGS (FOOD VARCHAR(20) PRIMARY KEY, SONG
VARCHAR(20), MOVIE VARCHAR(20), COLOR VARCHAR(15), PLACE VARCHAR(25));
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> SHOW TABLES
```

```
-> ;
+-----+
| Tables_in_dae |
+-----+
| FAVORITE_THINGS |
| MAROON          |
| MONEYISH        |
| PRISHA          |
+-----+
4 rows in set (0.01 sec)
```

```
mysql> INSERT INTO MONEYISH (Preferred_name, Email_ID, Feedback ) VALUES
("Sami", "sami@gmail.com", "I love the games and videos!");
ERROR 1062 (23000): Duplicate entry 'sami@gmail.com' for key 'moneyish.PRIMARY'
```

```
mysql> INSERT INTO FAVORITE_THINGS (FOOD, SONG, MOVIE, COLOR, PLACE )
VALUES ("BIRYANI", "PROM QUEENS", "ZOOTOPIA", "PINK", "JAPAN");
"> INSERT INTO FAVORITE_THINGS (FOOD, SONG, MOVIE, COLOR, PLACE ) VALUES
("BIRYANI", "PROM QUEENS", "ZOOTOPIA", "PINK", "JAPAN");
```

```
">
```

```
"> ;
```

```
">
```

```
"> INSERT INTO FAVORITE_THINGS (FOOD, SONG, MOVIE, COLOR, PLACE ) VALUES
("BIRYANI", "PROM QUEENS", "ZOOTOPIA", "PINK", "JAPAN");
```

```
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'BIRYANI',
"PROM QUEENS", "ZOOTOPIA", "PINK", "JAPAN");
```

```
;
```

```
INSERT INTO FAVORITE_' at line 2
```

```
mysql> INSERT INTO FAVORITE_THINGS (FOOD, SONG, MOVIE, COLOR, PLACE )
VALUES ("BIRYANI", "PROM QUEENS", "ZOOTOPIA", "PINK", "JAPAN");
Query OK, 1 row affected (0.01 sec)
```

```
mysql> desc MAROON;
```

```
+-----+-----+-----+-----+-----+
| Field | Type   | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| Fruit | varchar(15) | NO   | PRI | NULL    |      |
| Number | int       | YES  |     | NULL    |      |
| Letter | varchar(1) | YES  |     | NULL    |      |
+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> desc PRISHA
```

```
-> ;
```

```
+-----+-----+-----+-----+-----+
| Field | Type   | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| id    | int    | NO   | PRI | NULL    |      |
| FName | varchar(10) | YES  |     | NULL    |      |
| AGE   | int    | YES  |     | NULL    |      |
| LName | varchar(20) | YES  |     | NULL    |      |
| emailId | varchar(30) | YES  |     | NULL    |      |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> desc FAVORITE_THINGS;
```

```
+-----+-----+-----+-----+-----+
| Field | Type   | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| FOOD  | varchar(20) | NO   | PRI | NULL    |      |
| SONG  | varchar(20) | YES  |     | NULL    |      |
| MOVIE | varchar(20) | YES  |     | NULL    |      |
| COLOR | varchar(15) | YES  |     | NULL    |      |
| PLACE | varchar(25) | YES  |     | NULL    |      |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> desc MONEYISH
```

```
-> ;
```

```
+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| Preferred_name | varchar(15) | YES |    | NULL    |      |
| Email_ID      | varchar(30) | NO  | PRI | NULL    |      |
| Feedback      | varchar(200) | YES |    | NULL    |      |
+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql>
```