

Engine power limitation report

M.T.DUBAI ANGEL

IMO No. 9422524

ANGEL MARITIME INC

MAN PrimeServ

12-01-2023 Ver. 0 Initial report issued

1. Data

1.1 General information

Ship Owner	ANGEL MARITIME INC
Manager	EMARAT MARITIME LLC
Vessel	M.T.DUBAI ANGEL
IMO no.	9422524

1.2 Main engine


Manufacturer	MAN B&W	
Type	6S60MC-C	
Engine no.	AA2728	
Maximum continuous rating (MCR_{ME})	13.560	kW @ 105,0 RPM
Limited maximum continuous rating with the Engine Power Limitation installed ($MCR_{ME,lim}$)	10.350	kW @ 96,0 RPM
Type of engine power limitation installed	MAN Overrideable Power Limitation	

2. Engine Power Limitation

For the vessel M.T.DUBAI ANGEL, engine power limitation is/will be installed, and the limited maximum continuous rating is:

$MCR_{ME,lim}$	
Limited engine power	10350, kW

Below load diagram shows the original engine power (MCR_{ME}) and the limited engine power ($MCR_{ME,lim}$)



The Engine Power Limitation (EPL) as such does not alter NOx critical settings or components of the engine. The latter is also true, if, at the time of the installation of the EPL, the engine was already equipped with engine optimization products, provided that possible changes in NOx critical settings or components of this products have been amended to the NOx technical file.

* MAN Energy Solutions recommends to compare the limited engine speed against the barred speed range of the engine. Should the limited engine speed be in the barred speed range, please contact MAN Energy Solutions at the earliest convenience in order to recalculate the engine power limitation.

3. Installation and verification of power limitation

The engine is power limited by the installation of MAN Overrideable Power Limitation (OPL) for MC/MC-C engines. The OPL for MC/MC-C engines limits the engine power by restricting the fuel index to a calculated set value. This restricts the total amount of fuel that can be injected into the engine and thereby limiting the power the engine can produce.

For correct installation, the OPL must limit the fuel index to match the engine power for MCRlim. Please refer to the installation manual and the Onboard Management Manual (OMM) for correct installation and sealing of the OPL.

The below stated fuel index corresponds to the limited engine power, and is needed for the installation and verification of the engine power limitation. Furthermore, the chief limiter or similar of the main engine governor, should be changed to match the limited fuel index. Please consult the main engine governor regarding this.

For the verification of the engine power limitation the limited fuel index must be observed. Please refer to the OMM for correct procedure of survey and verification of the engine power limitation.

MCR_{ME,lim}	
Limited fuel index	73