

Test Case Report

Offer Name: test5
Tested URL: https://exclusivebargainslab.com/sharkninjaordlessvacuum/?affid=1&click_id=243hjj&state=AL
Test Date: 2026-03-26 01:11:46
Tested By: Automated Order Flow Runner
Overall Result: PASS
Report ID: ofr_20260325_203936_72b5640b

Credentials

Browser: chrome
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test5
Landing URL: https://exclusivebargainslab.com/sharkninjaordlessvacuum/?affid=1&click_id=243hjj&state=AL
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability


Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	6191807	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1
Email: pritam.bhar+000020000@codeclouds.com
Order ID: 6191807
Result: PASS
Status: PLACED
Browser: chrome
Card Type: VISA
Card Last 4: 4442
Expectation: prepaid
Notes: Order placed successfully.
Screenshot:



Console Issue Verification

1. 404 Issues in JS Console

Verify no 404 errors appear while loading the checkout flow or clicking View/Download actions.

Desktop - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Mobile - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

2. JavaScript Uncaught Exceptions

Watch for any uncaught errors in the console during desktop/mobile interactions and log their stack traces.

Desktop - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Mobile - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

3. Verify Ajax Does Not Trigger Multiple Times

Trigger submit/up-sell actions while spamming Enter/Space and ensure the Fetch/XHR pane only shows a single request per action.

Desktop - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Mobile - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.



Screenshot (Console Open): Pending capture.

Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

Check	Status	Details	Reference
1. HTTP2 Report Link	MANUAL	HTTP2 test executed and results captured on screen. Captured: https://tools.keycdn.com/http2-test	KeyCDN HTTP2 Test

Check	Status	Details	Reference
		keycdn FeaturesSolutionsNetworkPricingIQSupportLoginSign Up Tools Troubleshoot website, network, and CDN issues for fast resolutions. Web Website Speed Test Performance Test HTTP Analyzer Checker HTTP/2 Test Built-in Test Network Security Other HTTP/2 Test VERIFY HTTP/2 SUPPORT URL https://exclusivebargainslab.com/shaknigacdnressacom?urlid=18dick_id=24 Test exclusivebargainslab.com HTTP/2 KeyCDN uses cookies to make its website easier to use. Learn more about cookies. ALPN extension is supported. HTTP/2 Test FAQ What is HTTP/2? HTTP/2 is the first major HTTP protocol update since 1997 when HTTP 1.1 was first published by the IETF. The new HTTP protocol is needed to keep up with the exponential growth of the web. The successor of HTTP/1.1 brings significant improvement in efficiency, speed and security and is supported by most modern web browsers. A list of browsers that support HTTP/2 can be found on caniuse.com. • HTTP/2 is binary, instead of textual. • It is a fully multiplexed, sending multiple requests in parallel over a single TCP connection. • It uses header compression HPACK to reduce overhead. • It allows servers to "push" responses proactively into client caches instead of waiting for a new request for each resource. • It uses the new ALPN extension which allows for faster-encrypted connections since the application protocol is determined during the initial connection. • It reduces additional round trip times (RTT), making your website load faster without any optimization. • Domain sharding and asset concatenation is no longer needed with HTTP/2. Does this test also verify SPDY? Not directly, but it tests which TLS extension is supported to negotiate the protocols. The tested TLS extensions are either SPDY or ALPN. Next Protocol Negotiation (NPN) appeared as part of the SPDY protocol but it has been deprecated. Application Layer Protocol Negotiation (ALPN) is the successor of NPN and is approved by the IETF RFC7301. However, NPN advertises the supported protocols from the server to the client and this test will show the advertised protocols if HTTP/2 is not supported. The protocol advertising has been reversed in ALPN (client to server). The first phase of this HTTP/2 check runs the ALPN test with only H2 in the protocol list. How to test HTTP/2 via command line? Get the latest curl release and use this command: curl -I --http2 Get started for free Try KeyCDN with a free 14 day trial, no credit card required. Get started Pricing keycdn © 2025 priority LLC Make it simpler Twitter Facebook Instagram Terms Privacy GDPR PRODUCT Features Network Pricing API COMPANY About Blog Contact Referrals Careers SUPPORT Knowledge Base Network Status Open Source FAQ Tools	
2. HTTPS Redirection Report Link	MANUAL	HTTPS redirection trace captured. Captured: https://wheregoes.com/trace/20261333429/	WhereGoes.com

Check	Status	Details	Reference
4. Safe Browsing Site Status Report Link	MANUAL	Safe Browsing lookup queued on Google Transparency Report. Captured: https://transparencyreport.google.com/safe-browsing/search?url=https:%2F%2Fexclusivebargainslab.com%2Fsharkninjaordlessvacuum%2F%3Faffid%3D1%26click_id%3D243hjj%26state%3DAL&hl=en 	Google Transparency Report
5. Robots.txt Report Link	MANUAL	robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I Captured: https://exclusivebargainslab.com/robots.txt 	robots.txt
6. Domain Expiry check Report Link	FAIL	Security task failed: locator.waitFor: Timeout 15000ms exceeded. Call log: - waiting for locator('#host') to be visible	Digicert Help
7. SSL Grade Report Link	FAIL	Security task failed: page.waitForSelector: Timeout 120000ms exceeded. Call log: - waiting for locator('a[href=\\index.html\\']') to be visible 16 x waiting for "https://www.ssllabs.com/analyze.html?d=exclusivebargainslab.com&latest" navigation to finish... - navigated to "https://www.ssllabs.com/analyze.html?d=exclusivebargainslab.com&latest"	SSL Labs
8. Google PageSpeed Mobile Report Link	MANUAL	PageSpeed mobile report loaded and diagnosis visible. Captured: https://pagespeed.web.dev/analysis/https-exclusivebargainslab-com-sharkninjaordlessvacuum/gmcuj4vjz7?form_factor=mobile	PageSpeed Insights

Check	Status	Details	Reference
		PageSpeed Insights Report from Mar 26, 2026, 1:15:28 AM https://reclusivedbargainslab.com/sharkninjaconfessionarium/?affid=15cickr_id=2437&state=AL Mobile Desktop Showing results for URL: https://reclusivedbargainslab.com/sharkninjaconfessionarium/?affid=15cickr_id=2437&state=AL Run with original URL Discover what your real users are experiencing Core Web Vitals Assessment: Failed Largest Contentful Paint (LCP) Interaction to Next Paint (INP) Cumulative Layout Shift (CLS) 1.8 s 292 ms 0.04 This site uses cookies from Google to deliver its services and to analyze traffic. Learn More. Ok, Got It. Latest (28-day period) Various mobile devices Many regions (Global US-based) Full web features Various network connections All Chrome versions Diagnose performance issues Performance Accessibility Best Practices SEO 69 Performance Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculation. 0-40 40-60 60-100 Metrics First Contentful Paint 2.0 s Speed Index 2.4 s Largest Contentful Paint 5.9 s Interaction to Next Paint 340 ms Cumulative Layout Shift 0 Emulated at Mar 26, 2026, 1:15 AM (GMT-5:00) Emulated Mobile (5) Run with Lighthouse: 10.1.1 Single-page session Initial page load Slow 4G throttling Using headlessChrome: 104.0.5325.138 with Y View Traceing INSIGHTS Network dependency tree Render blocking requests ICP breakdown 3rd parties These insights are also available in the Chrome Dev Tools Performance Panel - inspect a trace to view more detailed information. DIAGNOSTICS Reduce unused JavaScript — Est savings of 287 KB Reduce unused CSS — Est savings of 10 KB Avoid long main-thread tasks — 5 long tasks found User Timing marks and measures — 11 user timings More information about the performance of your application. These numbers don't directly affect the Performance score. PROCESSED AUDITS (11) 87 Accessibility These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged. ARIA ARIA input fields do not have accessible names These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader. TABLES AND LISTS Lists do not contain only <td> elements and script supporting elements (<script> and) These are opportunities to improve the experience of reading tables or list data using assistive technology, like a screen reader. BEST PRACTICES Touch targets do not have sufficient size or spacing Document does not have a main landmark Uses ARIA roles only on compatible elements Identical links have the same purpose These items highlight common accessibility best practices. ADDITIONAL ITEMS TO MANUALLY CHECK (10) These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review. PROCESSED AUDITS (21) NOT APPLICABLE (23) 100 Best Practices TRUST AND SAFETY Ensure CSP is effective against XSS attacks Use a strong HSTS policy Ensure proper origin isolation with COOP Migrate DOM-based XSS with Trusted Types GENERAL Detected JavaScript libraries Missing source maps for large first-party JavaScript PROCESSED AUDITS (12) NOT APPLICABLE (2) 91 SEO These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not	

Check	Status	Details	Reference
		score rank may enter your data on saving, missing information on Core Web Vitals, Learn more about Google Search Essentials CONTENT BEST PRACTICES Document does not have a meta description Format your HTML in a way that enables crawlers to better understand your app's content Show ADDITIONAL ITEMS TO MANUALLY CHECK (7) Run these additional validation on your site to check additional SEO best practices Show PASSED AUDITS (1) Show NOT APPLICABLE (2) Show More on PageSpeed Insights What's new Documentation Learn about Web Performance Ask questions on Stack Overflow Mailing list Related Content Updates Web Fundamentals Case Studies Podcasts Connect Twitter YouTube Google for Developers Chrome Firebase All products Terms and Privacy Policy For details, see the Google Developers Site Policies	
9. Google PageSpeed Desktop Report Link	FAIL	Security task failed: page.waitForSelector: Timeout 60000ms exceeded. Call log: - waiting for locator('//*[@contains(normalize-space(text()),\'Diagnose performance\')]') to be visible 114 × locator resolved to 2 elements. Proceeding with the first one: <div class="nfmh5d">Diagnose performance issues</div>	PageSpeed Insights
10. HTML Optimisation Report Link	MANUAL	W3C HTML validator report queued. Captured: https://validator.w3.org/nu/?doc=https%3A%2F%2Fexclusivebargainslab.com%2Fsharkninja%2Fcordlessvacuum%2F%3Faffid%3D1%26click_id%3D243hjj%26state%3DAL	W3C Validator

Check	Status	Details	Reference
-------	--------	---------	-----------

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for <https://exclusivebargainslab.com/sharhiniparcordeessacum/?affid=1&cid=104230&state=AL> [checked with vnu 28.3.24]

Checker input

Show ☐ Lines ☐ Lines ☐ Messages ☐ Show warnings only ☐ Options

Check by address

<https://exclusivebargainslab.com/sharhiniparcordeessacum/?affid=1&cid=104230&state=AL>

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Start tag seen without seeing a doctype first. Expected: <!DOCTYPE html>.
From line 1, column 1 to line 1, column 16
`<html><script>...</script>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 1, column 5 to line 1, column 28
`...</img>`
- Error** A document must not include more than one meta element with a charset attribute.
From line 6, column 5 to line 6, column 27
`<meta charset="UTF-8"><meta charset="UTF-8">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 6, column 5 to line 6, column 27
`...</img>`
- Error** Element not allowed as child of element in this context. (Suppressing further errors from this subtree.)
From line 6, column 1 to line 6, column 7
`...</img>`
Contexts in which element may be used:
In a element containing no other elements.
If the document is $...$ or if the information is available from a higher-level protocol. Zero or more elements of $...$, of which no more than one is a element and no more than one is a element.
Otherwise: One or more elements of $...$, of which exactly one is a element and no more than one is a element.
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 10, column 1 to line 10, column 75
`<script>...</script>`
- Error** A meta element with an http-equiv attribute whose value is <no-cache> must have a content attribute with the value <no-cache>.
From line 13, column 1 to line 13, column 64
`<meta http-equiv="no-cache">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 13, column 1 to line 13, column 64
`<meta http-equiv="no-cache">`
- Error** A document must not include both a meta element with an http-equiv attribute whose value is <content-type>, and a meta element with a charset attribute.
From line 14, column 1 to line 14, column 68
`<meta http-equiv="content-type"><meta charset="UTF-8">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 14, column 1 to line 14, column 68
`<meta http-equiv="content-type">`
- Error** Using the meta element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.
From line 15, column 1 to line 15, column 54
`<meta http-equiv="content-language">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 15, column 1 to line 15, column 54
`<meta http-equiv="content-language">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 17, column 1 to line 17, column 27
`<meta http-equiv="content-language">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 18, column 1 to line 18, column 68
`<meta http-equiv="content-language">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 19, column 1 to line 19, column 68
`<meta http-equiv="content-language">`
- Warning** Consider avoiding viewport values that prevent users from resizing documents.
From line 20, column 1 to line 20, column 105
`<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 20, column 1 to line 20, column 105
`<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 22, column 1 to line 22, column 105
`<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no">`
- Error** A document must not include more than one meta element with its name attribute set to the value <description>.
From line 24, column 1 to line 24, column 36
`<meta name="description"><meta name="description">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 41, column 5 to line 41, column 105
`...</img>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 41, column 5 to line 41, column 105
`...</img>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 41, column 5 to line 41, column 105
`...</img>`
- Error** Element not allowed as child of element <div> in this context. (Suppressing further errors from this subtree.)
From line 57, column 5 to line 57, column 15
`...</img>`
Contexts in which element may be used:
Where is expected.
In a element that is a child of a element.
- Error** Stray end tag .
From line 78, column 1 to line 78, column 7
`</img>`
- Error** Start tag <div> seen but an element of the same type was already open.
From line 106, column 1 to line 106, column 5
`<div>`
- Error** Element is missing one or more of the following attributes: <src>, <alt>.
From line 201, column 33 to line 201, column 169
`...</img>`
Attributes for element :
alt — Replacement text for use when images are not available
src — Address of the resource
altset — Images to use in different situations, e.g. high-resolution displays, small monitors, etc.
altsize — Image sizes for different page layouts
altsrcset — How the element handles crossorigin requests
altsize — Name of the image to use
altsize — Whether the image is a server-side image map
altsize — Horizontal dimension
altsize — Vertical dimension
altsize — Behavior policy for initiated by the element
altsize — Decoding hint to use when processing this image for presentation
altsize — Used when determining loading order
altsize — Sets the altsize for related by the element
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 201, column 33 to line 201, column 169
`...</img>`
- Error** Element is missing one or more of the following attributes: <src>, <alt>.
From line 201, column 71 to line 201, column 63
`...</img>`
Attributes for element :
alt — Replacement text for use when images are not available
src — Address of the resource
altset — Images to use in different situations, e.g. high-resolution displays, small monitors, etc.
altsize — Image sizes for different page layouts
altsrcset — How the element handles crossorigin requests
altsize — Name of the image to use
altsize — Whether the image is a server-side image map
altsize — Horizontal dimension
altsize — Vertical dimension
altsize — Behavior policy for initiated by the element
altsize — Decoding hint to use when processing this image for presentation
altsize — Used when determining loading order
altsize — Sets the altsize for related by the element
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 201, column 71 to line 201, column 63
`...</img>`
- Error** Bad value for attribute <src> on element .
From line 201, column 41 to line 201, column 117
`...</img>`
Attributes for element :
alt — Replacement text for use when images are not available
src — Address of the resource
altset — Images to use in different situations, e.g. high-resolution displays, small monitors, etc.
altsize — Image sizes for different page layouts
altsrcset — How the element handles crossorigin requests
altsize — Name of the image to use
altsize — Whether the image is a server-side image map
altsize — Horizontal dimension
altsize — Vertical dimension
altsize — Behavior policy for initiated by the element
altsize — Decoding hint to use when processing this image for presentation
altsize — Used when determining loading order
altsize — Sets the altsize for related by the element
- Error** Duplicate attribute <alt>.
At line 378, column 16
`...</img>`
- Error** An element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text

