

Test Case Report

Offer Name: test
Tested URL: https://blowoutcartexpress.com/vizioclass4ksmarttv?affid=1&click_id=testingcc&state=CA
Test Date: 2026-04-04 02:51:22
Tested By: Automated Order Flow Runner
Overall Result: **PASS**
Report ID: ofr_20260403_231921_81edd020

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: https://blowoutcartexpress.com/vizioclass4ksmarttv?affid=1&click_id=testingcc&state=CA
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	6423676	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 6423676

Result: **PASS**

Status: PLACED

Browser: msedge


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:




Console Issue Verification

1. 404 Issues in JS Console

Check for 404 errors in the browser console after the page loads.

Desktop - Status: **PASS** No 404 errors appeared in the console.

Screenshot (Console Open):



Mobile - Status: **PASS** No 404 errors appeared in the console.

Screenshot (Console Open):

SSL handshake failed

Error code 525

Visit cloudflare.com for more information.

2026-04-03 21:22:30 UTC

You

Browser **Working**



Singapore

Cloudflare **Working**



blowoutcartexpress.com

Host **Error**



What happened?

Cloudflare is unable to establish an SSL connection to the origin server.

What can I do?

404 Issues in JS Console (Mobile)

No 404 errors appeared in the console.

No 404 log entries.

If you're a visitor of this website:

Please try again in a few minutes.

If you're the owner of this website:

It appears that the SSL configuration used is not compatible with Cloudflare. This could happen for a several reasons, including no shared cipher suites. [Additional troubleshooting information here.](#)


Your IP: [Click to reveal](#)
Performance & security by [Cloudflare](#)

2. Javascript Uncaught Exceptions

Watch the console for uncaught exceptions while interacting with the page.

Desktop - Status: **PASS** No uncaught exceptions were observed.

Screenshot (Console Open):



Mobile - Status: **PASS** No uncaught exceptions were observed.

Screenshot (Console Open):

SSL handshake failed

Error code 525

Visit cloudflare.com for more information.

2026-04-03 21:23:40 UTC

You

Browser **Working**



Singapore

Cloudflare **Working**



blowoutcartexpress.com

Host **Error**



What happened?

Cloudflare is unable to establish an SSL connection to the origin server.

Javascript Uncaught Exceptions (Mobile)

No uncaught exceptions were observed.

No uncaught error logs.

If you're a visitor of this website:

Please try again in a few minutes.

If you're the owner of this website:


It appears that the SSL configuration used is not compatible with Cloudflare. This could happen for a several reasons, including no shared cipher suites. [Additional troubleshooting information here.](#)

3. Verify Ajax Does Not Trigger Multiple Times

Spam the submit action and ensure fetch/XHR requests stay de-duplicated.

Desktop - Status: MANUAL Submit button unavailable on checkout; Ajax check skipped.

Screenshot (Console Open):



Mobile - Status: MANUAL Submit button unavailable on checkout; Ajax check skipped.

Screenshot (Console Open):

Connection timed out

Error code 522

Visit cloudflare.com for more information.

2026-04-03 21:24:38 UTC

You

Browser **Working**



Singapore

Cloudflare **Working**



blowoutcartexpress.com

Host **Error**



What happened?

Verify Ajax Does Not Trigger Multiple Times (Mobile)

Submit button unavailable on checkout; Ajax check skipped.

Submit button was not found after navigating the form.

What can I do?

If you're a visitor of this website:

Please try again in a few minutes.

If you're the owner of this website:

Contact your hosting provider letting them know your web server is not completing requests. An Error 522 means that the request was able to connect to your web server, but

that the request didn't finish. The most likely cause is that something on your server is hogging resources. [Additional troubleshooting information here.](#)

Cloudflare Ray ID: **9e6b23b1b9e0ce8b**
Your IP: [Click to reveal](#)
Performance & security by [Cloudflare](#)

Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

CHECK POINT

1. HTTP2 Report Link


STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT



HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

STATUS

MANUAL

REPORT LINK

[WhereGoes.com](https://www.wherego.es.com)

SCREEN SHORT

WhereGoes® - Trace Results

Trace Results

http://...

Trace URL

Advanced Options »

Date Traced: 2026-04-03 21:25:00 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

#	Code	Requested URL
▼	301	http://blowoutcartexpress.com/vizioclass4ksmartv?affid=1&click_id=testingcc&state=CA

1 **301** http://blowoutcartexpress.com/vizioclass4ksmartv?affid=1&click_id=testingcc&state=CA
301 Redirect

Response Body:

```
HTTP/1.1 301 Moved Permanently
Date: Fri, 03 Apr 2026 21:25:00 GMT
Content-Type: text/html; charset=iso-8859-1
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
Location: https://blowoutcartexpress.com/vizioclass4ksmartv?
```

Response MetaData:

```
Array
(
    [url] => http://blowoutcartexpress.com/vizioclass4ksmartv?
    [affid=1&click_id=testingcc&state=CA
    [content_type] => text/html; charset=iso-8859-1
    [http_code] => 301
    [header_size] => 729
```

2 **301** https://blowoutcartexpress.com/vizioclass4ksmartv?affid=1&click_id=testingcc&state=CA
301 Redirect

Response Body:

```
HTTP/2 301
date: Fri, 03 Apr 2026 21:25:00 GMT
content-type: text/html; charset=iso-8859-1
location: https://blowoutcartexpress.com/vizioclass4ksmartv?
    [affid=1&click_id=testingcc&state=CA
    server: cloudflare
    cf-cache-status: DYNAMIC
```

Response MetaData:

```
Array
(
    [url] => https://blowoutcartexpress.com/vizioclass4ksmartv?
    [affid=1&click_id=testingcc&state=CA
    [content_type] => text/html; charset=iso-8859-1
    [http_code] => 301
    [header_size] => 647
```

3 **302** https://blowoutcartexpress.com/vizioclass4ksmartv?affid=1&click_id=testingcc&state=CA
302 Redirect

Response Body:

```
HTTP/2 302
date: Fri, 03 Apr 2026 21:25:00 GMT
content-type: text/html; charset=UTF-8
location: https://blowoutcartexpress.com/vizioclass4ksmartv?
    [token=4a88c9563ee9657b99bdb85c4fc92c9c69dee9dea67de178c6853a2a615c677&click_id=testingcc
    expires: Thu, 19 Nov 1981 08:52:00 GMT
```

Response MetaData:

```
Array
(
    [url] => https://blowoutcartexpress.com/vizioclass4ksmartv?
    [affid=1&click_id=testingcc&state=CA
    [content_type] => text/html; charset=UTF-8
    [http_code] => 302
    [header_size] => 888
```

4 **200** https://blowoutcartexpress.com/vizioclass4ksmartv?token=4a88c9563ee9657b99bdb85c4fc92c9c69dee9dea67de178c6853a2a615c677&click_id=testingcc

Response Body:

```
HTTP/2 200
date: Fri, 03 Apr 2026 21:25:01 GMT
content-type: text/html; charset=UTF-8
expires: Thu, 19 Nov 1981 08:52:00 GMT
pragma: no-cache
cache-control: no-store, no-cache, must-revalidate
vary: Accept-Encoding, User-Agent
```

Response MetaData:

```
Array
(
    [url] => https://blowoutcartexpress.com/vizioclass4ksmartv?
    [token=4a88c9563ee9657b99bdb85c4fc92c9c69dee9dea67de178c6853a2a615c677&click_id=testingcc
    [content_type] => text/html; charset=UTF-8
    [http_code] => 200
```

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.



Click to Copy URL of This Trace


https://wheregoes.com/trace/20261480400/

Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

First

Last



HTTPS redirection trace captured

CHECK POINT

3. Domain Test URL Report Link


STATUS

FAIL

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT
5. Robots.txt Report Link
STATUS
MANUAL
REPORT LINK

[robots.txt](#)

SCREEN SHORT




robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT
6. Domain Expiry check Report Link
STATUS
FAIL
REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

7. SSL Grade Report Link


STATUS

MANUAL

REPORT LINK

[SSL Labs](#)

SCREEN SHORT



SSL Labs scan queued; check index.html for grade once ready.

CHECK POINT

8. Google PageSpeed Mobile Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Apr 4, 2026, 3:02:18 AM

https://blowout.cartexpress.com/vizoclass4ksmartv?affid=1&click_id=testingcc&state=CA

Analyze

Mobile Desktop

Showing results for URL: https://blowout.cartexpress.com/vizoclass4ksmartv?affid=1&click_id=testingcc&state=CA. Run with original URL.

Discover what your real users are experiencing

This URL Origin

Core Web Vitals Assessment: Failed

Expand view



This site uses cookies from Google to deliver its services and to analyze traffic. Learn More. Ok, Got it.



Latest 28-day period (History) Various mobile devices Many samples (Chrome UX Report) Full visit durations Various network connections All Chrome versions

Diagnose performance issues




Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculation.

0-49 50-49 50-100

METRICS

Expand view



Captured at Apr 4, 2026, 3:02 AM GMT+5:30 Initial page load Emulated Moto G Power with Lighthouse 13.0.1 Slow 4G throttling Single page session Using HeadlessChromium 146.0.7680.153 with 1x

View Treemap



Show audits relevant to: FCP LCP TBT CLS

INSIGHTS

- Use efficient cache lifetimes — Est savings of 0 KB
- Document request latency — Est savings of 2 KB
- Layout shift culprits
- LCP breakdown
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Reduce unused JavaScript — Est savings of 554 KB
- Avoid long main-thread tasks — 6 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (20)

Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

- <html> element does not have a [lang] attribute

These are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

- Document does not have a main landmark.

These items highlight common accessibility best practices.

NAVIGATION

- The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show


These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (10)

Show

NOT APPLICABLE (47)

Show



PageSpeed mobile report loaded and diagnosis visible.

CHECK POINT

9. Google PageSpeed Desktop Report Link


STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT



More on PageSpeed Insights

What's new
Documentation
Learn about Web Performance
Ask questions on Stack Overflow
Mailing list

Related Content

Updates
Web Fundamentals
Case Studies
Podcasts

Connect

Twitter
Youtube

Google for Developers Chrome Firebase All products

CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://blowoutcartexpress.com/vizioclassskmartv7affid=1&click_id=testingcc&state=CA (checked with vnu 26.4.1)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by address

https://blowoutcartexpress.com/vizioclassskmartv7affid=1&click_id=testingcc&state=CA

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1, to line 1, column 16
`<html lang="en">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 4, column 5, to line 4, column 28
`<head> <meta charset=utf-8 /> <`
- Error** A document must not include more than one `meta` element with a `charset` attribute.
From line 6, column 5, to line 6, column 27
`> <meta charset=utf-8 /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 5, column 5, to line 5, column 27
`> <meta charset=utf-8 /></html></html>`
- Error** Element `title` not allowed as child of element `head` in this context. (Suppressing further errors from this subtree.)
From line 6, column 1, to line 6, column 7
`<title></html></html></html>`
Contexts in which element `title` may be used:
In a `head` element containing no other `title` elements.
Content model for element `head`:
If the document is an [HTML document](#) or if title information is available from a higher-level protocol. Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 10, column 1, to line 10, column 61
`</title><meta name="description" content="Stanley Fatlax Tool Bag" /></html></html>`
- Error** A `meta` element with an `http-equiv` attribute whose value is `X-UA-Compatible` must have a `content` attribute with the value `IE=edge`.
From line 13, column 1, to line 13, column 64
`<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 13, column 1, to line 13, column 64
`<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" /></html>`
- Error** A document must not include both a `meta` element with an `http-equiv` attribute whose value is `content-type`, and a `meta` element with a `charset` attribute.
From line 14, column 1, to line 14, column 68
`<meta http-equiv="content-type" content="text/html; charset=utf-8" /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 14, column 1, to line 14, column 68
`<meta http-equiv="content-type" content="text/html; charset=utf-8" /></html>`
- Error** Using the `meta` element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.
From line 15, column 1, to line 15, column 54
`<html lang="en" /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 15, column 1, to line 15, column 54
`<html lang="en" /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 17, column 1, to line 17, column 57
`<meta name="apple-mobile-web-app-capable" content="yes" /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 18, column 1, to line 18, column 68
`<meta name="apple-mobile-web-app-status-bar-style" content="black" /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 19, column 1, to line 19, column 46
`<meta name="handheldfriendly" content="true" /></html>`
- Warning** Consider avoiding viewport values that prevent users from resizing documents.
From line 20, column 1, to line 20, column 105
`<meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no" /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 20, column 1, to line 20, column 105
`<meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no" /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 22, column 1, to line 22, column 110
`<link rel="stylesheet" type="text/css" href="/vizioclassskmartv/app/desktop/css/app_new.css?1775251881" /></html>`
- Error** A document must not include more than one `meta` element with its `name` attribute set to the value `description`.
From line 24, column 1, to line 24, column 36
`<meta name="description" content="" /></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 44, column 9, to line 44, column 101
`<link rel="stylesheet" type="text/css" href="/vizioclassskmartv/app/desktop/css/all.css" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 45, column 9, to line 45, column 105
`<link rel="stylesheet" type="text/css" href="/vizioclassskmartv/app/desktop/css/animate.css" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 46, column 9, to line 46, column 117
`<link rel="stylesheet" type="text/css" href="/vizioclassskmartv/app/desktop/css/custom.css?1775251881" />`
- Error** Element `style` not allowed as child of element `page-builder-block` in this context. (Suppressing further errors from this subtree.)
From line 56, column 9, to line 56, column 15
`<style></html>`
Contexts in which element `style` may be used:
Where [stylesheet content](#) is expected.
In a `noscript` element that is a child of a `head` element.
- Error** Stray end tag `head`.
From line 199, column 1, to line 199, column 7
`</html></html></html>`
- Error** Start tag `body` seen but an element of the same type was already open.
From line 201, column 1, to line 201, column 6
`</html></html></html>`
- Error** Element `img` is missing one or more of the following attributes: `src`, `srcset`.
From line 256, column 33, to line 256, column 185
``
Attributes for element `img`:
Global attributes
`alt` — Replacement text for use when images are not available
`src` — Address of the resource
`srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
`sizes` — Image sizes for different page layouts
`crossorigin` — How the element handles crossorigin requests
`usemap` — Name of `image map` to use
`ismap` — Whether the image is a server-side image map
`width` — Horizontal dimension

[height](#) — Vertical dimension
[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element
[decoding](#) — Decoding hint to use when processing this image for presentation
[loading](#) — Used when determining loading deferral
[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

27. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**

From line 256, column 33 to line 256, column 185

```

```

28. **Error** Element `<img>` is missing one or more of the following attributes: `src`, `srcset`.

From line 303, column 71 to line 305, column 63

```
<!-->  </span>
```

Attributes for element `img`

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[ismap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

29. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**

From line 303, column 71 to line 305, column 63

```
<!-->  </span>
```

30. **Error** Bad value `application/x-www-form-urlencoded;charset=utf-8` for attribute `enctype` on element `<form>`.

From line 308, column 41 to line 380, column 117

```
<form method="post" action="ajax.php?method=new_groquest" name="proquest_form"> <input checked="" type="checkbox" accept-charset="utf-8" enctype="application/x-www-form-urlencoded;charset=utf-8" class="checkbox" />
```

31. **Error** Duplicate attribute `value`.

At line 386, column 96

```
<control" value="" data-validate
```

32. **Error** An `<img>` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 481, column 75 to line 481, column 187

```
<!-->  <small>
```

33. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**

From line 481, column 75 to line 481, column 187

```
<!-->  <small>
```

34. **Error** Element `<img>` is missing one or more of the following attributes: `src`, `srcset`.

From line 491, column 41 to line 491, column 175

```
</div>
```

Attributes for element `img`

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[ismap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

35. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**

From line 491, column 41 to line 491, column 175

```
</div>
```

36. **Error** Element `<img>` is missing one or more of the following attributes: `src`, `srcset`.

From line 522, column 17 to line 523, column 98

```

```

Attributes for element `img`

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[ismap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

37. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**

From line 522, column 17 to line 523, column 98

```

```

38. **Error** The element `<footer>` must not appear as a descendant of the `<footer>` element.

From line 543, column 17 to line 543, column 45

```
<footer class="footer-insect">
```

39. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 573, column 8 to line 573, column 39

```
<script type="text/javascript">JAJ_0
```

40. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 573, column 2876 to line 573, column 2906

```
</script><script type="text/javascript">app_1a
```

41. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 573, column 3995 to line 573, column 4025

```
</script><script type="text/javascript">var cb
```

42. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 576, column 1 to line 576, column 63

```
<script><script src="/visioolasatkmarttv/assets/js/pomise.min.js" type="text/javascript"></script>
```

43. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 577, column 1 to line 577, column 82

```
</script><script src="/visioolasatkmarttv/assets/js/jquery.min.js" type="text/javascript"></script>
```

44. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 578, column 1 to line 578, column 87

```
</script><script src="/visioolasatkmarttv/assets/js/jquery.mask.min.js" type="text/javascript"></script>
```

45. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 579, column 1 to line 579, column 81

```
</script><script src="/visioolasatkmarttv/assets/js/validator.js" type="text/javascript"></script>
```

46. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 580, column 1 to line 580, column 80

		<pre></script><script src="/visioClass/kmarttv/assets/js/codebase.js" type="text/javascript"></script></pre>
47	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 581, column 1, to line 581, column 84 <pre></script><script src="/visioClass/kmarttv/assets/js/form_handler.js" type="text/javascript"></script></pre>
48	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 582, column 1, to line 582, column 75 <pre></script><script src="/visioClass/kmarttv/assets/js/app.js" type="text/javascript"></script></pre>
49	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 583, column 1, to line 583, column 77 <pre></script><script src="/visioClass/kmarttv/assets/js/outline.js" type="text/javascript"></script></pre>
50	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 584, column 1, to line 584, column 104 <pre></script><script src="/visioClass/kmarttv/extensions/CDUtilityPackage/js/db-util-plg.js" type="text/javascript"></script></pre>
51	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 585, column 1, to line 585, column 113 <pre></script><script src="/visioClass/kmarttv/extensions/InputModule/js/jquery.inputmask.bundle.min.js" type="text/javascript"></script></pre>
52	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 586, column 1, to line 586, column 96 <pre></script><script src="/visioClass/kmarttv/extensions/InputModule/js/input-mask.js" type="text/javascript"></script></pre>
53	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 586, column 224, to line 586, column 254 <pre><script type="text/javascript"></pre>
54	Warning	Consider using the <code>h1</code> element as a top-level heading only — or else use the <code>headingOffset</code> attribute (otherwise, all <code>h1</code> elements are treated as top-level headings by many screen readers and other tools). From line 285, column 33, to line 285, column 47 <pre><h1 id="lvcs"></pre>
55	Error	The heading <code>h4</code> (with computed level 4) follows the heading <code>h1</code> (with computed level 1), skipping 2 heading levels. From line 208, column 17, to line 208, column 31 <pre><h4 id="lvcs3">Special</pre>
56	Error	The heading <code>h3</code> (with computed level 3) follows the heading <code>h1</code> (with computed level 1), skipping 1 heading level. From line 299, column 29, to line 299, column 48 <pre><h3 class="endText">Caption</pre>
Document checking completed.		
Used the HTML parser. Externally specified character encoding was UTF-8. Total execution time 950 milliseconds		

W3C HTML validator report queued.