

Test Case Report

Offer Name: test
Tested URL: https://blowoutcartcollective.com/dewalt20vcordless6lookit/?affid=1&click_id=test&state=CA
Test Date: 2026-04-08 00:58:03
Tested By: Automated Order Flow Runner
Overall Result: **PASS**
Report ID: ofr_20260407_212547_a0cba453

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: https://blowoutcartcollective.com/dewalt20vcordless6lookit/?affid=1&click_id=test&state=CA
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	6494016	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 6494016

Result: PASS

Status: PLACED

Browser: msedge


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

CHECK POINT

1. HTTP2 Report Link


STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT



HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

STATUS

MANUAL

REPORT LINK

[WhereGoes.com](https://www.wherego.es/)

SCREEN SHORT

WhereGoes® - Trace Results

Trace Results

http://...

Trace URL

Advanced Options »

Date Traced: 2026-04-07 19:28:14 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

#	Code	Requested URL
▼	301	http://blowoutcartcollective.com/dewalt20vcordless6lookit/?affid=1&click_id=test&state=CA
1	301	🔗 http://blowoutcartcollective.com/dewalt20vcordless6lookit/?affid=1&click_id=test&state=CA 301 Redirect Response Body: <pre>HTTP/1.1 301 Moved Permanently Date: Tue, 07 Apr 2026 19:28:14 GMT Content-Type: text/html; charset=iso-8859-1 Transfer-Encoding: chunked Connection: keep-alive Server: cloudflare Location: https://blowoutcartcollective.com/dewalt20vcordless6lookit/?affid=1&click_id=test&state=CA</pre> Response MetaData: <pre>Array ([url] => http://blowoutcartcollective.com/dewalt20vcordless6lookit/?affid=1&click_id=test&state=CA [content_type] => text/html; charset=iso-8859-1 [http_code] => 301 [header_size] => 726</pre>
2	302	🔗 https://blowoutcartcollective.com/dewalt20vcordless6lookit/?affid=1&click_id=test&state=CA 302 Redirect Response Body: <pre>HTTP/2 302 date: Tue, 07 Apr 2026 19:28:14 GMT content-type: text/html; charset=UTF-8 location: https://blowoutcartcollective.com/dewalt20vcordless6lookit/?token=df5e747770b450a0a026aed5343d361132dc12e2b2261d26fba3da204503489&click_id=test&vp=&mp=&exp=Thu,19Nov198108:52:00GMT</pre> Response MetaData: <pre>Array ([url] => https://blowoutcartcollective.com/dewalt20vcordless6lookit/?affid=1&click_id=test&state=CA [content_type] => text/html; charset=UTF-8 [http_code] => 302 [header_size] => 916</pre>
3	200	🔗 https://blowoutcartcollective.com/dewalt20vcordless6lookit/?token=df5e747770b450a0a026aed5343d361132dc12e2b2261d26fba3da204503489&click_id=test&vp=&mp=&exp=Thu,19Nov198108:52:00GMT Response Body: <pre>HTTP/2 200 date: Tue, 07 Apr 2026 19:28:15 GMT content-type: text/html; charset=UTF-8 expires: Thu, 19 Nov 1981 08:52:00 GMT pragma: no-cache cache-control: no-store, no-cache, must-revalidate vary: Accept-Encoding, User-Agent</pre> Response MetaData: <pre>Array ([url] => https://blowoutcartcollective.com/dewalt20vcordless6lookit/?token=df5e747770b450a0a026aed5343d361132dc12e2b2261d26fba3da204503489&click_id=test&vp=&mp=&exp=Thu,19Nov198108:52:00GMT [content_type] => text/html; charset=UTF-8 [http_code] => 200</pre>

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.



Click to Copy URL of This Trace

https://wheregoes.com/trace/20261533583/

Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

First

Last

Email

Subscribe

* All fields required.

[Ref Info](#) [About](#) [Contact](#)

Review Us:



Follow: [Twitter](#) [Facebook](#) [Instagram](#)

By using this website, you are agreeing to the [terms of use](#) and [privacy](#) policies.

© 2008-2026 WhereGoes.com. WhereGoes® is a registered trademark of Sovereign Stack, LLC. All rights reserved.

HTTPS redirection trace captured

CHECK POINT

3. Domain Test URL Report Link


STATUS

FAIL

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

5. Robots.txt Report Link

STATUS
MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
#
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor restricts
# permission via Content-Signal with respect to the corresponding use.
#
# The content signals and their meanings are:
#
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
# ai-input: ingesting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
# ai-train: training or fine-tuning AI models.
#
# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 4 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.
# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai=train=no
Allow: /
User-agent: Amazonbot
Disallow: /
User-agent: Applebot-Extended
Disallow: /
User-agent: Bytespider
Disallow: /
User-agent: CCBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: CloudflareBrowserRenderingCrawler
Disallow: /
User-agent: Google-Extended
Disallow: /
User-agent: GPTBot
Disallow: /
User-agent: meta-externalagent
Disallow: /
# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif$
User-agent: Googlebot-Image
Disallow: /*.jpg$
User-agent: Googlebot-Image
Disallow: /*.jpeg$
User-agent: Googlebot-Image
Disallow: /*.png$
User-agent: Googlebot-Image
Disallow: /*.svg$
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

6. Domain Expiry check Report Link

STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT

Access denied
Error 15
www.digicert.com
2028-04-07 19:32:03 UTC

What happened?

This request was blocked by our security service

Your IP: 152.58.179.212
Proxy IP: 45.60.125.229 (ID 10940-100)
Incident ID: 840000210158705809-4833049450382680

Powered by [Imperva](#)

Security task failed: Unable to fill any fallback input field.

CHECK POINT

7. SSL Grade Report Link


STATUS

MANUAL

REPORT LINK

[SSL Labs](#)

SCREEN SHORT



Qualys. SSL Labs

You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > blowoutcartcollective.com

SSL Report: **blowoutcartcollective.com**

Assessed on: Tue, 07 Apr 2020 19:11:21 UTC | [Hide](#) | [Clear cache](#)

[Scan Another >>](#)

	Server	Test time	Grade
1	172.67.129.243 Ready	Tue, 07 Apr 2020 19:07:26 UTC Duration: 60.361 sec	B
2	104.21.2.252 Ready	Tue, 07 Apr 2020 19:08:27 UTC Duration: 58.670 sec	B
3	2606:4700:3037:0:0:0:5815:2fc Ready	Tue, 07 Apr 2020 19:09:25 UTC Duration: 57.530 sec	B
4	2606:4700:3034:0:0:0:ac43:81f3 Ready	Tue, 07 Apr 2020 19:10:24 UTC Duration: 57.768 sec	B

SSL Report v2.4.1

Copyright © 2009-2020 Qualys, Inc. All Rights Reserved. [Privacy Policy](#)

[Try Qualys for free!](#) Experience the award-winning [Qualys Cloud Platform](#) and the entire collection of [Qualys Cloud Apps](#), including [certificate security](#) solutions. [Terms and Conditions](#)

SSL Labs scan queued; check index.html for grade once ready.

CHECK POINT

8. Google PageSpeed Mobile Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Apr 8, 2026, 1:05:36 AM

https://blowoutcartcollective.com/dewalt20vcordless000k0r?affid=1&click_id=test&state=CA

Analyze

Mobile Desktop

Showing results for URL: https://blowoutcartcollective.com/dewalt20vcordless000k0r?affid=1&click_id=test&state=CA. Run with original URL.

Discover what your real users are experiencing

This URL Origin

Core Web Vitals Assessment: Not Applicable

Expand view

Largest Contentful Paint (LCP) N/A Interaction to Next Paint (INP) N/A Cumulative Layout Shift (CLS) 0.03

This site uses cookies from Google to deliver its services and to analyze traffic. Learn More. Ok, Got it.

First Contentful Paint (FCP) 5.7 s Time to First Byte (TTFB) 0.5 s

Latest 28-day period (History) Full visit durations Various mobile devices Various network connectors Many samples (Chrome UX Report) All Chrome versions

Diagnose performance issues

Performance 84 Accessibility 88 Best Practices 92 SEO 73

84

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculation.

0-49 50-49 50-100

METRICS

Expand view

First Contentful Paint 0.8 s Largest Contentful Paint 0.8 s Total Blocking Time 620 ms Cumulative Layout Shift 0.023 Speed Index 0.8 s

Captured at Apr 8, 2026, 1:05 AM GMT+5:30 Initial page load Emulated Moto G Power with Lighthouse 13.0.1 Single page session Using HeadlessChromium 146.0.7680.153 with 1x Slow 4G throttling

View Tracemap



Show audits relevant to: FCP LCP INP CLS

INSIGHTS

- Use efficient cache lifetimes — Est savings of 0 KB
- Document request latency — Est savings of 2 KB
- Font display — Est savings of 10 ms
- Layout shift culprits
- LCP breakdown
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Reduce JavaScript execution time — 1.4 s
- Reduce unused JavaScript — Est savings of 554 KB
- Avoid long main-thread tasks — 8 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (18)

Show

88

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

- <html> element does not have a [lang] attribute

These are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

- Document does not have a main landmark.

These items highlight common accessibility best practices.

NAVIGATION

- The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.


ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (10)

Show



CHECK POINT

9. Google PageSpeed Desktop Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Apr 8, 2026, 1:06:00 AM

https://blowoutcartcollective.com/dewalt20vcordless00okid/?affid=1&click_id=test&state=CA

Analyze

Mobile Desktop

Showing results for URL: https://blowoutcartcollective.com/dewalt20vcordless00okid/?affid=1&click_id=test&state=CA
Run with original URL

Discover what your real users are experiencing

This URL Origin

Core Web Vitals Assessment: Failed

Expand view



This site uses cookies from Google to deliver its services and to analyze traffic. Learn More. [Ok, Got it.](#)



Latest 28-day period (History) Various desktop devices Many samples (Chrome UX Report)
Full visit durations Various network connectors All Chrome versions

Diagnose performance issues




Values are estimated and may vary. The performance score is calculated directly from these metrics. [See calculation.](#)

0-49 50-49 50-100

METRICS

Expand view



Captured at Apr 8, 2026, 1:06 AM GMT+5:30 Initial page load Emulated Desktop with Lighthouse 13.0.1 Single page session
Using Firefox/Chromium 146.0.7680.153 with 1x Custom throttling

[View Treemap](#)

INSIGHTS

Show audits relevant to: FCP LCP TBT CLS

- Use efficient cache lifetimes — Est savings of 0 KB
- Document request latency — Est savings of 2 KB
- Layout shift culprits
- LCP breakdown
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

- Reduce unused JavaScript — Est savings of 554 KB
- Avoid long main-thread tasks — 7 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (20)

Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

- <html> element does not have a [lang] attribute

These are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

- Document does not have a main landmark.

These items highlight common accessibility best practices.

NAVIGATION

- The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (10)

Show

NOT APPLICABLE (47)

Show



BROWSER COMPATIBILITY	
▲ Page lacks the HTML doctype, thus triggering quirks-mode Expected publicId to be an empty string	▼
GENERAL	
▲ Browser errors were logged to the console	▼
TRUST AND SAFETY	
☐ Ensure CSP is effective against XSS attacks	▼
☐ Use a strong HSTS policy	▼
☐ Ensure proper origin isolation with COOP	▼
☐ Mitigate clickjacking with XFO or CSP	▼
☐ Mitigate DOM-based XSS with Trusted Types	▼
PASSED AUDITS (11)	Show
NOT APPLICABLE (2)	Show



CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://blowoutcartcollective.com/dewalt20vcordlesslookit/?affid=1&click_id=test&state=CA (checked with vnu 26.4.1)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by address: ▼

https://blowoutcartcollective.com/dewalt20vcordlesslookit/?affid=1&click_id=test&state=CA

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Using `windows-1252` instead of the declared encoding `iso-8859-1`.
https://blowoutcartcollective.com/dewalt20vcordlesslookit/?affid=1&click_id=test&state=CA
- Error** Legacy encoding `windows-1252` used. Documents must use UTF-8.
https://blowoutcartcollective.com/dewalt20vcordlesslookit/?affid=1&click_id=test&state=CA
- Error** Internal encoding declaration `utf-8` disagrees with the actual encoding of the document (`windows-1252`).
From line 1, column 321, to line 1, column 387
`<meta charset="text/html; charset=UTF-8" http-equiv="Content-Type"><meta`
- Error** CSS: `transform: scale(0.416666667)` is not a `transform` value.
At line 87, column 1358
`ale(.416666667))}.gb_2ihover,`
- Error** CSS: Unrecognized at-rule `@if`.
From line 87, column 11713, to line 87, column 11715
`light:5px;@if (RTL,`
- Error** CSS: `display:inline-box` is not a `display` value.
From line 87, column 15262, to line 87, column 15271
`z{display:inline-box;displ,`
- Warning** The `bgcolor` attribute on the `body` element is obsolete. Use CSS instead.
From line 90, column 424, to line 90, column 444
`pt></head><body bgcolor="#fff"><scrip`
- Error** Attribute `src` not allowed on element `image` at this point.
From line 93, column 1387, to line 93, column 1515
`z"></path><image src="https://s1.getstatic.com/gb/images/baz/al-1oon.png" alt="" height="24" width="24"`
`style="border:none;display:none;VP"></img>`
- Error** Attribute `alt` not allowed on element `image` at this point.
From line 93, column 1387, to line 93, column 1515
`z"></path><image src="https://s1.getstatic.com/gb/images/baz/al-1oon.png" alt="" height="24" width="24"`
`style="border:none;display:none;VP"></img>`
- Error** The `center` element is obsolete. Use CSS instead.
From line 93, column 1807, to line 93, column 1814
`[div></div><center><br cl`
- Warning** The `clear` attribute on the `br` element is obsolete. Use CSS instead.
From line 93, column 1815, to line 93, column 1840
`v><center><br clear="all" id="lgp"><div><`
- Warning** The `cellpadding` attribute on the `table` element is obsolete. Use CSS instead.
From line 93, column 2058, to line 93, column 2096
`name="f"><table cellpadding="0" cellspacing="0"><tr vs`
- Warning** The `cellspacing` attribute on the `table` element is obsolete. Use CSS instead.
From line 93, column 2058, to line 93, column 2096
`name="f"><table cellpadding="0" cellspacing="0"><tr vs`
- Warning** The `valign` attribute on the `tr` element is obsolete. Use CSS instead.
From line 93, column 2097, to line 93, column 2113
`ecol="0"><tr valign="top"><td w1`
- Warning** The `width` attribute on the `td` element is obsolete. Use CSS instead.
From line 93, column 2114, to line 93, column 2129
`ign="top"><td width="25%">inbap;`
- Warning** The `align` attribute on the `td` element is obsolete. Use CSS instead.
From line 93, column 2141, to line 93, column 2169
`sbap;</td><td align="center" rowspan="3">claput`
- Warning** The `rowspan` attribute on the `td` element is obsolete. Use CSS instead.
From line 93, column 2141, to line 93, column 2169
`sbap;</td><td align="center" rowspan="3">claput`
- Warning** The `align` attribute on the `td` element is obsolete. Use CSS instead.
From line 94, column 154, to line 94, column 208
`spab;</td><td class="fl able" align="left" rowspan="3" width="25%">ca hre`
- Warning** The `rowspan` attribute on the `td` element is obsolete. Use CSS instead.
From line 94, column 154, to line 94, column 208
`spab;</td><td class="fl able" align="left" rowspan="3" width="25%">ca hre`
- Warning** The `width` attribute on the `td` element is obsolete. Use CSS instead.
From line 94, column 154, to line 94, column 208
`spab;</td><td class="fl able" align="left" rowspan="3" width="25%">ca hre`

Document checking completed.

Used the HTML parser. Externally specified character encoding was ISO-8859-1.
Total execution time 576 milliseconds.

[About this checker](#) • [Report an issue](#)

W3C HTML validator report queued.