Test Case Report

Offer Name: test
Tested URL: https://blowoutcartdirect.com/tupperwareheritagecollection/?affid=1&state=AL&click_id=test123456789
Test Date: 2026-03-28 01:50:35
Tested By: Automated Order Flow Runner
Overall Result: PASS
Report ID: ofr_20260327_211836_73599067

Credentials

Browser: chrome

Execution Type: Order Flow Automation

Total Rows: 1

Product Map

Primary Offer: test

Landing URL: https://blowoutcartdirect.com/tupperwareheritagecollection/?affid=1&state=AL&click_id=test123456789

Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.

Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	6237439	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 6237439

Result: PASS

Status: PLACED

Browser: chrome

Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:



Console Issue Verification

1. 404 Issues in JS Console

Verify no 404 errors appear while loading the checkout flow or clicking View/Download actions.

Desktop - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Mobile - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

2. JavaScript Uncaught Exceptions

Watch for any uncaught errors in the console during desktop/mobile interactions and log their stack traces.

Desktop - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Mobile - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

3. Verify Ajax Does Not Trigger Multiple Times

Trigger submit/up-sell actions while spamming Enter/Space and ensure the Fetch/XHR pane only shows a single request per action.

Desktop - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Mobile - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

Check	Status	Details	Reference
1. HTTP2 Report Link	MANUAL	HTTP2 test executed and results captured on screen. Captured: https://tools.keycdn.com/http2-test	KeyCDN HTTP2 Test

Check	Status	Details	Reference
			
2. HTTPS Redirection Report Link	MANUAL	HTTPS redirection trace captured. Captured: https://wheregoes.com/trace/20261375784/	WhereGoes.com

Check	Status	Details	Reference
			
3. Domain Test URL Report Link	**FAIL**	Security task failed: Unable to fill any fallback input field.	WhatsMyDNS
4. Safe Browsing Site Status Report Link	MANUAL	Safe Browsing lookup queued on Google Transparency Report. Captured: https://transparencyreport.google.com/safe-browsing/search?url=https:%2F%2Fblowoutcartdirect.com%2Ftupperwareheritagecollection%2F%3Faffid%3D1%26state%3DAL%26click_id%3Dtest123456789&hl=en 	Google Transparency Report
5. Robots.txt	MANUAL	robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I	robots.txt

Check	Status	Details	Reference
Report Link		Captured: https://blowoutcartdirect.com/robots.txt  ``` # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) If a Content-Signal = no, you may not collect content for the # corresponding use. # (c) If the website operator does not include a Content-Signal for a # corresponding use, the website operator neither grants nor restricts # permission via Content-Signal with respect to the corresponding use. # The content signals and their meanings are: # search: building a search index and providing search results (e.g., returning # hyperlinks and short excerpts from your website's contents). Search does not # include providing AI-generated search summaries. # ai-input: inputs into one or more generative AI models (e.g., retrieval # augmented generation, grounding, or other real-time taking of content for # generative AI search answers). # ai-train: training or fine-tuning AI models. # ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF # RIGHTS UNDER ARTICLE 4 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT # AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET. # BEGIN Cloudflare Managed Content User-agent: * Content-Signal: search=yes,ai-train=no Allow: / User-agent: Amazonbot Disallow: / User-agent: Applebot-Extended Disallow: / User-agent: Bytespider Disallow: / User-agent: CCBot Disallow: / User-agent: ClaudeBot Disallow: / User-agent: CloudflareBrowserRenderingCrawler Disallow: / User-agent: Google-Extended Disallow: / User-agent: GPTBot Disallow: / User-agent: meta-externalagent Disallow: / # END Cloudflare Managed Content User-Agent: * Disallow: / User-agent: Googlebot-Image Disallow: /*.gif$ User-agent: Googlebot-Image Disallow: /*.jpg$ User-agent: Googlebot-Image Disallow: /*.jpeg$ User-agent: Googlebot-Image Disallow: /*.png$ User-agent: Googlebot-Image Disallow: /*.bmp$ ``` 	
6. Domain Expiry check Report Link	**FAIL**	Security task failed: Unable to fill any fallback input field.	Digicert Help
7. SSL Grade Report Link	MANUAL	SSL Labs scan queued; check index.html for grade once ready. Captured: https://www.ssllabs.com/ssltest/analyze.html?d=blowoutcartdirect.com  	SSL Labs
8. Google PageSpeed Mobile Report Link	MANUAL	PageSpeed mobile report loaded and diagnosis visible. Captured: https://pagespeed.web.dev/analysis/https-blowoutcartdirect-com-tupperwareheritagecollection/oj3caid5u7?form_factor=mobile	PageSpeed Insights

Check	Status	Details	Reference
			

PageSpeed Insights

Copy Link Docs

Report from Mar 28, 2026, 1:58:32 AM

https://blowoutcartdirect.com/tupperwareheritagecollection/?affid=1&state=AL&click_id=test1234567789

Analyze

Mobile Desktop

Showing results for URL: https://developer.google.com/speed/pagespeed/insights/?q=https%3A%2F%2Ftupperwareheritagecollection.com%2F%3Faffid%3D1%26state%3DAL%26click_id%3Dtest1234567789&utm_source=devsite&utm_medium=wt&utm_campaign=devsite&utm_content=psi&hl=en&gl=US&_gl=1*1ldqqqq*_ga*MTg0NjcyMTcyMy4xNzc3NjY1NjMx*_ga_VWZ0G49G1Q*czE3NzcyMTcyMyQkbzEkZzEkdHRwZCQkZGFzaCQkZ3Rhc3Ck&_ga_C1GxaAUM&_gcl_au*MTg0NjcyMTcyMy4xNzc3NjY1NjMx*_gcl_aw*R2NsLjE3NzcyMTcyMyMyMjIuMjAyNjAyMjIuMjAyNjAyMjIuMjAyNjA

Check	Status	Details	Reference
			
9. Google PageSpeed Desktop Report Link	MANUAL	PageSpeed desktop diagnosis ready for review. Captured: https://pagespeed.web.dev/analysis/https-blowoutcartdirect-com-tupperwareheritagecollection/may7q1fbhq?form_factor=desktop	PageSpeed Insights

Check	Status	Details	Reference

PageSpeed Insights

Copy Link Docs

Report from Mar 28, 2026, 1:58:53 AM

https://blowoutcartdirect.com/tupperwareheritagecollection/?wfid=1&state=AL&click_id=test123456789 Analyze

Mobile Desktop

Showing results for URL: https://www.google.com/search?q=https%3A%2F%2Fpagespeed.web.dev%2Fanalysis%3Furl%3Dhttps%253A%252F%252Fblowoutcartdirect.com%252Ftupperwareheritagecollection%252F%253Fwfid%253D1%2526state%253DAL%2526click_id%253Dtest123456789%26hl%3Den%26utm_source%3Dsearch%26utm_medium%3Dsearch%26utm_campaign%3Dpsi%26utm_content%3Dtest123456789%26utm_term%3Dpagespeed

Check	Status	Details	Reference
			
10. HTML Optimisation Report Link	MANUAL	W3C HTML validator report queued. Captured: https://validator.w3.org/nu/?doc=https%3A%2F%2Fblowoutcartdirect.com%2Ftupperwareheritagecollection%2F%3Faffid%3D1%26state%3DAL%26click_id%3Dtest123456789	W3C Validator

Check	Status	Details	Reference

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://blowoutcartdirect.com/tupperwareheritagecollection/?affid=1&state=AL&click_id=test123456789 (checked with vnu 26.3.24)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only Options...

Check by address

https://blowoutcartdirect.com/tupperwareheritagecollection/?affid=1&state=AL&click_id=test123456789

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** **Start tag seen without seeing a doctype first. Expected** `<!DOCTYPE html>`.
   From line 1, column 1; to line 1, column 16
   `<html lang="en">  ⏎⏎<h`

2. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 4, column 5; to line 4, column 26
   `head⏎  <meta charset="utf-8" />⏎  <`

3. **Error** **A document must not include more than one** `meta` **element with a** `charset` **attribute.**
   From line 6, column 5; to line 6, column 27
   `>  ⏎  <meta charset="utf-8"/>⏎⏎<tit`

4. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 6, column 5; to line 6, column 27
   `>  ⏎  <meta charset="utf-8"/>⏎⏎<tit`

5. **Error** **Element** `title` **not allowed as child of element** `head` **in this context. (Suppressing further errors from this subtree.)**
   From line 8, column 1; to line 8, column 7
   `utf-8"/>⏎⏎<title>Tupp`
   Contexts in which element `title` may be used:
   In a `head` element containing no other `title` elements.
   Content model for element `head`:
   If the document is an `iframe srcdoc` document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a `title` element and no more than one is a `base` element.
   Otherwise: One or more elements of metadata content, of which exactly one is a `title` element and no more than one is a `base` element.

6. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 10, column 1; to line 10, column 68
   `</title>⏎<meta name="description" content="Tupperware Heritage Collection" />⏎⏎<me`

7. **Error** **A** `meta` **element with an** `http-equiv` **attribute whose value is** `X-UA-Compatible` **must have a** `content` **attribute with the value** `IE=edge`.
   From line 13, column 1; to line 13, column 64
   `ics" />⏎⏎<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />⏎<meta`

8. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
   From line 13, column 1; to line 13, column 64
   `ics" />⏎⏎<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />⏎<meta`

9. **Error** **A document must not include both a** `meta` **element with an** `http-equiv` **attribute whose value is** `content-type`, **and a** `meta` **element with a** `charset` **attribute.**
   From line 14, column 1; to line 14, column 68
   `one=1" />⏎<meta http-equiv="content-type" content="text/html;charset=utf-8" />⏎<meta`

10. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 14, column 1; to line 14, column 68
    `one=1" />⏎<meta http-equiv="content-type" content="text/html;charset=utf-8" />⏎<meta`

11. **Error** **Using the** `meta` **element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.**
    From line 15, column 1; to line 15, column 54
    `utf-8" />⏎<meta http-equiv="content-language" content="en-us" />⏎ ⏎<me`

12. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 15, column 1; to line 15, column 54
    `utf-8" />⏎<meta http-equiv="content-language" content="en-us" />⏎ ⏎<me`

13. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 17, column 1; to line 17, column 57
    `-us" />⏎ ⏎<meta name="apple-mobile-web-app-capable" content="yes"/>⏎<meta`

14. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 18, column 1; to line 18, column 68
    `t="yes"/>⏎<meta name="apple-mobile-web-app-status-bar-style" content="black"/>⏎<meta`

15. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 19, column 1; to line 19, column 46
    `"black"/>⏎<meta name="HandheldFriendly" content="true"/>⏎<meta`

16. **Warning** **Consider avoiding viewport values that prevent users from resizing documents.**
    From line 20, column 1; to line 20, column 105
    `="true"/>⏎<meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no"/>⏎<link`

17. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 20, column 1; to line 20, column 105
    `="true"/>⏎<meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no"/>⏎<link`

18. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 22, column 1; to line 22, column 119
    `ps=75$"⏎<link rel="stylesheet" type="text/css" href="/tupperwareheritagecollection/app/desktop/css/app_sew.css?v=1776443354"`
    `/>⏎<link rel="stylesheet" type="text/css" href="/tupperwareheritagecollection/app/desktop/css/app_sew.css?v=1776443354"`
    `/>⏎<meta`

19. **Error** **A document must not include more than one** `meta` **element with its** `name` **attribute set to the value** `description`.
    From line 24, column 1; to line 24, column 36
    `335" />⏎<meta name="description" content="">⏎⏎<!--`

20. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 49, column 9; to line 49, column 110
    `>⏎  <link rel="stylesheet" type="text/css" href="/tupperwareheritagecollection/app/desktop/css/all.css" />⏎`

21. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 46, column 9; to line 46, column 114
    `>⏎  <link rel="stylesheet" type="text/css" href="/tupperwareheritagecollection/app/desktop/css/animate.css" />⏎`

22. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 47, column 9; to line 47, column 125
    `>⏎  <link rel="stylesheet" type="text/css" href="/tupperwareheritagecollection/app/desktop/css/custom.css?v=1776443354" />⏎`

23. **Error** **Element** `style` **not allowed as child of element** `page-builder-block` **in this context. (Suppressing further errors from this subtree.)**
    From line 57, column 9; to line 57, column 15
    `>⏎  <style>⏎`
    Contexts in which element `style` may be used:
    Where metadata content is expected.
    In a `noscript` element that is a child of a `head` element.

24. **Error** **Stray end tag** `head`.
    From line 194, column 1; to line 194, column 7
    `-block>⏎⏎</head>⏎<bod`

25. **Error** **Start tag** `body` **seen but an element of the same type was already open.**
    From line 196, column 1; to line 196, column 6
    `⏎</head>⏎<body>⏎`

26. **Error** **Element** `img` **is missing one or more of the following attributes:** `src`, `srcset`.
    From line 251, column 33; to line 251, column 212
    `  <img data-src="/tupperwareheritagecollection/app/desktop/images/tupperwareheritagecollection2055D.webp?v=759" class="product img-`
    `fluid prod-img lazyload" width="748" height="748" alt="" />⏎`
    Attributes for element `img`:
    Global attributes
    `alt` — Replacement text for use when images are not available
    `src` — Address of the resource
    `srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
    `sizes` — Image sizes for different page layouts
    `crossorigin` — How the element handles crossorigin requests
    `usemap` — Name of image map to use
    `ismap` — Whether the image is a server-side image map
    `width` — Horizontal dimension
    `height` — Vertical dimension
    `referrerpolicy` — Referrer policy for fetches initiated by the element
    `decoding` — Decoding hint to use when processing this image for presentation
    `loading` — Used when determining loading deferral
    `fetchpriority` — Sets the priority for fetches initiated by the element

27. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 251, column 33; to line 251, column 212
    `  <img data-src="/tupperwareheritagecollection/app/desktop/images/tupperwareheritagecollection2055D.webp?v=759" class="product img-`
    `fluid prod-img lazyload" width="748" height="748" alt="" />⏎`

28. **Error** **Element** `img` **is missing one or more of the following attributes:** `src`, `srcset`.
    From line 256, column 71; to line 300, column 63
    `ck mr-1"> <img style="max-width:24px; vertical-align:top;">⏎  data-`
    `src="/tupperwareheritagecollection/app/desktop/images/fire.png" alt="" width="24" height="38">⏎`
    `class="lazyload" /> </eps`
    Attributes for element `img`:
    Global attributes
    `alt` — Replacement text for use when images are not available
    `src` — Address of the resource
    `srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
    `sizes` — Image sizes for different page layouts
    `crossorigin` — How the element handles crossorigin requests
    `usemap` — Name of image map to use
    `ismap` — Whether the image is a server-side image map
    `width` — Horizontal dimension
    `height` — Vertical dimension
    `referrerpolicy` — Referrer policy for fetches initiated by the element
    `decoding` — Decoding hint to use when processing this image for presentation
    `loading` — Used when determining loading deferral
    `fetchpriority` — Sets the priority for fetches initiated by the element

29. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 256, column 71; to line 300, column 63
    `ck mr-1"> <img style="max-width:24px; vertical-align:top;">⏎  data-`
    `src="/tupperwareheritagecollection/app/desktop/images/fire.png" alt="" width="24" height="38">⏎`
    `class="lazyload" /> </eps`

30. **Error** **Bad value** `application/x-www-form-urlencoded;charset=utf-8` **for attribute** `enctype` **on element** `form`.
    From line 341, column 41; to line 343, column 117
    `  <form method="post" action="/ajax.php?method=new_prospect" name="prospect_form">⏎`
    `accept-charset="utf-8">⏎  enctype="application/x-www-form-urlencoded;charset=utf-8"`
    `class="p-al-0">⏎`

31. **Error** **Duplicate attribute** `value`.
    At line 303, column 96
    `-control" value="" data-valida`

32. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.**
    From line 464, column 75; to line 464, column 196
    `ted mt-3"><img src="/tupperwareheritagecollection/app/desktop/images/lock.png" style="max-width: 15px; vertical-align: baseline;"`
    `/> Secur`

33. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**
    From line 464, column 75; to line 464, column 196
    `ted mt-3"><img src="/tupperwareheritagecollection/app/desktop/images/lock.png" style="max-width: 15px; vertical-align: baseline;"`
    `/> Secur`

Check	Status	Details	Reference
		33. **Error** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 67, column 75; to line 67, column 196 `67 <img src="/tuppeware/heritagecollection/app/desktop/images/lock.png" style="max-width: 15px; vertical-align: baseline;" />` 34. **Error** Element `img` is missing one or more of the following attributes: `src`, `srcset`. From line 474, column 41; to line 474, column 164 `<img class="img-fluid lazyload" data-src="/tuppeware/heritagecollection/app/desktop/images/verified.png?v=1.0" width="320" height="40" alt="" />` ` Attributes for element `img`: Global attributes `alt` — Replacement text for use when images are not available `src` — Address of the resource `srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc. `sizes` — Image sizes for different page layouts `crossorigin` — How the element handles crossorigin requests `usemap` — Name of image map to use `ismap` — Whether the image is a server-side image map `width` — Horizontal dimension `height` — Vertical dimension `referrerpolicy` — Referrer policy for fetches initiated by the element `decoding` — Decoding hint to use when processing this image for presentation `loading` — Used when determining loading deferral `fetchpriority` — Sets the priority for fetches initiated by the element  35. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 474, column 41; to line 474, column 164 `<img class="img-fluid lazyload" data-src="/tuppeware/heritagecollection/app/desktop/images/verified.png?v=1.0" width="320" height="40" alt="" />`</div>` 36. **Error** End tag `p` implied, but there were open elements. From line 501, column 8; to line 501, column 72 `↳ <p class="text-center" style="font-weight: 400; font-size: 16px">↵` 37. **Error** Unclosed element `b`. From line 500, column 21; to line 500, column 23 `<b>↵` 38. **Error** End tag `p` seen, but there were open elements. From line 503, column 7; to line 503, column 10 `</p>↵` 39. **Error** No `p` element in scope but a `p` end tag seen. From line 505, column 17; to line 505, column 20 `</p>↵` 40. **Error** Element `img` is missing one or more of the following attributes: `src`, `srcset`. From line 567, column 17; to line 568, column 56 `<img data-src="/tuppeware/heritagecollection/app/desktop/images/tuppeware collection3053D2.webp?v=1.1">↵` `class="product img-fluid prod-img lazyload" width="150" height="150" alt="" />↵` Attributes for element `img`: Global attributes `alt` — Replacement text for use when images are not available `src` — Address of the resource `srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc. `sizes` — Image sizes for different page layouts `crossorigin` — How the element handles crossorigin requests `usemap` — Name of image map to use `ismap` — Whether the image is a server-side image map `width` — Horizontal dimension `height` — Vertical dimension `referrerpolicy` — Referrer policy for fetches initiated by the element `decoding` — Decoding hint to use when processing this image for presentation `loading` — Used when determining loading deferral `fetchpriority` — Sets the priority for fetches initiated by the element 41. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 567, column 17; to line 568, column 56 `<img data-src="/tuppeware/heritagecollection/app/desktop/images/tuppeware collection3053D2.webp?v=1.1">↵` `class="product img-fluid prod-img lazyload" width="150" height="150" alt="" />↵` 42. **Error** The element `footer` must not appear as a descendant of the `footer` element. From line 528, column 17; to line 528, column 45 `<footer class="footer-zone">↵` 43. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 558, column 9; to line 558, column 39 `↵ <script type="text/javascript">m.nz_y` 44. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 558, column 2883; to line 558, column 2915 `}</script><script type="text/javascript">app_la` 45. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 558, column 4004; to line 558, column 4034 `;</script><script type="text/javascript">var cb` 46. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 561, column 1; to line 561, column 92 `/script>↵<script src="/tuppeware/heritagecollection/assets/js/promise.min.js" type="text/javascript"></scri` 47. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 562, column 1; to line 562, column 91 `</script>↵<script src="/tuppeware/heritagecollection/assets/js/jquery.min.js" type="text/javascript"></scri` 48. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 563, column 1; to line 563, column 96 `</script>↵<script src="/tuppeware/heritagecollection/assets/js/jquery.mask.min.js" type="text/javascript">` 49. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 564, column 1; to line 564, column 90 `</script>↵<script src="/tuppeware/heritagecollection/assets/js/validator.js" type="text/javascript"></scri` 50. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 565, column 1; to line 565, column 89 `</script>↵<script src="/tuppeware/heritagecollection/assets/js/codebase.js" type="text/javascript">` 51. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 566, column 1; to line 566, column 95 `</script>↵<script src="/tuppeware/heritagecollection/assets/js/form_handler.js" type="text/javascript">` 52. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 567, column 1; to line 567, column 84 `</script>↵<script src="/tuppeware/heritagecollection/assets/js/app.js" type="text/javascript">` 53. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 568, column 1; to line 568, column 86 `</script>↵<script src="/tuppeware/heritagecollection/assets/js/outro.js" type="text/javascript">` 54. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 569, column 1; to line 569, column 113 `</script>↵<script src="/tuppeware/heritagecollection/extensions/CbUtilityPackage/js/cb-util-pkg.js" type="text/javascript">` 55. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 570, column 1; to line 570, column 122 `</script>↵<script src="/tuppeware/heritagecollection/extensions/InputMask/js/jquery.inputmask.bundle.min.js" type="text/javascript">`</scri`  56. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 571, column 1; to line 571, column 105 `</script>↵<script src="/tuppeware/heritagecollection/extensions/InputMask/js/input-mask.js" type="text/javascript">`</scri` 57. **Warning** The `type` attribute is unnecessary for JavaScript resources. From line 571, column 242; to line 571, column 272 `s>  <script type="text/javascript">m` 58. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools). From line 280, column 33; to line 280, column 47 `<h1 id="revSub">↵` 59. **Error** The heading `h4` (with computed level 4) follows the heading `h1` (with computed level 1), skipping 2 heading levels. From line 203, column 17; to line 203, column 31 `<h4 id="revsub">Upcoming` 60. **Error** The heading `h3` (with computed level 3) follows the heading `h1` (with computed level 1), skipping 1 heading level. From line 294, column 29; to line 294, column 46 `<h3 class="redDeal">Expan`	