

Test Case Report

Offer Name: test001
Tested URL: https://blowoutcartexpress.com/intexqueenairbedwithbuiltinpump/?affid=1&click_id=test@12345&state=CA
Test Date: 2026-03-30 22:31:35
Tested By: Automated Order Flow Runner
Overall Result: **PASS**
Report ID: ofr_20260330_185931_e39b2c75

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test001
Landing URL: https://blowoutcartexpress.com/intexqueenairbedwithbuiltinpump/?affid=1&click_id=test@12345&state=CA
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	6326200	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 6326200

Result: **PASS**

Status: PLACED

Browser: msedge


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:



Console Issue Verification

1. 404 Issues in JS Console

Verify no 404 errors appear while loading the checkout flow or clicking View/Download actions.

Desktop - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Mobile - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

2. JavaScript Uncaught Exceptions

Watch for any uncaught errors in the console during desktop/mobile interactions and log their stack traces.

Desktop - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Mobile - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

3. Verify Ajax Does Not Trigger Multiple Times

Trigger submit/up-sell actions while spamming Enter/Space and ensure the Fetch/XHR pane only shows a single request per action.

Desktop - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Mobile - Status: MANUAL Screenshot should show the dev tools console open; use a green border for pass and red for fail.

Screenshot (Console Open): Pending capture.

Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

CHECK POINT

1. HTTP2 Report Link


STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT



HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

STATUS

MANUAL

REPORT LINK

[WhereGoes.com](https://www.wherego.es.com)

SCREEN SHORT

WhereGoes® - Trace Results

Trace Results

http://...

Trace URL

Advanced Options »

Date Traced: 2026-03-30 17:01:58 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

#	Code	Requested URL
▼	301	http://blowoutcartexpress.com/intexqueenairbedwithbuitinpump/?affid=1&click_id=test@12345&state=CA
1	301	🔗 http://blowoutcartexpress.com/intexqueenairbedwithbuitinpump/?affid=1&click_id=test@12345&state=CA 301 Redirect Response Body: <pre>HTTP/1.1 301 Moved Permanently Date: Mon, 30 Mar 2026 17:01:58 GMT Content-Type: text/html; charset=iso-8859-1 Transfer-Encoding: chunked Connection: keep-alive Server: cloudflare Location: https://blowoutcartexpress.com/intexqueenairbedwithbuitinpump/?affid=1&click_id=test@12345&state=CA Response MetaData: Array ([url] => http://blowoutcartexpress.com/intexqueenairbedwithbuitinpump/?affid=1&click_id=test@12345&state=CA [content_type] => text/html; charset=iso-8859-1 [http_code] => 301 [header_size] => 733)</pre>
2	302	🔗 https://blowoutcartexpress.com/intexqueenairbedwithbuitinpump/?affid=1&click_id=test@12345&state=CA 302 Redirect Response Body: <pre>HTTP/2 302 date: Mon, 30 Mar 2026 17:01:59 GMT content-type: text/html; charset=UTF-8 location: https://blowoutcartexpress.com/intexqueenairbedwithbuitinpump/?token=e5db45f65ea3e2f9bf9c9ebae4815ac74c00fefd25b9d302c05750c217ef9eb&click_id=test@12345 expires: Thu, 19 Nov 1981 08:52:00 GMT Response MetaData: Array ([url] => https://blowoutcartexpress.com/intexqueenairbedwithbuitinpump/?affid=1&click_id=test@12345&state=CA [content_type] => text/html; charset=UTF-8 [http_code] => 302 [header_size] => 899)</pre>
3	200	🔗 https://blowoutcartexpress.com/intexqueenairbedwithbuitinpump/?token=e5db45f65ea3e2f9bf9c9ebae4815ac74c00fefd25b9d302c05750c217ef9eb&click_id=test@12345 Response Body: <pre>HTTP/2 200 date: Mon, 30 Mar 2026 17:01:59 GMT content-type: text/html; charset=UTF-8 expires: Thu, 19 Nov 1981 08:52:00 GMT pragma: no-cache cache-control: no-store, no-cache, must-revalidate vary: Accept-Encoding, User-Agent Response MetaData: Array ([url] => https://blowoutcartexpress.com/intexqueenairbedwithbuitinpump/?token=e5db45f65ea3e2f9bf9c9ebae4815ac74c00fefd25b9d302c05750c217ef9eb&click_id=test@12345 [content_type] => text/html; charset=UTF-8 [http_code] => 200)</pre>

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.



Click to Copy URL of This Trace

https://wheregoes.com/trace/20261407695/

Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

First

Last

Email

Subscribe

* All fields required.

[Ref Info](#) [About](#) [Contact](#)

Review Us:



Follow: [Twitter](#) [Facebook](#) [YouTube](#)

By using this website, you are agreeing to the [terms of use](#) and [privacy policies](#).

© 2008-2026 WhereGoes.com. WhereGoes® is a registered trademark of Sovereign Stack, LLC. All rights reserved.

HTTPS redirection trace captured

CHECK POINT

3. Domain Test URL Report Link


STATUS

FAIL

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

5. Robots.txt Report Link

STATUS MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
#
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor restricts
# permission via Content-Signal with respect to the corresponding use.
#
# The content signals and their meanings are:
#
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
# ai-input: ingesting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
# ai-train: training or fine-tuning AI models.
#
# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 4 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.
# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai=train=no
Allow: /
User-agent: Amazonbot
Disallow: /
User-agent: Applebot-Extended
Disallow: /
User-agent: Bytespider
Disallow: /
User-agent: CCBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: CloudflareBrowserRenderingCrawler
Disallow: /
User-agent: Google-Extended
Disallow: /
User-agent: GPTBot
Disallow: /
User-agent: meta-externalagent
Disallow: /
# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif$
User-agent: Googlebot-Image
Disallow: /*.jpg$
User-agent: Googlebot-Image
Disallow: /*.jpeg$
User-agent: Googlebot-Image
Disallow: /*.png$
User-agent: Googlebot-Image
Disallow: /*.svg$
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

6. Domain Expiry check Report Link

STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT

Access denied
Error 15
www.digicert.com
2028-03-30 17:05:38 UTC

What happened?

This request was blocked by our security service

Your IP: 152.58.178.247
Proxy IP: 45.60.125.229 (ID 10940-100)
Incident ID: 9400020032629708-44828164303889554

Powered by [Imperva](#)

Security task failed: Unable to fill any fallback input field.

CHECK POINT

7. SSL Grade Report Link


STATUS

MANUAL

REPORT LINK

[SSL Labs](#)

SCREEN SHORT



	Server	Test time	Grade
1	2606:4700:3032:0:0:0:6815:5b69 Ready	Mon, 30 Mar 2026 17:09:03 UTC Duration: 08:12:1 sec	B
2	104.21.91.105 Ready	Mon, 30 Mar 2026 17:10:02 UTC Duration: 08:13 sec	B
3	172.67.215.158 In progress	Mon, 30 Mar 2026 17:11:00 UTC -	-
4	2606:4700:3037:0:0:0:ac43:d79e Pending	-	-

SSL Report v2.4.1

Copyright © 2009-2026 [Qualys, Inc.](#) All Rights Reserved. [Privacy Policy](#)
[Try Qualys for free!](#) Experience the award-winning [Qualys Cloud Platform](#) and the entire collection of [Qualys Cloud Apps](#), including [certificate security](#) solutions. [Terms and Conditions](#)

SSL Labs scan queued; check index.html for grade once ready.

CHECK POINT

8. Google PageSpeed Mobile Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Mar 30, 2026, 10:41:20 PM

https://blowout.cartexpress.com/intexqueanarbedwithbuiltinpump/?affid=1&click_id=test@12345&state=CA

Analyze

Mobile Desktop

Showing results for URL: https://blowout.cartexpress.com/intexqueanarbedwithbuiltinpump/?affid=1&click_id=test@12345&state=CA
Run with original URL

Discover what your real users are experiencing

This URL Origin

Core Web Vitals Assessment: Not Applicable

Expand view

Largest Contentful Paint (LCP) N/A Interaction to Next Paint (INP) N/A Cumulative Layout Shift (CLS) N/A

This site uses cookies from Google to deliver its services and to analyze traffic. [Learn More](#). [Ok, Got it.](#)

First Contentful Paint (FCP) 5.3 s Time to First Byte (TTFB) 0.5 s

Latest 28-day period (History) Full visit durations Various mobile devices Various network connections Many samples (Chrome UX Speed) All Chrome versions

Diagnose performance issues

Performance 85 Accessibility 88 Best Practices 92 SEO 73

85

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

0-49 50-69 90-100

Expand view

First Contentful Paint 0.8 s Largest Contentful Paint 0.8 s
Total Blocking Time 590 ms Cumulative Layout Shift 0.023
Speed Index 0.8 s

Captured at Mar 30, 2026, 10:41 PM GMT+5:30 Initial page load Emulated Moto G Power with Lighthouse 13.0.1 Slow 4G throttling Single page session Using headlessChromium 146.0.7880.153 with 1x

View Treemap



Show audits relevant to: FCP LCP INP CLS

INSIGHTS

- Use efficient cache lifetimes — Est savings of 0 KB
- Document request latency — Est savings of 2 KB
- Font display — Est savings of 10 ms
- Layout shift culprits
- LCP breakdown
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

- Reduce JavaScript execution time — 1.4 s
- Reduce unused JavaScript — Est savings of 551 KB
- Avoid long main-thread tasks — 10 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (10)

Show

88

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

- <html> element does not have a lang attribute

These are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

- Document does not have a main landmark.

These items highlight common accessibility best practices.

NAVIGATION

- The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.


ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (10)

Show



CHECK POINT

9. Google PageSpeed Desktop Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Mar 30, 2026, 10:41:44 PM

https://blowout.cartexpress.com/intexqueenairbedwithbuiltinpump/?affid=1&click_id=test@12345&state=CA

Analyze

Mobile Desktop

Showing results for URL: https://blowout.cartexpress.com/intexqueenairbedwithbuiltinpump/?affid=1&click_id=test@12345&state=CA
Run with original URL

Discover what your real users are experiencing

This URL Origin

Core Web Vitals Assessment: **Failed**

Expand view



This site uses cookies from Google to deliver its services and to analyze traffic. [Learn More](#). [Ok, Got it.](#)



Latest 28-day period (History) Full visit durations
Various desktop devices Various network connections
Many samples (Chrome UX Report) All Chrome versions

Diagnose performance issues

Performance 83 Accessibility 88 Best Practices 92 SEO 73

83


Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

0-49 50-89 90-100

METRICS

Expand view



Captured at Mar 30, 2026, 10:41 PM GMT+5:30 Initial page load
Emulated Desktop with Lighthouse 13.0.1 Custom throttling
Single page session Using HeadlessChromium 146.0.7880.153 with Ir

[View Treemap](#)

INSIGHTS

Show audits relevant to: FCP LCP TBT CLS

- Use efficient cache lifetimes — Est savings of 0 KiB
- Document request latency — Est savings of 2 KiB
- Layout shift culprits
- LCP breakdown
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

- Reduce unused JavaScript — Est savings of 551 KiB
- Avoid long main-thread tasks — 7 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (20)

Show

88

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

- class element does not have a lang attribute

These are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

- Document does not have a main landmark.

These items highlight common accessibility best practices.

NAVIGATION

- The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show


These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (10)

Show

NOT APPLICABLE (47)

Show



CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

`image` — Indicates the image is a server-side image map

`width` — Horizontal dimension

`height` — Vertical dimension

`referrerpolicy` — Referrer policy for fetches initiated by the element

`decoding` — Decoding hint to use when processing this image for presentation

`loading` — Used when determining loading deferral

`fetchpriority` — Sets the priority for fetches initiated by the element

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 256, column 33 to line 256, column 196

```

```

Error Element `img` is missing one or more of the following attributes: `src`, `srcset`.

From line 303, column 71 to line 305, column 63

```

```

Attributes for element `img`

`Global attributes`

`alt` — Replacement text for use when images are not available

`src` — Address of the resource

`srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

`sizes` — Image sizes for different page layouts

`crossorigin` — How the element handles crossorigin requests

`usemap` — Name of `image map` to use

`image` — Whether the image is a server-side image map

`width` — Horizontal dimension

`height` — Vertical dimension

`referrerpolicy` — Referrer policy for fetches initiated by the element

`decoding` — Decoding hint to use when processing this image for presentation

`loading` — Used when determining loading deferral

`fetchpriority` — Sets the priority for fetches initiated by the element

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 303, column 71 to line 305, column 63

```

```

Error Bad value 'application/x-www-form-urlencoded;charset=utf-8' for attribute `enctype` on element `form`.

From line 374, column 41 to line 376, column 117

```
<form method="post" action="ajax.php?method=new_prospect" name="prospect_form" accept-charset="utf-8" class="p-ki-0">
```

Error Duplicate attribute `value`.

At line 402, column 96

```
-control" value="" data-value
```

Error An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 497, column 75 to line 497, column 199

```

```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 497, column 75 to line 497, column 199

```

```

Error Element `img` is missing one or more of the following attributes: `src`, `srcset`.

From line 507, column 41 to line 507, column 187

```

```

Attributes for element `img`

`Global attributes`

`alt` — Replacement text for use when images are not available

`src` — Address of the resource

`srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

`sizes` — Image sizes for different page layouts

`crossorigin` — How the element handles crossorigin requests

`usemap` — Name of `image map` to use

`image` — Whether the image is a server-side image map

`width` — Horizontal dimension

`height` — Vertical dimension

`referrerpolicy` — Referrer policy for fetches initiated by the element

`decoding` — Decoding hint to use when processing this image for presentation

`loading` — Used when determining loading deferral

`fetchpriority` — Sets the priority for fetches initiated by the element

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 507, column 41 to line 507, column 187

```

```

Error End tag `p` implied, but there were open elements.

From line 533, column 25 to line 533, column 89

```
<p class="text-center" style="font-weight: 600; font-size: 14px">
```

Error Unclosed element `p`.

From line 533, column 21 to line 533, column 23

```
<p>
```

Error End tag `p` seen, but there were open elements.

From line 535, column 7 to line 535, column 10

```
</p>
```

Error No `p` element in scope but a `p` end tag seen.

From line 537, column 17 to line 537, column 20

```
</p>
```

Error Element `img` is missing one or more of the following attributes: `src`, `srcset`.

From line 539, column 17 to line 540, column 98

```

```

Attributes for element `img`

`Global attributes`

`alt` — Replacement text for use when images are not available

`src` — Address of the resource

`srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

`sizes` — Image sizes for different page layouts

`crossorigin` — How the element handles crossorigin requests

`usemap` — Name of `image map` to use

`image` — Whether the image is a server-side image map

`width` — Horizontal dimension

`height` — Vertical dimension

`referrerpolicy` — Referrer policy for fetches initiated by the element

`decoding` — Decoding hint to use when processing this image for presentation

`loading` — Used when determining loading deferral

`fetchpriority` — Sets the priority for fetches initiated by the element

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 539, column 17 to line 540, column 98

```

```

Error The element `footer` must not appear as a descendant of the `footer` element.

From line 560, column 17 to line 560, column 45

```
<footer class="footer-inner">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 590, column 9 to line 590, column 39

```
<script type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 590, column 2888 to line 590, column 2918

```
</script type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 592, column 1 to line 592, column 31

		<code></script><script type="text/javascript">var ob</code>
46.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 593, column 1 to line 593, column 95 <code></script><script src="/intexqueenairbedwithbultingump/assets/js/promote.min.js" type="text/javascript"></script></code>
47.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 594, column 1 to line 594, column 94 <code></script><script src="/intexqueenairbedwithbultingump/assets/js/query.min.js" type="text/javascript"></script></code>
48.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 595, column 1 to line 595, column 99 <code></script><script src="/intexqueenairbedwithbultingump/assets/js/query-mask.min.js" type="text/javascript"></script></code>
49.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 596, column 1 to line 596, column 93 <code></script><script src="/intexqueenairbedwithbultingump/assets/js/validator.js" type="text/javascript"></script></code>
50.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 597, column 1 to line 597, column 92 <code></script><script src="/intexqueenairbedwithbultingump/assets/js/codebase.js" type="text/javascript"></script></code>
51.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 598, column 1 to line 598, column 96 <code></script><script src="/intexqueenairbedwithbultingump/assets/js/form_handler.js" type="text/javascript"></script></code>
52.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 599, column 1 to line 599, column 87 <code></script><script src="/intexqueenairbedwithbultingump/assets/js/app.js" type="text/javascript"></script></code>
53.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 600, column 1 to line 600, column 89 <code></script><script src="/intexqueenairbedwithbultingump/assets/js/outline.js" type="text/javascript"></script></code>
54.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 601, column 1 to line 601, column 125 <code></script><script src="/intexqueenairbedwithbultingump/extensions/InputMask/js/jquery.inputmask.bundle.min.js" type="text/javascript"></script></code>
55.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 602, column 1 to line 602, column 108 <code></script><script src="/intexqueenairbedwithbultingump/extensions/InputMask/js/input-mask.js" type="text/javascript"></script></code>
56.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 603, column 1 to line 603, column 116 <code></script><script src="/intexqueenairbedwithbultingump/extensions/ChillifyPackage/js/ch-util-phg.js" type="text/javascript"></script></code>
57.	Warning	The <code>type</code> attribute is unnecessary for JavaScript resources. From line 603, column 256 to line 603, column 286 <code><script type="text/javascript"></code>
58.	Warning	Consider using the <code>h1</code> element as a top-level heading only — or else use the <code>headingOffset</code> attribute (otherwise, all <code>h1</code> elements are treated as top-level headings by many screen readers and other tools). From line 285, column 33 to line 285, column 47 <code>ch1 id="evcs"></code>
59.	Error	The heading <code>h4</code> (with computed level 4) follows the heading <code>h1</code> (with computed level 1), skipping 2 heading levels. From line 208, column 17 to line 208, column 31 <code>ch4 id="Levo3">pwcia</code>
60.	Error	The heading <code>h3</code> (with computed level 3) follows the heading <code>h1</code> (with computed level 1), skipping 1 heading level. From line 598, column 96 to line 598, column 48

W3C HTML validator report queued.