

Test Case Report

Offer Name: test
Tested URL: https://blowoutcartcollective.com/nikemind/?affid=1&state=CA&click_id=test123
Test Date: 2026-04-08 00:35:59
Tested By: Automated Order Flow Runner
Overall Result: **FAIL**
Report ID: ofr_20260407_210443_8236e4be

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: https://blowoutcartcollective.com/nikemind/?affid=1&state=CA&click_id=test123
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	-	FAIL	FAILED	VISA	4442	page.click: Timeout 30000ms exceeded. Call log: - waiting for locator("button[type]='\submit'\"]") - locator resolved to <button type="submit" class="btn btn-custom btn-primary btn-lg animated infinite pulse form_sub">Continue</button> - attempting click action 2 × waiting for element to be visible, enabled and stable - element is not stable - retrying click action - waiting 20ms 2 × waiting for element to be

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
							visible, enabled and stable - element is not stable - retrying click action - waiting 100ms 50 × waiting for element to be visible, enabled and stable - element is not stable - retrying click action - waiting 500ms

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: -

Result: FAIL

Status: FAILED

Browser: msedge

Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: page.click: Timeout 30000ms exceeded. Call log: - waiting for locator("button[type=\\submit\\]") - locator resolved to <button type="submit" class="btn btn-custom btn-primary btn-lg animated infinite pulse form_sub">Continue</button> - attempting click action 2 × waiting for element to be visible, enabled and stable - element is not stable - retrying click action - waiting 20ms 2 × waiting for element to be visible, enabled and stable - element is not stable - retrying click action - waiting 100ms 50 × waiting for element to be visible, enabled and stable - element is not stable - retrying click action - waiting 500ms

Screenshot:

Special Offer

Today's Offer > Nike Mind

Attention, this offer expires in 12:24

Pay Only \$11.95



Choose your product size:

4-4.5	5-5.5	6-6.5
7-7.5	8-8.5	9-9.5
10-10.5	11-11.5	12-12.5
13-13.5	14-14.5	15-15.5
16-16.5	17-17.5	

3 in stock

- Recovery Comfort Design - Cushioned footbed helps reduce foot fatigue.
- Lightweight Construction - Easy to wear for extended periods.
- Slip-On Style - Convenient design for quick wear and removal.
- Contoured Footbed - Supports natural foot shape for added comfort.
- Durable Upper Strap - Provides secure fit and long-lasting use.
- Textured Outsole - Improves traction on indoor and outdoor surfaces.
- Canvas Everyday Use - Suitable for home, gym, travel, and poolside wear.

Fill Out Your Details:

test 01

test 01

test address 01

90000

California

test city 01

1234567890

1234567890

CONTINUE

Nike Mind

(Please choose your product size)

★★★★★

3 in stock

- Recovery Comfort Design - Cushioned footbed helps reduce foot fatigue.
- Lightweight Construction - Easy to wear for extended periods.
- Slip-On Style - Convenient design for quick wear and removal.
- Contoured Footbed - Supports natural foot shape for added comfort.
- Durable Upper Strap - Provides secure fit and long-lasting use.
- Textured Outsole - Improves traction on indoor and outdoor surfaces.
- Canvas Everyday Use - Suitable for home, gym, travel, and poolside wear.

The Nike Mind Recovery Slide is designed to provide comfort and support, particularly after workouts, sports activities, or long periods of standing. Built with a cushioned foam footbed, the slide helps absorb impact and reduce pressure on the feet, making it ideal for recovery and relaxation. The slide features a slip-on design for easy wear and removal, along with a contoured footbed that supports the natural shape of the foot. The durable upper strap provides a secure fit while maintaining a lightweight feel. Its outsole is designed to provide traction on various surfaces, making it suitable for indoor and outdoor use. The simple and modern design allows the slide to be worn casually at home, at the gym, poolside, or while traveling. Overall, the Nike Mind Recovery Slide combines comfort, lightweight construction, and everyday practicality in a minimalist footwear design.



A winner will be selected from all eligible entrants. The Nike Mind winner will be directly contacted by email.

Participate before it's too late!

Copyright © blowoutcartcollective.com 2026 -- All Rights Reserved.

Customer Service: 1-855-970-5760

Terms & Conditions | Privacy Policy | Contact Us

Security and Performance

Summary: Total Rows: 1 | Placed Orders: 0 | Failed Orders: 1

CHECK POINT 1. HTTP2 Report Link

STATUS
MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT

keycdn

Tools

Features

Solutions

Network

Pricing

Support

Login

Sign Up

Tools

Troubleshoot website, network, and CDN issues for fast resolutions.

Web

Website Speed Test

Performance Test

HTTP Header Checker

HTTP2 Test

Browser Test

Network

Security

Other

HTTP/2 Test

VERIFY HTTP/2 SUPPORT

URL

https://blowoutcartcollective.com/nikemind/?affid=1&state=CA&click_id=test123

Test

blowoutcartcollective.com

HTTP/2

KeyCDN uses cookies to make its website easier to use. Learn more about cookies.

ALPN extension is supported.

What is HTTP/2?

HTTP/2 is the first major HTTP protocol update since 1997 when HTTP/1.1 was first published by the IETF. The new HTTP protocol is needed to keep up with the exponential growth of the web. The successor of HTTP/1.1 brings significant improvement in efficiency, speed and security and is supported by most modern web browsers. A list of [browsers that support HTTP/2](#) can be found on caniuse.com.

- HTTP/2 is binary, instead of textual.
- It is fully multiplexed, sending multiple requests in parallel over a single TCP connection.
- It uses header compression HPACK to reduce overhead.
- It allows servers to "push" responses proactively into client caches instead of waiting for a new request for each resource
- It uses the new ALPN extension which allows for faster-encrypted connections since the application protocol is determined during the initial connection.
- It reduces additional round trip times (RTT), making your website load faster without any optimization.
- Domain sharding and asset concatenation is no longer needed with HTTP/2.

HTTP/2 introduces other improvements, more details: [HTTP/2 RFC7540](#)

This test can check HTTP and HTTPS but most browsers only support HTTP/2 for HTTPS, which means you must migrate to HTTPS if you want to take advantage of the performance benefits.

Does this test also verify SPDY?

Not directly, but it tests which TLS extension is supported to negotiate the protocols. The tested TLS extensions are either NPN or ALPN. Next Protocol Negotiation (NPN) appeared as part of the SPDY protocol but it has been deprecated. Application Layer Protocol Negotiation (ALPN) is the successor of NPN and is approved by the IETF (RFC7301). However, NPN advertises the supported protocols from the server to the client and this test will show the advertised protocols if HTTP/2 is not supported. The protocol advertising has been reversed in ALPN (client to server). The first phase of this HTTP/2 check runs the ALPN test with only H2 in the protocol list.

How to test HTTP/2 via command line?

Get the latest curl release and use this command:
curl -I --http2

What happens to quality when AI accelerates development? Watch SmartBear's webinar to find out.
with via Carbon

Get started for free

Try KeyCDN with a free 14 day trial, no credit card required.

Get started

Pricing

keycdn

© 2026 promptly LLC
Made in Switzerland

Twitter

Discord

Terms Privacy GDPR

PRODUCT

Features

Network

Pricing

API

COMPANY

About

Blog

Contact

Referrals

Careers

SUPPORT

Knowledge Base

Network Status

Open Source

FAQ

Tools

HTTP2 test executed and results captured on screen.

CHECK POINT 2. HTTPS Redirection Report Link

STATUS
MANUAL

REPORT LINK

[WhereGoes.com](#)

SCREEN SHORT

Trace Results

Trace URL

User Agent: Wheregoes.com Redirect Checker/1.0

Response Body:

HTTP/1.1 301

Response MetaData:

```
Array
(
    [url] => http://blowoutcartcollective.com/nikemind/?
    aff=1&state=CA&click_id=test123
    [content_type] => text/html; charset=iso-8859-1
    [http_code] => 301
    [header_size] => 714
)
```

302 Redirect

Response Body:

Response MetaData:

Response MetaData:

```
Array
(
    [url] => https://blowoutcartcollective.com/nikemind/?
    affid=1&state=CA&click_id=test123
    [content_type] => text/html; charset=UTF-8
    [http_code] => 302
    [header_size] => 900
)
```

Response Body:

Response MetaData:

Response MetaData:

```
Array
(
    [url] => https://blowoutcartcollective.com/nikemind/?
token=c9a3c3e3c5a80d590d81d2f408984d10cb18bb1d073d9182ae10f6188
ec4d164&click_id=test123&v=&mp=
    [content_type] => text/html; charset=UTF-8
    [http_code] => 200
)
```

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.



upcoming free account access, charts & stats, historical data, API, etc.

* All fields required.

[Bot Info](#) [About](#) [Contact](#)

few Us:

★★★★★
TrustPilot

Follow



By using this website, you are agreeing to the [terms of use](#) and [privacy policies](#).

© 2008-2026 WhereGoes.com. WhereGoes® is a registered trademark of Sovereign Stack LLC. All rights reserved.

CHECK POINT

3. Domain Test URL Report Link


STATUS

FAIL

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

5. Robots.txt Report Link

STATUS

MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:

# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor reserves
# permission via Content-Signal with respect to the corresponding use.

# The content signals and their meanings are:

# search: building a search index and providing search results (e.g., retaining
# hyperlinks and short excerpts from your website's content). Search does not
# include providing AI-generated search summaries.
# ai-input: ingesting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
# ai-train: training or fine-tuning AI models.

# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 4 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.

# EMD Cloudflare Managed content

User-agent: *
Content-Signal: search=yes,ai-train=no
Allow: /

User-agent: Amazonbot
Disallow: /

User-agent: Applebot-Extended
Disallow: /

User-agent: Bypassbot
Disallow: /

User-agent: CCBot
Disallow: /

User-agent: ClaudeBot
Disallow: /

User-agent: CloudflareBrowserFingerprintingCrawler
Disallow: /

User-agent: Google-Extended
Disallow: /

User-agent: GPTBot
Disallow: /

User-agent: meta-externalagent
Disallow: /

# EMD Cloudflare Managed Content

User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif
User-agent: Googlebot-Image
Disallow: /*.jpg
User-agent: Googlebot-Image
Disallow: /*.jpeg
User-agent: Googlebot-Image
Disallow: /*.png
User-agent: Googlebot-Image
Disallow: /*.svg
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT
6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT
7. SSL Grade Report Link


STATUS

MANUAL

REPORT LINK

[SSL Labs](#)

SCREEN SHORT



SSL Labs scan queued; check index.html for grade once ready.

CHECK POINT

8. Google PageSpeed Mobile Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Apr 8, 2026, 12:43:38 AM

https://blowoutcartcollective.com/nikemind?afid=1&state=CA&click_id=test123

Analyze



Showing results for URL: https://blowoutcartcollective.com/nikemind?afid=1&state=CA&click_id=test123
CvLAK90QuTc4Gk8tp3dU7Wu8DUUgZrwmJaeSHUk_s2uH4ss4Hw7eRapcm12dYyu_Q5A2pTtC0d6AUM
Run with original URL.

Discover what your real users are experiencing

[This URL](#) [Origin](#)

Core Web Vitals Assessment: Not Applicable

[Expand view](#)

Largest Contentful Paint (LCP)

N/A

Interaction to Next Paint (INP)

N/A

Cumulative Layout Shift (CLS)

0.03

This site uses cookies from Google to deliver its services and to analyze site usage. [Learn More](#). [Ok, Got It](#).

First Contentful Paint (FCP)

5.7 s

Time to Interactive (TTI)

0.5 s

Latest 28-day period

Full visit durations

Various mobile devices

Various network connections

Many samples (Chrome UX Report)

All Chrome versions

Diagnose performance issues

Performance

Accessibility

Best Practices

SEO

78

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. [See calculator](#).

0-49 50-49 90-100

METRICS

First Contentful Paint

0.8 s

Total Blocking Time

1,070 ms

Speed Index

0.8 s

Largest Contentful Paint

0.8 s

Cumulative Layout Shift

0.023

Captured at Apr 8, 2026, 12:43 AM GMT+5:30

Initial page load

Emulated Moto G Power with Lighthouse 10.0.1

Show 40 throttling

Single page session

Using HeadlessChromium 1460.7080.133 with 1x

[View Testmap](#)

FCP

LCP

TTI

CLS

INP

FID

SIF

SIF

INSIGHTS

Use efficient cache lifetimes — Est savings of 0 KiB

Document request latency — Est savings of 2 KiB

Font display — Est savings of 10 ms

Layout shift outputs

LCP breakdown

3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Minimize main-thread work — 2.2 s

Reduce JavaScript execution time — 1.9 s

Reduce unused JavaScript — Est savings of 554 KiB

Avoid long main-thread tasks — 11 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (17)

[Show](#)

88

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

<html> element does not have a [lang] attribute

These are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

Document does not have a main landmark.

These items highlight common accessibility best practices.

NAVIGATION

The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (10)

[Show](#)

NOT APPLICABLE (47)

[Show](#)

92

BROWSER COMPATIBILITY

▲ Page lacks the HTML doctype, thus triggering quirks-mode Expected publicid to be an empty string

GENERAL

CHECK POINT

9. Google PageSpeed Desktop Report Link


STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT



PageSpeed desktop diagnosis ready for review.

CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

Showing results for https://blowoutcartcollective.com/nikemind/?affid=1&state=CA&click_id=test123 (checked with vnu 26.4.1)

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by **address** ▼

Message Filtering

- | | |
|----|---|
| | <p>Error Start tag seen without seeing a doctype first. Expected <code><!DOCTYPE html></code>.</p> <p>From line 1, column 1; to line 1, column 16</p> <pre><html lang="en"></html><!--></pre> |
| 2 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 5, column 5; to line 5, column 28</p> <pre><!--> <meta charset=utf-8? /> <</pre> |
| 3 | <p>Error A document must not include more than one <code><meta element></code> with a <code><charSet></code> attribute.</p> <p>From line 6, column 5; to line 6, column 27</p> <pre><!--> <meta charset=utf-8?><meta charSet=utf-8?></pre> |
| 4 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 6, column 5; to line 6, column 27</p> <pre><!--> <meta charset=utf-8?><meta charSet=utf-8?></pre> |
| 5 | <p>Error Element <code><link></code> not allowed as child of element <code><head></code> in this context. (Suppressing further errors from this subtree.)</p> <p>From line 8, column 1; to line 8, column 7</p> <pre><utf-8?><link href=/></pre> <p>Contexts in which element <code><link></code> may be used:</p> <ul style="list-style-type: none"> In a <code><body></code> element containing no other <code><link></code> elements. Content model for element <code><head></code>: <p>If the document is an <code>iframe</code>, <code>embed</code>, <code>object</code> or if the information is available from a higher-level protocol. Zero or more elements of <code><script></code> content, of which no more than one is a <code><script type=module></code> element and no more than one is a <code><noscript></code> element.</p> <p>Otherwise, One or more elements of <code><meta></code> content, of which exactly one is a <code><link></code> element and no more than one is a <code><base></code> element.</p> |
| 6 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 10, column 1; to line 10, column 47</p> <pre><!--><meta name=description? content=like wild? /></html><--></pre> |
| 7 | <p>Error A <code><meta element></code> with an <code>http-equiv</code> attribute whose value is <code>X-UA-Compatible</code> must have a <code><content></code> attribute with the value <code>IE=edge</code>.</p> <p>From line 13, column 1; to line 13, column 64</p> <pre><!--><meta http-equiv=X-UA-Compatible? content=?IE=edge,chrome? /><meta</pre> |
| 8 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 13, column 1; to line 13, column 64</p> <pre><!--> <meta http-equiv=X-UA-Compatible? content=?IE=edge,chrome? /><meta</pre> |
| 9 | <p>Error A document must not include both a <code><meta element></code> with an <code>http-equiv</code> attribute whose value is <code>content-type</code>, and a <code><meta element></code> with a <code><charSet></code> attribute.</p> <p>From line 14, column 1; to line 14, column 68</p> <pre><!--><meta http-equiv=content-type? content=text/html; charset=utf-8? /><meta</pre> |
| 10 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 14, column 1; to line 14, column 68</p> <pre><!--><meta http-equiv=content-type? content=text/html; charset=utf-8? /><meta</pre> |
| 11 | <p>Error Using the <code><meta></code> element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.</p> <p>From line 15, column 1; to line 15, column 54</p> <pre><utf-8?><meta http-equiv=content-language? content=en-us? /><!--></pre> |
| 12 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 15, column 1; to line 15, column 54</p> <pre><utf-8?> <meta http-equiv=content-language? content=en-us? /><!--></pre> |
| 13 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 17, column 1; to line 17, column 57</p> <pre>-us? /><meta name=apple-mobile-web-app-capable? content=yes? /><meta</pre> |
| 14 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 18, column 1; to line 18, column 68</p> <pre>=yes? /><meta name=apple-mobile-web-app-status-bar-style? content=black? /><meta</pre> |
| 15 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 19, column 1; to line 19, column 46</p> <pre>=black? /><meta name=handheldFriendly? content=true? /><meta</pre> |
| 16 | <p>Warning Consider avoiding viewport values that prevent users from resizing documents.</p> <p>From line 20, column 1; to line 20, column 105</p> <pre>=width? /><meta name=viewport? content=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no? /><link</pre> |
| 17 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 20, column 1; to line 20, column 105</p> <pre>=width? /><meta name=viewport? content=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no? /><link</pre> |
| 18 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 22, column 1; to line 22, column 99</p> <pre>uct.png?><link rel=stylesheet? type=text/css? href=/stylesheets/app/desktop/css/app_new_css_vetl17559261? /></html><--></pre> |
| 19 | <p>Error A document must not include more than one <code><meta element></code> with its <code><name></code> attribute set to the value <code>description</code>.</p> <p>From line 24, column 1; to line 24, column 36</p> <pre>\$261? /><meta name=description? content=""><!--></pre> |
| 20 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 46, column 1; to line 46, column 90</p> <pre><!--> <link rel=stylesheet? type=text/css? href=/stylesheets/app/desktop/css/all.css? /></pre> |
| 21 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 47, column 5; to line 47, column 94</p> <pre><!--> <link rel=stylesheet? type=text/css? href=/stylesheets/app/desktop/css/animate.css? /></pre> |
| 22 | <p>Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 48, column 5; to line 48, column 93</p> <pre><!--> <link rel=stylesheet? type=text/css? href=/stylesheets/app/desktop/css/custom.css? /></pre> |
| 23 | <p>Error Element <code><style></code> not allowed as child of element <code><page-builder-block></code> in this context. (Suppressing further errors from this subtree.)</p> <p>From line 58, column 9; to line 58, column 15</p> <pre><!--> <style></pre> <p>Contexts in which element <code><style></code> may be used:</p> <ul style="list-style-type: none"> Where <code><metaData content></code> is expected. In a <code><script></code> element that is a child of a <code><body></code> element. |
| 24 | <p>Error Stray end tag <code><head></code>.</p> <p>From line 207, column 1; to line 207, column 7</p> <pre><!--><html></head></html><!--></pre> |
| 25 | <p>Error Start tag <code><body></code> seen but an element of the same type was already open.</p> <p>From line 209, column 1; to line 209, column 6</p> <pre><!--></body><body></pre> |
| 26 | <p>Error An <code></code> does not have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.</p> <p>From line 207, column 25; to line 207, column 121</p> <pre></pre> |
| 27 | <p>Error Saw <code><!--></code> within a comment. Probable cause: Nested comment (not allowed).</p> <p>At line 342, column 37</p> <pre><!--><div><div> <div> <div></pre> |
| 28 | <p>Warning The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.</p> <p>At line 342, column 37</p> <pre><!--><div><div> <div></pre> |
| 29 | <p>Error Bad value <code>application/x-www-form-urlencoded?charset=utf-8?</code> for attribute <code><unctype></code> on element <code><form></code>.</p> <p>From line 423, column 41; to line 426, column 66</p> <pre><form method=post? id=form? action=checkout.php? token=c93c3e30e38f1df2403994d100b1fb0d73d912bae02818ee04d4edc1ck_id=entst123qev=&id=token?proccopt_form? accept=charset=utf-8? ecrypt=application/x-www-form-urlencoded?></pre> |
| 30 | <p>Error Duplicate attribute (<code>value</code>).</p> <p>At line 518, column 96</p> <pre><control? value="" data-valid=</pre> |
| 31 | <p>Error An <code></code> must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.</p> <p>From line 552, column 1; to line 553, column 81</p> <pre><img src=/stylesheets/app/desktop/images/enrolled.png? class=img-fluid</pre> |

W3C HTML validator report queued.

