

Test Case Report

Offer Name: test 001
Tested URL: https://blowoutcartdirect.com/tfaladvancednonstickcookwareset/?affid=1&click_id=test@123456789
Test Date: 2026-04-17 11:49:25
Tested By: Automated Order Flow Runner
Overall Result: **FAIL**
Report ID: ofr_20260417_081842_910c4ffa

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test 001
Landing URL: https://blowoutcartdirect.com/tfaladvancednonstickcookwareset/?affid=1&click_id=test@123456789
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows


Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	-	FAIL	FAILED	VISA	4442	locator.waitFor: Timeout 30000ms exceeded. Call log: - waiting for locator('input[name=\'creditCardNumber\']').first() to be visible

Execution Details

Order no. 1
Email: pritam.bhar+000020000@codeclouds.com
Order ID: -
Result: **FAIL**
Status: FAILED
Browser: msedge
Card Type: VISA
Card Last 4: 4442
Expectation: prepaid

Notes: locator.waitFor: Timeout 30000ms exceeded. Call log: - waiting for locator('input[name='\creditCardNumber\"]').first() to be visible

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 0 | Failed Orders: 1

CHECK POINT

1. HTTP2 Report Link


STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT



HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

STATUS

MANUAL

REPORT LINK


[WhereGoes.com](https://www.wherego.es.com)

SCREEN SHORT

 **www.whatsmydns.net**

Performing security verification

This website uses a security service to protect against malicious bots. This page is displayed while the website verifies you are not a bot.



Ref: 01ba95573a4e7f1a4f
Performance and Security by [Cloudflare](#) | [Privacy](#)

Security task failed: Unable to fill any fallback input field.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

5. Robots.txt Report Link

STATUS

MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content guidelines:

# (a) If a Content-Signal = yes, you may collect content for the corresponding
    use
# (b) If a Content-Signal = no, you may not collect content for the
    corresponding use
# (c) If a Content-Signal is never done or unknown a Content-Signal for a
    corresponding use, the relative generic machine grants no corresponding
    permission via Content-Signals with respect to the corresponding use

The content signals and their meanings are:

# search: Building a search index and providing search results (e.g., returning
    highlights and search suggestions from your website's contents). Search does not
    include providing AI-generated search summaries.
# ai-llm: LLM-related content (like chat or more AI models - e.g., retrieved
    augmented generation, prompting, or other real-time taking of content for
    generative AI research topics).
# ai-train: Training of fine-tuning AI models.
# any information generated via content signals was KAREEM RESEARCH'S OWN PROPERTY
# RIGHTS UNDER ARTICLE 8 OF THE EUROPEAN UNION DIRECTIVE 2016/790 ON COPYRIGHT
    AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.

# END Cloudflare Managed content

User-agent: *
Content-Signal: search=yes,ai=exclude/no
Allow: /

User-agent: Amazonbot
Disallow: /

User-agent: Applebot-Extended
Disallow: /

User-agent: Bingbot
Disallow: /

User-agent: CCBOT
Disallow: /

User-agent: ClaudeBot
Disallow: /

User-agent: CloudflareBotsCrawlingTwister
Disallow: /

User-agent: Google-Extended
Disallow: /

User-agent: GPTBot
Disallow: /

User-agent: meta-externalindexer
Disallow: /


# END Cloudflare Managed Content

User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.jpg$
User-agent: Googlebot-Image
Disallow: /*.jpeg$
User-agent: Googlebot-Image
Disallow: /*.png$
User-agent: Googlebot-Image
Disallow: /*.svg$
User-agent: Googlebot-Image
Disallow: /*.webp$
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

A screenshot of a web browser displaying an "Access Denied" error. The page has a light gray background with a white rectangular area containing the error details. The text in the white area reads: "Access Denied", "Error 15", "www.digipart.com", "2020-04-17 06:23:21 UTC", "What happened?", "This request was blocked by our security service", "Your IP: 103.58.576.153", "Proxy IP: 45.46.125.129 ID: 10036-1003", "Incident ID: 8395000220100818786-450196732827822020". At the bottom of the white area, it says "Powered by: [Imperva](#)".

Security task failed: Unable to fill any fallback input field.



SSL Labs scan queued; check index.html for grade once ready.

CHECK POINT

8. Google PageSpeed Mobile Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Apr 17, 2026, 11:56:55AM

https://blowoutdirect.com/files/advanced-domestic-cookware-set/?affid=1&click_id=test@123456789

Analyze

Mobile

Desktop

Showing results for URL: https://blowoutdirect.com/files/advanced-domestic-cookware-set/?affid=1&click_id=test@123456789
Run with original URL

Discover what your real users are experiencing

[This URL](#) [Origin](#)

Core Web Vitals Assessment: Not Applicable

Expand view

Largest Contentful Paint (LCP)

N/A

Interaction to Next Paint (INP)

N/A

Cumulative Layout Shift (CLS)

N/A

This site uses cookies from Google to deliver its services and to analyze its usage. [Learn More](#) [OK, Get It.](#)

First Contentful Paint (FCP)

0.3 s

Time to First Byte (TTFB)

N/A

Select 28-day period

Full visit duration

View on mobile devices

View on network connections

Many samples (Chrome UX Report)

All Chrome versions

Diagnose performance issues

78

Performance

88

Accessibility

92

Best Practices

73

SEO

78

Performance

Values are estimated and may vary. The performance score is calculated directly from test metrics. See calculator.

0-40 50-60 90-100

Metrics

First Contentful Paint

0.8 s

Total Blocking Time

1,040 ms

Speed Index

0.8 s

Largest Contentful Paint

0.8 s

Cumulative Layout Shift

0.023

Captured at Apr 17, 2026, 11:56 AM GMT-5:00

Total page load

Emulated Moto G Power with Lighthouse 10.1

Show 80 throttling

Single page session

Using Headless Chromium 106.0.5268.127 with 0

View Treemap



Insights

Font display — Est. savings of 60 ms

Use efficient cache lifetimes — Est. savings of 0 KB

Document request latency — Est. savings of 2 KB

Layout shift culprits

LCP breakdown

3rd parties

These insights are also available in the Chrome DevTools Performance Panel — [record a trace](#) to view more detailed information.

Diagnostics

Minimize main-thread work — 2.2 s

Reduce JavaScript execution time — 1.9 s

Reduce unused JavaScript — Est. savings of 546 KB

Avoid long main-thread tasks — 13 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

Passed Audits (17)

Show

88

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automated detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

Internationalization and Localization

<html> element does not have a [lang] attribute

These are opportunities to improve the interpretation of your content by users in different locales.

Best Practices

Document does not have a main landmark.

These items highlight common accessibility best practices.

Navigation

The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.

Additional items to manually check (10)

Show

Passed Audits (10)

Show

Not Applicable (47)

Show

92

Best Practices

Browser Compatibility

Page lacks the HTML doctype, thus triggering quirks-mode. Expected publicid to be an empty string

General

Browser errors were logged to the console

Trust and Safety

Ensure CSP is effective against XSS attacks

Use a strong HSTS policy

Ensure proper origin isolation with COOP

CHECK POINT

9. Google PageSpeed Desktop Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://blowoutcardirect.com/fafaadvancedonaticckooarewet?affid=1&click_id=test&id=123456789 (checked with vnu 26.4.1)

Checker input

Show ☐ source ☐ html ☐ image report ☐ errors & warnings only ☐ Options

Check by address

https://blowoutcardirect.com/fafaadvancedonaticckooarewet?affid=1&click_id=test&id=123456789

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Start tag seen without seeing a doctype first. Expected: <!DOCTYPE html>.
From line 1, column 1, to line 1, column 16
`<div lang="en"></div>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 5, column 5, to line 5, column 26
`<div class="checkbox"></div>`
- Error** A document must not include more than one <meta> element with a <charset> attribute.
From line 6, column 5, to line 6, column 27
`<meta charset="utf-8"></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 6, column 5, to line 6, column 27
`<meta charset="utf-8"></meta>`
- Error** Element <title> not allowed as child of element <head> in this context. (Suppressing further errors from this subtree.)
From line 8, column 1, to line 8, column 7
`<title></title></head></html>`
Contents in which element <title> may be used:
In a <body> element containing no other <title> elements.
Content model for element <title>:
if the document is an <iframe> document (or if the information is available from a higher-level protocol: Zero or more elements of <metadata content>, of which no more than one is a <title> element and no more than one is a <body> element.
Otherwise: One or more elements of <metadata content>, of which exactly one is a <title> element and no more than one is a <body> element.
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 10, column 1, to line 10, column 74
`<div class="checkbox"></div>`
- Error** A <meta> element with an <http-equiv> attribute whose value is 'X-UA-Compatible' must have a <content> attribute with the value 'IE=edge'.
From line 13, column 1, to line 13, column 64
`<meta http-equiv="X-UA-Compatible" content="IE=edge"></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 13, column 1, to line 13, column 64
`<meta http-equiv="X-UA-Compatible" content="IE=edge"></meta>`
- Error** A document must not include both a <meta> element with an <http-equiv> attribute whose value is 'content-type', and a <meta> element with a <charset> attribute.
From line 14, column 1, to line 14, column 68
`<meta http-equiv="content-type" content="text/html; charset=utf-8"></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 14, column 1, to line 14, column 68
`<meta http-equiv="content-type" content="text/html; charset=utf-8"></meta>`
- Error** Using the <meta> element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.
From line 16, column 1, to line 16, column 54
`<html lang="en"></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 16, column 1, to line 16, column 54
`<html lang="en"></html>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 17, column 1, to line 17, column 67
`<meta name="apple-mobile-web-app-capable" content="yes"></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 18, column 1, to line 18, column 66
`<meta name="apple-mobile-web-app-status-bar-style" content="black"></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 19, column 1, to line 19, column 46
`<link rel="stylesheet" href="css/main.css"></link>`
- Warning** Consider avoiding viewport values that prevent users from resizing documents.
From line 20, column 1, to line 20, column 100
`<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no"></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 20, column 1, to line 20, column 100
`<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no"></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 22, column 1, to line 22, column 132
`<div class="checkbox"></div>`
- Error** A document must not include more than one <meta> element with its <name> attribute set to the value 'description'.
From line 24, column 1, to line 24, column 36
`<meta name="description" content=""></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 45, column 5, to line 45, column 113
`<div class="checkbox"></div>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 47, column 5, to line 47, column 117
`<div class="checkbox"></div>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 48, column 5, to line 48, column 116
`<div class="checkbox"></div>`
- Error** Element <div> not allowed as child of element <body> in this context. (Suppressing further errors from this subtree.)
From line 58, column 5, to line 58, column 15
`<div></div>`
Contents in which element <div> may be used:
Where <metadata content> is expected.
In a <body> element that is a child of a <body> element.
- Error** Stray end tag <div>.
From line 174, column 1, to line 174, column 7
`</div>`
- Error** Start tag <div> seen but an element of the same type was already open.
From line 175, column 1, to line 175, column 6
`<div></div>`
- Error** An element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.
From line 234, column 20, to line 234, column 131
`<img alt="" src=""></img>`
- Error** Saw <!--> within a comment. Probable cause: Nested comment (not allowed).
At line 250, column 37
`<!--</div> <div> </div></div>`
- Warning** The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.
At line 250, column 37
`<!--</div> <div> </div></div>`
- Error** Bad value 'application/javascript' for attribute 'type' on element 'form'.
From line 321, column 41, to line 321, column 66
`<form method="post" id="form"></form></div>`
- Error** Duplicate attribute 'value'.
At line 416, column 95
`<input type="text" value="" data-val=""></input>`
- Error** An element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.
From line 450, column 49, to line 450, column 81
`<img alt="" src=""></img>`
- Error** An element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.
From line 451, column 49, to line 451, column 81
`<img alt="" src=""></img>`
- Error** An element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.
From line 452, column 49, to line 452, column 81
`<img alt="" src=""></img>`
- Error** No p element in scope but a p end tag seen.
From line 478, column 20, to line 478, column 30
`</p>`
- Error** The element <div> must not appear as a descendant of the <div> element.

	From line 496, column 17 to line 496, column 45	<code><router-view></code>
36	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 523, column 9 to line 523, column 39	<code><script type="text/javascript">...</script></code>
37	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 523, column 2886 to line 523, column 2918	<code></script><script type="text/javascript">...</script></code>
38	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 523, column 4037 to line 523, column 4037	<code></script><script type="text/javascript">...</script></code>
39	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 526, column 1 to line 526, column 95	<code><script><script src="/static/js/app.js"></script></code>
40	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 527, column 1 to line 527, column 94	<code><script><script src="/static/js/app.js"></script></code>
41	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 528, column 1 to line 528, column 99	<code><script><script src="/static/js/app.js"></script></code>
42	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 529, column 1 to line 529, column 92	<code><script><script src="/static/js/app.js"></script></code>
43	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 530, column 1 to line 530, column 92	<code><script><script src="/static/js/app.js"></script></code>
44	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 531, column 1 to line 531, column 95	<code><script><script src="/static/js/app.js"></script></code>
45	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 532, column 1 to line 532, column 87	<code><script><script src="/static/js/app.js"></script></code>
46	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 533, column 1 to line 533, column 89	<code><script><script src="/static/js/app.js"></script></code>
47	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 534, column 1 to line 534, column 116	<code><script><script src="/static/js/app.js"></script></code>
48	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 535, column 1 to line 535, column 125	<code><script><script src="/static/js/app.js"></script></code>
49	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 536, column 1 to line 536, column 108	<code><script><script src="/static/js/app.js"></script></code>
50	Warning The <code>type</code> attribute is unnecessary for JavaScript resources.	
	From line 536, column 248 to line 536, column 278	<code><script type="text/javascript">...</script></code>
51	Warning Consider using the <code>h1</code> element as a top-level heading only — or else use the <code>headingOffset</code> attribute (otherwise, all <code>h1</code> elements are treated as top-level headings by many screen readers and other tools).	
	From line 272, column 33 to line 272, column 47	<code><h1>...</h1></code>
52	Error The heading <code>h1</code> (with computed level 4) follows the heading <code>h1</code> (with computed level 1), skipping 2 heading levels.	
	From line 183, column 17 to line 183, column 31	<code><h1>...</h1></code>
53	Error The heading <code>h1</code> (with computed level 3) follows the heading <code>h1</code> (with computed level 1), skipping 1 heading level.	
	From line 284, column 33 to line 284, column 54	<code><h1>...</h1></code>

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.
Total number line 496, column 45.

W3C HTML validator report queued.