

Test Case Report

Offer Name: test
Tested URL: https://blowoutcartdirect.com/tfaladvancednonstickcookwareset/?affid=1&click_id=test@123456789&state=CA
Test Date: 2026-04-17 11:50:53
Tested By: Automated Order Flow Runner
Overall Result: **FAIL**
Report ID: ofr_20260417_081940_7548e13a

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: https://blowoutcartdirect.com/tfaladvancednonstickcookwareset/?affid=1&click_id=test@123456789&state=CA
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	-	FAIL	FAILED	VISA	4442	locator.waitFor: Timeout 30000ms exceeded. Call log: - waiting for locator('input[name=\'creditCardNumber\']').first() to be visible

Execution Details

Order no. 1
Email: pritam.bhar+000020000@codeclouds.com
Order ID: -
Result: **FAIL**
Status: FAILED
Browser: msedge
Card Type: VISA
Card Last 4: 4442
Expectation: prepaid

Notes: locator.waitFor: Timeout 30000ms exceeded. Call log: - waiting for locator('input[name='\creditCardNumber']').first() to be visible

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 0 | Failed Orders: 1

CHECK POINT

1. HTTP2 Report Link

STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT

A screenshot of the KeyCDN HTTP2 Test tool interface. The page has a dark header with the KeyCDN logo and navigation links: Features, Solutions, Network, Pricing, Support, Login, and Sign Up. The main content area is titled 'Tools' and 'HTTP/2 Test'. It includes a sidebar with links to Website Speed Test, Performance Test, HTTP Header Checker, HTTP2 Test, and Build Test. The main content area shows a 'Test' button and a message: 'KeyCDN uses cookies to make its website easier to use. Learn more about cookies.' Below this, it states 'ALPN extension is supported.' The page also includes an 'HTTP/2 Test FAQ' section with questions like 'What is HTTP/2?', 'Does this test also verify SPDY?', and 'How to test HTTP/2 via command line?'. At the bottom, there is a 'Get started for free' section with a 'Get started' button and a 'Pricing' link.

HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

STATUS

MANUAL

REPORT LINK

HTTPS redirection trace captured.

CHECK POINT

3. Domain Test URL Report Link


STATUS

FAIL

REPORT LINK

[WhatsMyDNS](https://www.whatsmydns.org/)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

5. Robots.txt Report Link

STATUS

MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```

# As a condition of accessing this website, you agree to abide by the following
# content policies:

# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If a Content-Signal is not provided, you may not collect a Content-Signal for a
# corresponding use, the website operator neither grants nor denies the
# permission to use Content-Signals with respect to the corresponding use.

# The content signals and their meanings are:

# search: Building a search index and providing search results (e.g., returning
#           highlights and short excerpts from your website's contents). Search does not
#           include providing AI-generated search summaries.
# AI-legal: Labeled content likely free of most AI misuse (e.g., entailed
#           argument generation, prompting, or other real-time taking of content for
#           generative AI research models).
# AI-unsafe: Training of identifying AI models.

# ANY INFORMATION OBTAINED VIA CONTENT SIGNALS MAY BE KEPTED SEPARATELY
# FROM OTHER DATA. A USER'S CHOICE TO OPT OUT OF THE PROHIBITORY WINDOW EXPIRES 24/7/90 ON COPIES
# AND RELATED RECORDS IN THE SYSTEMS UNDER OUR CONTROL.

# END Cloudflare Managed content

User-agent: *
Content-Signal: search=yes, AI=unsafe/no
Allow: /

User-agent: Amazonbot
Disallow: /

User-agent: Applebot-Extended
Disallow: /

User-agent: Bingbot
Disallow: /

User-agent: CCBOT
Disallow: /

User-agent: Claudebot
Disallow: /

User-agent: CloudflareBotsCrawlingTwister
Disallow: /

User-agent: Google-Extended
Disallow: /

User-agent: GPTBot
Disallow: /

User-agent: meta-externalindex
Disallow: /

# END Cloudflare Managed Content

User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.jpg

User-agent: Googlebot-Image
Disallow: /*.jpeg

User-agent: Googlebot-Image
Disallow: /*.png

User-agent: Googlebot-Image
Disallow: /*.svg

```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

6. Domain Expiry check Report Link

STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT

Security task failed: Unable to fill any fallback input field.

CHECK POINT

6. Domain Expiry check Report Link

STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT

Security task failed: Unable to fill any fallback input field.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL


REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.



Security task failed: Unable to fill any fallback input field.

CHECK POINT	
7. SSL Grade Report Link	
STATUS	
MANUAL	
REPORT LINK	
SSL Labs	
SCREEN SHORT	

CHECK POINT	
7. SSL Grade Report Link	
STATUS	
MANUAL	
REPORT LINK	
SSL Labs	
SCREEN SHORT	

CHECK POINT	
7. SSL Grade Report Link	
STATUS	
MANUAL	
REPORT LINK	
SSL Labs	
SCREEN SHORT	

CHECK POINT	
7. SSL Grade Report Link	
STATUS	
MANUAL	
REPORT LINK	
SSL Labs	
SCREEN SHORT	

CHECK POINT	
7. SSL Grade Report Link	
STATUS	
MANUAL	
REPORT LINK	
SSL Labs	
SCREEN SHORT	

CHECK POINT	
7. SSL Grade Report Link	
STATUS	
MANUAL	
REPORT LINK	
SSL Labs	
SCREEN SHORT	

CHECK POINT	
7. SSL Grade Report Link	
STATUS	
MANUAL	
REPORT LINK	
SSL Labs	
SCREEN SHORT	

Qualys SSL Labs HomeProjectsQualys Free TrialContact			
You are here: Home > Features > SSL Server Test > blowoutcardirect.com SSL Report: blowoutcardirect.com Assessed on: Thu, 18 Apr 2024 12:38:47 UTC Load JSON Scan Another >>			
	Server	Test time	Grade
1	172.67.202.35 IP only	Thu, 18 Apr 2024 12:38:54 UTC Duration: 15.119 sec	B
2	104.21.68.4 IP only	Thu, 18 Apr 2024 12:37:52 UTC Duration: 17.206 sec	B
3	2606:4700:3037::80:ac43:ca23 IP only	Thu, 18 Apr 2024 12:39:59 UTC Duration: 15.142 sec	B
4	2606:4700:3037::80:6815:4594 IP only	Thu, 18 Apr 2024 12:39:48 UTC Duration: 15.371 sec	B
SSL Report v2.4.1			
Copyright © 2009-2024 Qualys, Inc. All Rights Reserved. Privacy Policy Try Qualys for Free Experience the award-winning Qualys Cloud Platform and the entire collection of Qualys Cloud Apps, including certificate security solutions. Terms and Conditions			

SSL Labs scan queued; check index.html for grade once ready.

CHECK POINT

8. Google PageSpeed Mobile Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Apr 17, 2026, 11:58:11AM

https://blowoutcardirect.com/filadadvancedomesticcookwareset/?affid=1&click_id=test@123456789&state=CA

Analyze

Mobile

Desktop

Showing results for URL: https://blowoutcardirect.com/filadadvancedomesticcookwareset/?affid=1&click_id=test@123456789&state=CA
Run with original URL

Discover what your real users are experiencing

[This URL](#) [Origin](#)

Core Web Vitals Assessment: Not Applicable

Expand view

Largest Contentful Paint (LCP)

N/A

Interaction to Next Paint (INP)

N/A

Cumulative Layout Shift (CLS)

N/A

This site uses cookies from Google to deliver its services and to analyze its usage. [Learn More](#) [Ok, Got It](#)

First Contentful Paint (FCP)

0.3 s

Time to First Byte (TTFB)

N/A

Latest 28-day period

Full visit durations

Various mobile devices

Various network connections

Many versions (Chrome, Safari, etc.)

All Chrome versions

Diagnose performance issues

87

Performance

88

Accessibility

92

Best Practices

73

SEO

87

Performance

Values are estimated and may vary. The performance score is calculated directly from test metrics. See calculator.

METRICS

First Contentful Paint

0.8 s

Total Blocking Time

520 ms

Speed Index

0.8 s

Largest Contentful Paint

0.8 s

Cumulative Layout Shift

0.023

Captured at Apr 17, 2026, 11:58 AM GMT-5:00

Total page load

Emulated Moto G Power with Lighthouse 10.5.1

Show full throttling

Single page session

Using headless Chromium 106.0.5368.172 with 3

View Treemap



Show audits relevant to

INSIGHTS

Use efficient cache lifetimes — Est savings of 9 KB

Document request latency — Est savings of 2 KB

Font display — Est savings of 10 ms

Layout shift culprits

LCP breakdown

3rd parties

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Reduce unused JavaScript — Est savings of 545 KB

Avoid long main-thread tasks — 7 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (10)

Show

88

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

<html> element does not have a [lang] attribute

These are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

Document does not have a main landmark

These items highlight common accessibility best practices.

NAVIGATION

The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (10)

Show

NOT APPLICABLE (47)

Show

92

Best Practices

BROWSER COMPATIBILITY

Page lacks the HTML doctype, thus triggering quirks-mode Expected publicid to be an empty string

GENERAL

Browser errors were logged to the console

TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

Use a strong HSTS policy

Ensure proper origin isolation with COOP

Mitigate clickjacking with XFO or CSP

Mitigate DOM-based XSS with Trusted Types

CHECK POINT

9. Google PageSpeed Desktop Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Apr 17, 2026, 11:58:30 AM

https://blowoutcardirect.com/taladvancedomickcookwarese?tafid=1&click_id=test@123456789&state=CA

Analyze




Showing results for URL: https://blowoutcardirect.com/taladvancedomickcookwarese?tafid=1&click_id=test@123456789&state=CA
Run with original URL

Discover what your real users are experiencing

[This URL](#) [Origin](#)

Core Web Vitals Assessment: Passed

Expand view



This site uses cookies from Google to deliver its services and to analyze its usage. [Learn More](#) [OK, Get It](#)



■ Latest 28-day period (100%)
■ Full visit durations
■ Various desktop devices
■ Various network connections
■ Many samples (Google US, Speed)
■ All Chrome versions

Diagnose performance issues




Performance

Values are estimated and may vary. The performance score is calculated directly from test metrics. See calculator.

▲ 0-49 ■ 50-49 ● 90-100

METRICS

Expand view



■ Captured at Apr 17, 2026, 11:58 AM GMT-5:30
■ Total page load
■ Emulated Desktop with Lighthouse 3.8.1
■ Custom throttling
■ Single page session
■ Using HeadlessChromium 1.0.0.2080.172 with 0

[View Trounsp](#)

Metric	Score	Weight	Impact
First Contentful Paint	0.2 s	25%	High
Total Blocking Time	500 ms	10%	High
Speed Index	0.3 s	10%	High
Largest Contentful Paint	0.2 s	25%	High
Cumulative Layout Shift	0.004	10%	High

INSIGHTS

Show audits relevant to [FCP](#) [LCP](#) [TBT](#) [CLS](#)

- Use efficient cache lifetimes — Est savings of 0 KB
- Document request latency — Est savings of 2 KB
- Layout shift outputs
- LCP breakdown
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel — [scroll & show](#) to view more detailed information.

DIAGNOSTICS

- Reduce unused JavaScript — Est savings of 546 KB
- Avoid long main-thread tasks — 7 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (20)

Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

- ▲ `<html>` element does not have a `[lang]` attribute

There are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

- ▲ Document does not have a main landmark

These items highlight common accessibility best practices.

NAVIGATION

- The page contains a heading, skip link, or landmark region

There are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (10)

Show

NOT APPLICABLE (47)

Show



Best Practices

BROWSER COMPATIBILITY

- ▲ Page lacks the HTML doctype, thus triggering quirks-mode. Expected publicid to be an empty string

GENERAL

- ▲ Browser errors were logged to the console

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with Trusted Types

PASSED AUDITS (10)

Show

CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for https://blowoutcardirect.com/tfaleadvancednonsticckooawareet?affid=1&click_id=test@123456789&state=CA (checked with vnu 26.4.1)

Checker input

Show

☐ none ☐ brief ☐ page report ☐ errors & warnings only

Options

Check by

address

https://blowoutcardirect.com/tfaleadvancednonsticckooawareet?affid=1&click_id=test@123456789&state=CA

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1

Warning Using `Windows-1252` instead of the declared encoding `iso-8859-1`.
`https://blowoutcardirect.com/tfaleadvancednonsticckooawareet?affid=1&click_id=test@123456789&state=CA`

2

Error Legacy encoding `Windows-1252` used. Documents must use UTF-8.
`https://blowoutcardirect.com/tfaleadvancednonsticckooawareet?affid=1&click_id=test@123456789&state=CA`

3

Error Internal encoding declaration `utf-8` disagrees with the actual encoding of the document (`Windows-1252`).
From line 1, column 321, to line 1, column 387
`<?robotst?><meta charset="utf-8" /><script src="http-equiv?Content-Type=content" />`

4

Error CSS: `transform: scale(0.416666667)` is not a `transform` value.
At line 87, column 1355
`scale: 0.41666667; } } } } } } } } }`

5

Error CSS: Unrecognized at-rule `@if`.
From line 87, column 11763, to line 87, column 11763
`@if (true) { } }`

6

Error CSS: `display: inline-block` is not a `display` value.
From line 87, column 15343, to line 87, column 15352
`@display: inline-block;`

7

Warning The `bgcolor` attribute on the `body` element is obsolete. Use CSS instead.
From line 93, column 424, to line 93, column 444
`<body bgcolor="#ffffcc">`

8

Error Attribute `src` not allowed on element `image` at this point.
From line 93, column 1387, to line 93, column 1510
``

9

Error Attribute `alt` not allowed on element `image` at this point.
From line 93, column 1387, to line 93, column 1510
``

10

Error The `center` element is obsolete. Use CSS instead.
From line 93, column 1867, to line 93, column 1874
`<center><div></div></center>`

11

Warning The `class` attribute on the `br` element is obsolete. Use CSS instead.
From line 93, column 1815, to line 93, column 1820
`<br class="id">`

12

Warning The `cellpadding` attribute on the `table` element is obsolete. Use CSS instead.
From line 93, column 2056, to line 93, column 2069
`<table cellpadding="0" cellspacing="0">`

13

Warning The `cellpadding` attribute on the `table` element is obsolete. Use CSS instead.
From line 93, column 2056, to line 93, column 2069
`<table cellpadding="0" cellspacing="0">`

14

Warning The `width` attribute on the `td` element is obsolete. Use CSS instead.
From line 93, column 2097, to line 93, column 2153
`<td width="50">`

15

Warning The `width` attribute on the `td` element is obsolete. Use CSS instead.
From line 93, column 2114, to line 93, column 2129
`<td width="25">`

16

Warning The `align` attribute on the `td` element is obsolete. Use CSS instead.
From line 93, column 2141, to line 93, column 2169
`<td align="center">`

17

Warning The `rowspan` attribute on the `td` element is obsolete. Use CSS instead.
From line 93, column 2141, to line 93, column 2169
`<td align="center" rowspan="2">`

18

Warning The `align` attribute on the `td` element is obsolete. Use CSS instead.
From line 94, column 154, to line 94, column 208
`<td align="center" rowspan="2" style="width: 25%;>`

19

Warning The `rowspan` attribute on the `td` element is obsolete. Use CSS instead.
From line 94, column 154, to line 94, column 208
`<td align="center" rowspan="2" style="width: 25%;>`

20

Warning The `width` attribute on the `td` element is obsolete. Use CSS instead.
From line 94, column 154, to line 94, column 208
`<td align="center" rowspan="2" style="width: 25%;>`

Document checking completed.

Used the HTML parser. Estimated loaded character encoding was ISO-8859-1.
Total number line 64, column 64.

About this checker

Report an issue

W3C HTML validator report queued.