

Test Case Report

Offer Name: test
Tested URL: https://blowoutcartexpress.com/thewonderrollatorplus/?affid=1&click_id=test@123456789&state=CA
Test Date: 2026-04-17 11:53:55
Tested By: Automated Order Flow Runner
Overall Result: **PASS**
Report ID: ofr_20260417_082145_07a7fa46

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: https://blowoutcartexpress.com/thewonderrollatorplus/?affid=1&click_id=test@123456789&state=CA
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	6659658	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 6659658

Result: PASS

Status: PLACED

Browser: msedge


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

CHECK POINT

1. HTTP2 Report Link


STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT



HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

STATUS

MANUAL

REPORT LINK

[WhereGoes.com](#)

SCREEN SHORT

WhereGoes® - Trace Results

Trace Results

http://...

Trace URL

Advanced Options »

Date Traced: 2026-04-17 06:24:07 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

#	Code	Requested URL
1	301	http://blowoutcartexpress.com/thewonderollatorplus/?affid=1&click_id=test@123456789&state=CA
2	302	https://blowoutcartexpress.com/thewonderollatorplus/?affid=1&click_id=test@123456789&state=CA
3	200	https://blowoutcartexpress.com/thewonderollatorplus/?token=656affd3a3980ac7d73291a5cb9b310c8a3ec2fe5bb3393e85106d05dc2e336f&click_id=test@123456789

Response Body:

HTTP/1.1 301 Moved Permanently
Date: Fri, 17 Apr 2026 06:24:07 GMT
Content-Type: text/html; charset=iso-8859-1
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
Location: https://blowoutcartexpress.com/thewonderollatorplus/?affid=1&click_id=test@123456789&state=CA

Response MetaData:

```
Array (
  [url] => http://blowoutcartexpress.com/thewonderollatorplus/?affid=1&click_id=test@123456789&state=CA
  [content_type] => text/html; charset=iso-8859-1
  [http_code] => 301
  [header_size] => 721
```

Response Body:

HTTP/2 302
date: Fri, 17 Apr 2026 06:24:08 GMT
content-type: text/html; charset=UTF-8
location: https://blowoutcartexpress.com/thewonderollatorplus/?token=656affd3a3980ac7d73291a5cb9b310c8a3ec2fe5bb3393e85106d05dc2e336f&click_id=test@123456789
expires: Thu, 19 Nov 1981 08:52:00 GMT

Response MetaData:

```
Array (
  [url] => https://blowoutcartexpress.com/thewonderollatorplus/?affid=1&click_id=test@123456789&state=CA
  [content_type] => text/html; charset=UTF-8
  [http_code] => 302
  [header_size] => 805
```

Response Body:

HTTP/2 200
date: Fri, 17 Apr 2026 06:24:08 GMT
content-type: text/html; charset=UTF-8
content-length: 9641
expires: Thu, 19 Nov 1981 08:52:00 GMT
pragma: no-cache
cache-control: no-store, no-cache, must-revalidate

Response MetaData:

```
Array (
  [url] => https://blowoutcartexpress.com/thewonderollatorplus/?token=656affd3a3980ac7d73291a5cb9b310c8a3ec2fe5bb3393e85106d05dc2e336f&click_id=test@123456789
  [content_type] => text/html; charset=UTF-8
  [http_code] => 200
```

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.



Click to Copy URL of This Trace

https://wheregoes.com/trace/20261698412/

Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

First

Last

Email

Subscribe

* All fields required.

[Ref Info](#)
[About](#)
[Contact](#)

Review Us:



Follow: [Twitter](#) [Facebook](#) [YouTube](#)

By using this website, you are agreeing to the [terms of use](#) and [privacy](#) policies.

© 2008-2026 WhereGoes.com. WhereGoes® is a registered trademark of Sovereign Stack, LLC. All rights reserved.

HTTPS redirection trace captured

CHECK POINT

3. Domain Test URL Report Link


STATUS

FAIL

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

5. Robots.txt Report Link

STATUS MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor restricts
# permission via Content-Signal with respect to the corresponding use.

# The content signals and their meanings are:
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
# ai-input: ingesting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
# ai-train: training or fine-tuning AI models.

# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 4 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.

# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai=train=no
Allow: /

User-agent: Amazonbot
Disallow: /

User-agent: Applebot-Extended
Disallow: /

User-agent: Bytespider
Disallow: /

User-agent: CCBot
Disallow: /

User-agent: ClaudeBot
Disallow: /

User-agent: CloudflareBrowserRenderingCrawler
Disallow: /

User-agent: Google-Extended
Disallow: /

User-agent: GPTBot
Disallow: /

User-agent: meta-externalagent
Disallow: /

# END Cloudflare Managed Content

User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif$

User-agent: Googlebot-Image
Disallow: /*.jpg$

User-agent: Googlebot-Image
Disallow: /*.png$

User-agent: Googlebot-Image
Disallow: /*.svg$

User-agent: Googlebot-Image
Disallow: /*.webp$
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: Unable to fill any fallback input field.

CHECK POINT

7. SSL Grade Report Link


STATUS

MANUAL

REPORT LINK

[SSL Labs](#)

SCREEN SHORT



	Server	Test time	Grade
1	2606:4700:3032:0:0:0:6815:5b69 Ready	Fri, 17 Apr 2028 06:31:32 UTC Duration: 00:158 sec	B
2	104.21.91.105 Ready	Fri, 17 Apr 2028 06:32:32 UTC Duration: 00:134 sec	B
3	172.67.215.158 In progress	Fri, 17 Apr 2028 06:33:31 UTC -	-
4	2606:4700:3037:0:0:0:ac43:d79e Pending	-	-

SSL Report v2.4.1

Copyright © 2009-2028 Qualys, Inc. All Rights Reserved. [Privacy Policy](#)
[Try Qualys for free!](#) Experience the award-winning [Qualys Cloud Platform](#) and the entire collection of [Qualys Cloud Apps](#), including [certificate security](#) solutions. [Terms and Conditions](#)

SSL Labs scan queued; check index.html for grade once ready.

CHECK POINT

8. Google PageSpeed Mobile Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Apr 17, 2026, 12:03:50 PM

https://blowout.cartexpress.com/thewonderrollatorplus/?affid=1&click_id=test1@123456789&state=CA

Analyze

Mobile Desktop

Showing results for URL: https://blowout.cartexpress.com/thewonderrollatorplus/?affid=1&click_id=test1@123456789&state=CA
Run with original URL

Discover what your real users are experiencing

This URL Origin

Core Web Vitals Assessment: Not Applicable

Expand view

Largest Contentful Paint (LCP) N/A
Interaction to Next Paint (INP) N/A
Cumulative Layout Shift (CLS) N/A

This site uses cookies from Google to deliver its services and to analyze traffic. Learn More. Ok, Got it.

First Contentful Paint (FCP) 6.3 s
Time to First Byte (TTFB) N/A

Latest 28-day period (History)
Full visit durations
Various mobile devices
Various network connections
Many samples (Chrome UX Report)
All Chrome versions

Diagnose performance issues

78 Performance
88 Accessibility
92 Best Practices
73 SEO

778

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

0-49 50-89 90-100

Metrics

First Contentful Paint 0.8 s
Largest Contentful Paint 0.8 s
Total Blocking Time 1,000 ms
Cumulative Layout Shift 0.023
Speed Index 0.8 s

Captured at Apr 17, 2026, 12:03 PM GMT+5:30
Initial page load
Emulated Moto G Power with Lighthouse 13.0.1
Slow 4G throttling
Single page session
Using HeadlessChromium 146.0.7680.177 with 1x

View Treemap



Show audits relevant to: FCP LCP INP CLS

INSIGHTS

- Use efficient cache lifetimes — Est savings of 0 KB
- Document request latency — Est savings of 2 KB
- Font display — Est savings of 10 ms
- Layout shift culprits
- LCP breakdown
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Reduce JavaScript execution time — 1.9 s
- Minimize main-thread work — 2.2 s
- Reduce unused JavaScript — Est savings of 546 KB
- Avoid long main-thread tasks — 11 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (17)

Show

88

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

- <html> element does not have a [lang] attribute

These are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

- Document does not have a main landmark

These items highlight common accessibility best practices.

NAVIGATION

- The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.


ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (10)

Show



CHECK POINT

9. Google PageSpeed Desktop Report Link

STATUS

MANUAL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Report from Apr 17, 2026, 12:04:19 PM

https://blowout.cartexpress.com/thewonderollatorplus/?affid=1&click_id=test1@123456789&state=CA

Analyze

Mobile Desktop


Showing results for URL: https://blowout.cartexpress.com/thewonderollatorplus/?affid=1&click_id=test1@123456789&state=CA
Run with original URL

Discover what your real users are experiencing

This URL Origin

Core Web Vitals Assessment: Passed

Expand view



This site uses cookies from Google to deliver its services and to analyze traffic. Learn More. Ok, Got it.



Latest 28-day period (History) Full visit durations

Various desktop devices Various network connections

Many samples (Chrome UX Report) All Chrome versions

Diagnose performance issues

96 Performance

88 Accessibility

92 Best Practices


73 SEO

96 Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

0-49 50-69 90-100

Metrics Expand view



Captured at Apr 17, 2026, 12:04 PM GMT+5:30 Initial page load

Emulated Desktop with Lighthouse 13.0.1 Custom throttling

Single page session Using HeadlessChromium 146.0.7860.172 with 1x

View Treemap



Show audits relevant to: FCP LCP TBT CLS

INSIGHTS

- Use efficient cache lifetimes — Est savings of 0 KiB
- Document request latency — Est savings of 2 KiB
- Layout shift culprits
- LCP breakdown
- 3rd parties

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

- Reduce unused JavaScript — Est savings of 546 KiB
- Avoid long main-thread tasks — 4 long tasks found

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (20)

Show

88 Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

INTERNATIONALIZATION AND LOCALIZATION

- class element does not have a lang attribute

These are opportunities to improve the interpretation of your content by users in different locales.

BEST PRACTICES

- Document does not have a main landmark.

These items highlight common accessibility best practices.

NAVIGATION

- The page contains a heading, skip link, or landmark region

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show


These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (10)

Show

NOT APPLICABLE (47)

Show



CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for https://blowoutcartexpress.com/thewonderrollatorplus/?affid=1&click_id=test@123456789&state=CA (checked with vnu 26.4.1)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by address

https://blowoutcartexpress.com/thewonderrollatorplus/?affid=1&click_id=test@123456789&state=CA

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1, to line 1, column 16
`<html lang="en">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 4, column 5, to line 4, column 28
`<head> <meta charset="utf-8" /> <`
- Error** A document must not include more than one `meta` element with a `charset` attribute.
From line 6, column 5, to line 6, column 27
`> <meta charset="utf-8"/><meta`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 5, column 5, to line 5, column 27
`> <meta charset="utf-8"/><meta`
- Error** Element `title` not allowed as child of element `head` in this context. (Suppressing further errors from this subtree.)
From line 6, column 1, to line 6, column 7
`<title>The Wonder Rollator Plus</title>`
Contexts in which element `title` may be used:
In a `head` element containing no other `title` elements.
Content model for element `title`:
If the document is an [XSL-FO document](#) or if title information is available from a higher-level protocol. Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 10, column 1, to line 10, column 62
`</title><meta name="description" content="The Wonder Rollator Plus" /><meta`
- Error** A `meta` element with an `http-equiv` attribute whose value is `X-UA-Compatible` must have a `content` attribute with the value `IE=edge`.
From line 13, column 1, to line 13, column 64
`<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" /><meta`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 13, column 1, to line 13, column 64
`<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" /><meta`
- Error** A document must not include both a `meta` element with an `http-equiv` attribute whose value is `content-type`, and a `meta` element with a `charset` attribute.
From line 14, column 1, to line 14, column 68
`<meta http-equiv="content-type" content="text/html; charset=utf-8" /><meta`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 14, column 1, to line 14, column 68
`<meta http-equiv="content-type" content="text/html; charset=utf-8" /><meta`
- Error** Using the `meta` element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.
From line 15, column 1, to line 15, column 54
`<meta http-equiv="content-language" content="en-us" /><meta`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 15, column 1, to line 15, column 54
`<meta http-equiv="content-language" content="en-us" /><meta`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 17, column 1, to line 17, column 57
`<meta name="apple-mobile-web-app-capable" content="yes" /><meta`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 18, column 1, to line 18, column 68
`<meta name="apple-mobile-web-app-status-bar-style" content="black" /><meta`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 19, column 1, to line 19, column 46
`<meta name="handheldfriendly" content="true" /><meta`
- Warning** Consider avoiding viewport values that prevent users from resizing documents.
From line 20, column 1, to line 20, column 105
`<meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no" /><link`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 20, column 1, to line 20, column 105
`<meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no" /><link`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 22, column 1, to line 22, column 112
`<link rel="stylesheet" type="text/css" href="/thewonderrollatorplus/app/desktop/css/app_css.css?e=1776407719" /><meta`
- Error** A document must not include more than one `meta` element with its `name` attribute set to the value `description`.
From line 24, column 1, to line 24, column 36
`<meta name="description" content="" /><meta`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 44, column 9, to line 44, column 103
`<link rel="stylesheet" type="text/css" href="/thewonderrollatorplus/app/desktop/css/all.css" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 45, column 9, to line 45, column 107
`<link rel="stylesheet" type="text/css" href="/thewonderrollatorplus/app/desktop/css/animate.css" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 46, column 9, to line 46, column 119
`<link rel="stylesheet" type="text/css" href="/thewonderrollatorplus/app/desktop/css/custom.css?e=1776407719" />`
- Error** Element `style` not allowed as child of element `page-builder-block` in this context. (Suppressing further errors from this subtree.)
From line 56, column 1, to line 56, column 7
`</script><style> @`
Contexts in which element `style` may be used:
Where [stylesheet content](#) is expected.
In a `noscript` element that is a child of a `head` element.
- Error** Stray end tag `head`.
From line 225, column 1, to line 225, column 7
`</blocks></head></body>`
- Error** Start tag `body` seen but an element of the same type was already open.
From line 227, column 1, to line 227, column 6
`</head><body>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 282, column 33, to line 282, column 180
``
- Error** Element `img` is missing one or more of the following attributes: `src`, `srcset`.
From line 307, column 71, to line 309, column 63
`<img alt=""> <img alt=""> <img alt="">`
Attributes for element `img`:
[Global attributes](#)
[alt](#) — Replacement text for use when images are not available
[src](#) — Address of the resource
[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

`image` — Image sizes for different page layouts
`crossorigin` — How the element handles crossorigin requests
`imageMap` — Name of `image.map` to use
`imageMap` — Whether the image is a server-side image map
`width` — Horizontal dimension
`height` — Vertical dimension
`referrerPolicy` — Referrer policy for `fetches` initiated by the element
`decoding` — Decoding hint to use when processing this image for presentation
`loading` — Used when determining loading deferral
`fetchPriority` — Sets the `priority` for `fetches` initiated by the element

28. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

```
ck m="1">  </spa>
```

29. **Error** Bad value 'application/x-www-form-urlencoded;charset=utf-8' for attribute 'enctype' on element 'form'.

```
From line 419, column 41, to line 421, column 117
    <form method="post" action="/ajax.php?method=new_prospect" name="prospect_form">
    <input type="text" value="" data-bbox="122 178 485 191"
    class="p1-0">
```

30. **Error** Duplicate attribute 'value'.

```
At line 447, column 96
    <input type="text" value="" data-bbox="122 204 216 216"
    class="p1-0">
```

31. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

```
From line 542, column 75, to line 542, column 189
    <img alt="" data-bbox="122 236 503 250"
    class="p1-0">
```

32. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

```
From line 543, column 75, to line 543, column 189
    <img alt="" data-bbox="122 262 503 274"
    class="p1-0">
```

33. **Error** Element `img` is missing one or more of the following attributes: `src`, `srcset`.

```
From line 552, column 41, to line 552, column 177
    <img alt="" data-bbox="122 286 488 306"
    class="p1-0">
```

Attributes for element `img`

`alt` — Replacement text for use when images are not available
`src` — Address of the resource
`srcset` — Images to use in different situations, e.g. high-resolution displays, small monitors, etc.
`image` — Image sizes for different page layouts
`crossorigin` — How the element handles crossorigin requests
`imageMap` — Name of `image.map` to use
`imageMap` — Whether the image is a server-side image map
`width` — Horizontal dimension
`height` — Vertical dimension
`referrerPolicy` — Referrer policy for `fetches` initiated by the element
`decoding` — Decoding hint to use when processing this image for presentation
`loading` — Used when determining loading deferral
`fetchPriority` — Sets the `priority` for `fetches` initiated by the element

34. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

```
From line 552, column 41, to line 552, column 177
    <img alt="" data-bbox="122 418 488 438"
    class="p1-0">
```

35. **Error** Element `img` is missing one or more of the following attributes: `src`, `srcset`.

```
From line 583, column 17, to line 584, column 98
    <img alt="" data-bbox="122 450 494 470"
    class="p1-0">
```

Attributes for element `img`

`alt` — Replacement text for use when images are not available
`src` — Address of the resource
`srcset` — Images to use in different situations, e.g. high-resolution displays, small monitors, etc.
`image` — Image sizes for different page layouts
`crossorigin` — How the element handles crossorigin requests
`imageMap` — Name of `image.map` to use
`imageMap` — Whether the image is a server-side image map
`width` — Horizontal dimension
`height` — Vertical dimension
`referrerPolicy` — Referrer policy for `fetches` initiated by the element
`decoding` — Decoding hint to use when processing this image for presentation
`loading` — Used when determining loading deferral
`fetchPriority` — Sets the `priority` for `fetches` initiated by the element

36. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

```
From line 583, column 17, to line 584, column 98
    <img alt="" data-bbox="122 582 494 602"
    class="p1-0">
```

37. **Error** The element `<footer>` must not appear as a descendant of the `<footer>` element.

```
From line 604, column 17, to line 604, column 45
    <div data-bbox="122 613 258 625"
    class="p1-0">
```

38. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 634, column 9, to line 634, column 39
    <script data-bbox="122 638 261 650"
    type="text/javascript">
```

39. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 634, column 2878, to line 634, column 2908
    <script data-bbox="122 663 258 675"
    type="text/javascript">
```

40. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 634, column 3997, to line 634, column 4027
    <script data-bbox="122 688 258 700"
    type="text/javascript">
```

41. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 637, column 1, to line 637, column 85
    <script data-bbox="122 713 419 725"
    type="text/javascript">
```

42. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 638, column 1, to line 638, column 84
    <script data-bbox="122 738 419 750"
    type="text/javascript">
```

43. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 639, column 1, to line 639, column 89
    <script data-bbox="122 763 428 775"
    type="text/javascript">
```

44. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 640, column 1, to line 640, column 83
    <script data-bbox="122 788 419 800"
    type="text/javascript">
```

45. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 641, column 1, to line 641, column 82
    <script data-bbox="122 813 419 825"
    type="text/javascript">
```

46. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 642, column 1, to line 642, column 86
    <script data-bbox="122 838 419 850"
    type="text/javascript">
```

47. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 643, column 1, to line 643, column 77
    <script data-bbox="122 863 419 875"
    type="text/javascript">
```

48. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 644, column 1, to line 644, column 79
    <script data-bbox="122 888 419 900"
    type="text/javascript">
```

49. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 645, column 1, to line 645, column 106
    <script data-bbox="122 913 419 925"
    type="text/javascript">
```

50. **Warning** The `type` attribute is unnecessary for JavaScript resources.

```
From line 646, column 1, to line 646, column 115
    <script data-bbox="122 938 503 950"
    type="text/javascript">
```

51. **Warning** The `type` attribute is unnecessary for JavaScript resources.
From line 647, column 1 to line 647, column 98
`</script><script src="/blewolderp011atorp3ue/extensions/ja/input-mask.js" type="text/javascript"></script>`

52. **Warning** The `type` attribute is unnecessary for JavaScript resources.
From line 647, column 228, to line 647, column 258
`t>
 <script type="text/javascript">`

53. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingOffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).
From line 348, column 33, to line 348, column 47
`<h1 id="svcs">`

54. **Error** The heading `h4` (with computed level 4) follows the heading `h1` (with computed level 1), skipping 2 heading levels.
From line 234, column 17, to line 234, column 31
`<h4 id="Lvcs">Specia`

55. **Error** The heading `h5` (with computed level 5) follows the heading `h1` (with computed level 1), skipping 3 heading levels.
From line 350, column 33, to line 350, column 51
`<h5 id="pred_qs1">Black`

Document checking completed.
Used the HTML parser. Externally specified character encoding was UTF-8.
Total execution time 917 milliseconds.

W3C HTML validator report queued.