

Test Case Report

Offer Name: test
Tested URL: https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA
Test Date: 2026-05-06 19:00:53
Tested By: Automated Order Flow Runner
Overall Result: **PASS**
Report ID: ofr_20260506_152850_4394ee06

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	6986344	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 6986344

Result: PASS

Status: PLACED

Browser: msedge


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

CHECK POINT

Security report mode

STATUS

MANUAL

REPORT LINK

-

SCREEN SHORT

Screenshot pending

Mode=full, budget=420s, selected=9, skipped=1.

CHECK POINT

1. HTTP2 Report Link

STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT

The screenshot shows the KeyCDN website's 'Tools' section. The 'HTTP/2 Test' tool is active, displaying a URL input field with 'https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA' and a 'Test' button. Below the input, a green banner indicates 'ALPN extension is supported.' and a cookie notice is visible. The 'HTTP/2 Test FAQ' section is expanded, showing details about HTTP/2, its benefits, and how to test it via command line. The footer includes a 'Get started for free' banner, social media links, and a navigation menu with categories like PRODUCT, COMPANY, and SUPPORT.

Tools
Troubleshoot website, network, and CDN issues for fast resolutions.

Web
Website Speed Test
Performance Test
HTTP Header Checker
HTTP/2 Test
Brotli Test

Network
Security
Other

HTTP/2 Test

VERIFY HTTP/2 SUPPORT

URL
 Test

bestvaultbargaindash.com

HTTP/2
KeyCDN uses cookies to make its website easier to use. Learn more about cookies. X

ALPN extension is supported.

HTTP/2 Test FAQ

What is HTTP/2?
HTTP/2 is the first major HTTP protocol update since 1997 when HTTP/1.1 was first published by the IETF. The new HTTP protocol is needed to keep up with the exponential growth of the web. The successor of HTTP/1.1 brings significant improvement in efficiency, speed and security and is supported by most modern web browsers. A list of [browsers that support HTTP/2](#) can be found on caniuse.com.

- HTTP/2 is binary, instead of textual.
- It is fully multiplexed, sending multiple requests in parallel over a single TCP connection.
- It uses header compression HPACK to reduce overhead.
- It allows servers to "push" responses proactively into client caches instead of waiting for a new request for each resource
- It uses the new [ALPN](#) extension which allows for faster-encrypted connections since the application protocol is determined during the initial connection.
- It reduces additional round trip times (RTT), making your website load faster without any optimization.
- Domain sharding and asset concatenation is no longer needed with HTTP/2.

HTTP/2 introduces other improvements, more details: [HTTP/2 RFC7540](#)

This test can check HTTP and HTTPS but most browsers only support HTTP/2 for HTTPS, which means you must migrate to HTTPS if you want to take advantage of the performance benefits.

Does this test also verify SPDY?
Not directly, but it tests which TLS extension is supported to negotiate the protocols. The tested TLS extensions are either [NPN](#) or [ALPN](#). Next Protocol Negotiation (NPN) appeared as part of the SPDY protocol but it has been deprecated. Application Layer Protocol Negotiation (ALPN) is the successor of NPN and is approved by the IETF ([RFC7301](#)). However, NPN advertises the supported protocols from the server to the client and this test will show the advertised protocols if HTTP/2 is not supported. The protocol advertising has been reversed in ALPN (client to server). The first phase of this HTTP/2 check runs the ALPN test with only H2 in the protocol list.

How to test HTTP/2 via command line?
Get the latest [curl](#) release and use this command:
`curl ->http2`

Get started for free
Try KeyCDN with a free 14 day trial, no credit card required.

Get started **Pricing**

keycdn
© 2026 prony LLC
Made in Switzerland

PRODUCT
Features
Network
Pricing
API

COMPANY
About
Blog
Contact
Referrals
Careers

SUPPORT
Knowledge Base
Network Status
Open Source
FAQ
Tools

HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link



FROM CLICK TO LEAD

Tools HTTP Status Codes

WhereGoes® - Trace Results

Trace Results

Trace URL

Advanced Options »

Date Traced: 2026-05-06 13:31:08 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

#	Code	Requested URL
▼	301	http://bestvaultbargaindash.com/googlepixelbook?affid=1&state=CA

1

301

 http://bestvaultbargaindash.com/googlepixelbook?affid=1&state=CA

301 Redirect

Response Body:

HTTP/1.1 301 Moved Permanently
Date: Wed, 06 May 2026 13:31:08 GMT
Content-Type: text/html; charset=iso-8859-1
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
Location: https://bestvaultbargaindash.com/googlepixelbook/?

Response MetaData:

Array
(
[url] => http://bestvaultbargaindash.com/googlepixelbook/?
affid=1&state=CA
[content_type] => text/html; charset=iso-8859-1
[http_code] => 301
[header_size] => 707
)

2

200

 https://bestvaultbargaindash.com/googlepixelbook?affid=1&state=CA

Response Body:

HTTP/2 206
date: Wed, 06 May 2026 13:31:09 GMT
content-type: text/html; charset=UTF-8
content-length: 8969
cache-control: no-store, no-cache, must-revalidate
vary: Accept-Encoding, User-Agent
content-encoding: gzip

Response MetaData:

Array
(
[url] => https://bestvaultbargaindash.com/googlepixelbook/?
affid=1&state=CA
[content_type] => text/html; charset=UTF-8
[http_code] => 200
[header_size] => 739
)

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.

 Click to Copy URL of This Trace

https://wheregoes.com/trace/20262059112/

Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

First

Last

Email:

Subscribe

* All fields required.

Bot Info About Contact

Review Us:
★★★★★
TrustPilot

Follow:    

By using this website, you are agreeing to the [terms of use](#) and [privacy](#) policies.

© 2008-2026 WhereGoes.com WhereGoes® is a registered trademark of Sovereign Stack, LLC. All rights reserved.

CHECK POINT

5. Robots.txt Report Link

STATUS

MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
#
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor reserves
# permission via Content-Signal with respect to the corresponding use.
#
# The content signals and their meanings are:
#
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
#
# ai-input: inputting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
#
# ai-train: training or fine-tuning AI models.
#
# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 17 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.
#
# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai-train=no
Allow: /
User-agent: Amazonbot
Disallow: /
User-agent: Applebot-Extended
Disallow: /
User-agent: Bypassider
Disallow: /
User-agent: CCBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: CloudflareBrowserRenderingCrawler
Disallow: /
User-agent: Google-Extended
Disallow: /
User-agent: GPTBot
Disallow: /
User-agent: Meta-externalagent
Disallow: /
# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif
User-agent: Googlebot-Image
Disallow: /*.jpg
User-agent: Googlebot-Image
Disallow: /*.png
User-agent: Googlebot-Image
Disallow: /*.svg
User-agent: Googlebot-Image
Disallow: /*.tiff
User-agent: Googlebot-Image
Disallow: /*.webp
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

3. Domain Test URL Report Link

STATUS

FAIL

REPORT LINK


[WhatsMyDNS](#)

SCREEN SHORT

 **www.whatsmydns.net**

Performing security verification

This website uses a security service to protect against malicious bots. This page is displayed while the website verifies you are not a bot.



Ray ID: 9f785d48e9c237c
Performance and Security by [Cloudflare](#) | [Privacy](#)

Security task failed: 3. Domain Test URL Report Link timed out while collecting the report screenshot.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: 6. Domain Expiry check Report Link timed out while collecting the report screenshot.

- CHECK POINT
10. HTML Optimisation Report Link
- STATUS
- MANUAL
- REPORT LINK
- [W3C Validator](#)
- SCREEN SHORT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for <https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA> (checked with vnu 26.5.6)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by address:

<https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA>

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1, to line 1, column 16
`<html lang="en">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 4, column 5, to line 4, column 28
`<head> <meta charset=utf-8 /> <`
- Error** A document must not include more than one `<meta>` element with a `charset` attribute.
From line 6, column 5, to line 6, column 27
`> <meta charset=utf-8 />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 6, column 5, to line 6, column 27
`> <meta charset=utf-8 />`
- Error** Element `<title>` not allowed as child of element `<head>` in this context. (Suppressing further errors from this subtree.)
From line 8, column 1, to line 8, column 7
`<title> />`
Contexts in which element `<title>` may be used:
In a `<head>` element containing no other `<title>` elements.
Content model for element `<title>`:
If the document is an `<iframe>` document or if title information is available from a higher-level protocol. Zero or more elements of `<meta data-content="">`, of which no more than one is a `<title>` element and no more than one is a `<base>` element.
Otherwise: One or more elements of `<meta data-content="">`, of which exactly one is a `<title>` element and no more than one is a `<base>` element.
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 10, column 1, to line 10, column 55
`</title> <meta name="description" content="Fetti 42oz Banble" />`
- Error** A `<meta>` element with an `http-equiv` attribute whose value is `X-UA-Compatible` must have a `content` attribute with the value `IE=edge`.
From line 13, column 1, to line 13, column 64
`<!-- /> <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 13, column 1, to line 13, column 64
`<!-- /> <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />`
- Error** A document must not include both a `<meta>` element with an `http-equiv` attribute whose value is `content-type`, and a `<meta>` element with a `charset` attribute.
From line 14, column 1, to line 14, column 68
`content="1" /> <meta http-equiv="content-type" content="text/html; charset=utf-8" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 14, column 1, to line 14, column 68
`content="1" /> <meta http-equiv="content-type" content="text/html; charset=utf-8" />`
- Error** Using the `<meta>` element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.
From line 15, column 1, to line 15, column 54
`<!-- /> <meta http-equiv="content-language" content="en-us" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 15, column 1, to line 15, column 54
`<!-- /> <meta http-equiv="content-language" content="en-us" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 17, column 1, to line 17, column 57
`--us" /> <meta name="apple-mobile-web-app-capable" content="yes" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 18, column 1, to line 18, column 68
`ts="yes" /> <meta name="apple-mobile-web-app-status-bar-style" content="black" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 19, column 1, to line 19, column 46
`"black" /> <meta name="handle-ids-friendly" content="true" />`
- Warning** Consider avoiding viewport values that prevent users from resizing documents.
From line 20, column 1, to line 20, column 105
`==true" /> <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 20, column 1, to line 20, column 105
`==true" /> <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 22, column 1, to line 22, column 106
`gt="403" /> <link rel="stylesheet" type="text/css" href="/googlepixelbook/app/desktop/css/app_new.css?v=1778074645" />`
- Error** A document must not include more than one `<meta>` element with its `name` attribute set to the value `description`.
From line 24, column 1, to line 24, column 36
`4445" /> <meta name="description" content="" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 45, column 9, to line 45, column 97
`> <link rel="stylesheet" type="text/css" href="/googlepixelbook/app/desktop/css/all.css" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 46, column 9, to line 46, column 101
`> <link rel="stylesheet" type="text/css" href="/googlepixelbook/app/desktop/css/animate.css" />`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 47, column 9, to line 47, column 113
`> <link rel="stylesheet" type="text/css" href="/googlepixelbook/app/desktop/css/custom.css?v=1778074645" />`
- Error** Element `<style>` not allowed as child of element `<page-builder-block>` in this context. (Suppressing further errors from this subtree.)
From line 57, column 9, to line 57, column 15
`> <style>`
Contexts in which element `<style>` may be used:
Where `<page-builder-content>` is expected.
In a `<script>` element that is a child of a `<head>` element.
- Error** Stray end tag `<head>`.
From line 194, column 1, to line 194, column 7
`</blocks> </> </head>`
- Error** Start tag `<body>` seen but an element of the same type was already open.
From line 196, column 1, to line 196, column 6
`<body>`
- Error** Element `<img>` is missing one or more of the following attributes: `src`, `srcset`.
From line 251, column 33, to line 251, column 180
``
Attributes for element `<img>`:
Global attributes
`alt` — Replacement text for use when images are not available
`src` — Address of the resource
`srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
`sizes` — Image sizes for different page layouts
`crossorigin` — How the element handles crossorigin requests
`usemap` — Name of `<img map>` to use
`ismap` — Whether the image is a server-side image map
`controls` — Show user agent controls

	<code>width</code> — Horizontal dimension <code>height</code> — Vertical dimension <code>referrerpolicy</code> — Referrer policy for <code>fetches</code> initiated by the element <code>decoding</code> — Decoding hint to use when processing this image for presentation <code>loading</code> — Used when determining loading deferral <code>fetchpriority</code> — Sets the <code>priority</code> for <code>fetches</code> initiated by the element
27.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 251, column 33, to line 251, column 160 <pre></pre>
28.	Error Element <code></code> is missing one or more of the following attributes: <code>src</code>, <code>srcset</code>. From line 298, column 71, to line 300, column 63 <pre><!--> </pre> Attributes for element <code>img</code> Global attributes <code>alt</code> — Replacement text for use when images are not available <code>src</code> — Address of the resource <code>srcset</code> — Images to use in different situations, e.g. high-resolution displays, small monitors, etc <code>sizes</code> — Image sizes for different page layouts <code>crossorigin</code> — How the element handles crossorigin requests <code>usemap</code> — Name of <code>image map</code> to use <code>ismap</code> — Whether the image is a server-side image map <code>controls</code> — Show user agent controls <code>width</code> — Horizontal dimension <code>height</code> — Vertical dimension <code>referrerpolicy</code> — Referrer policy for <code>fetches</code> initiated by the element <code>decoding</code> — Decoding hint to use when processing this image for presentation <code>loading</code> — Used when determining loading deferral <code>fetchpriority</code> — Sets the <code>priority</code> for <code>fetches</code> initiated by the element
29.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 298, column 71, to line 300, column 63 <pre><!--> </pre>
30.	Error Bad value <code>application/x-www-form-urlencoded;charset=utf-8</code> for attribute <code>enctype</code> on element <code><form></code>. From line 309, column 41, to line 311, column 117 <pre><form method="post" action="ajax.php/method_new_prospect" name="prospect_form"> accept-charset="utf-8" enctype="application/x-www-form-urlencoded;charset=utf-8" class="pxl-0"></pre>
31.	Error Duplicate attribute <code>value</code>. At line 397, column 96 <pre><control" value="" data-validate</pre>
32.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 492, column 75, to line 492, column 183 <pre><td nt="3"> Secur</pre>
33.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 492, column 75, to line 492, column 183 <pre><td nt="3"> Secur</pre>
34.	Error Element <code></code> is missing one or more of the following attributes: <code>src</code>, <code>srcset</code>. From line 502, column 41, to line 502, column 171 <pre></div></pre> Attributes for element <code>img</code> Global attributes <code>alt</code> — Replacement text for use when images are not available <code>src</code> — Address of the resource <code>srcset</code> — Images to use in different situations, e.g. high-resolution displays, small monitors, etc <code>sizes</code> — Image sizes for different page layouts <code>crossorigin</code> — How the element handles crossorigin requests <code>usemap</code> — Name of <code>image map</code> to use <code>ismap</code> — Whether the image is a server-side image map <code>controls</code> — Show user agent controls <code>width</code> — Horizontal dimension <code>height</code> — Vertical dimension <code>referrerpolicy</code> — Referrer policy for <code>fetches</code> initiated by the element <code>decoding</code> — Decoding hint to use when processing this image for presentation <code>loading</code> — Used when determining loading deferral <code>fetchpriority</code> — Sets the <code>priority</code> for <code>fetches</code> initiated by the element
35.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 502, column 41, to line 502, column 171 <pre></div></pre>
36.	Error Element <code></code> is missing one or more of the following attributes: <code>src</code>, <code>srcset</code>. From line 533, column 17, to line 534, column 98 <pre></pre> Attributes for element <code>img</code> Global attributes <code>alt</code> — Replacement text for use when images are not available <code>src</code> — Address of the resource <code>srcset</code> — Images to use in different situations, e.g. high-resolution displays, small monitors, etc <code>sizes</code> — Image sizes for different page layouts <code>crossorigin</code> — How the element handles crossorigin requests <code>usemap</code> — Name of <code>image map</code> to use <code>ismap</code> — Whether the image is a server-side image map <code>controls</code> — Show user agent controls <code>width</code> — Horizontal dimension <code>height</code> — Vertical dimension <code>referrerpolicy</code> — Referrer policy for <code>fetches</code> initiated by the element <code>decoding</code> — Decoding hint to use when processing this image for presentation <code>loading</code> — Used when determining loading deferral <code>fetchpriority</code> — Sets the <code>priority</code> for <code>fetches</code> initiated by the element
37.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 533, column 17, to line 534, column 98 <pre></pre>
38.	Error The element <code><footer></code> must not appear as a descendant of the <code><footer></code> element. From line 554, column 17, to line 554, column 45 <pre><footer class="footer" class=""></></pre>
39.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 584, column 9, to line 584, column 39 <pre><script type="text/javascript">Ajax_P</pre>
40.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 584, column 2904, to line 584, column 2934 <pre></script><script type="text/javascript">app_1a</pre>
41.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 584, column 4023, to line 584, column 4053 <pre></script><script type="text/javascript">var cb</pre>

CHECK POINT

7. SSL Grade Report Link


STATUS

FAIL

REPORT LINK

[SSL Labs](#)

SCREEN SHORT



Security task failed: 7. SSL Grade Report Link timed out while collecting the report screenshot.

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.
Total processed items: 4/14 with success.

CHECK POINT

8. Google PageSpeed Mobile Report Link

STATUS

SKIPPED

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT



Skipped because the 420s report budget was exhausted.

CHECK POINT

9. Google PageSpeed Desktop Report Link

STATUS

SKIPPED

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Screenshot pending

Skipped to stay within the 420s report budget.