

Test Case Report

Offer Name: test001
Tested URL: https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA
Test Date: 2026-05-07 01:36:00
Tested By: Automated Order Flow Runner
Overall Result: **FAIL**
Report ID: ofr_20260506_220542_60bd78d0

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Total Rows: 1

Product Map

Primary Offer: test001
Landing URL: https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	-	FAIL	FAILED	VISA	4442	locator.click: Target page, context or browser has been closed

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: -

Result: **FAIL**

Status: FAILED

Browser: msedge

Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: locator.click: Target page, context or browser has been closed

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 0 | Failed Orders: 1

CHECK POINT

Security report mode

STATUS

MANUAL

REPORT LINK

-

SCREEN SHORT

Screenshot pending

Mode=full, budget=420s, selected=9, skipped=1.

CHECK POINT

1. HTTP2 Report Link


STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT



HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

STATUS

MANUAL

REPORT LINK

[WhereGoes.com](https://www.wherego.es/)

SCREEN SHORT

WhereGoes® - Trace Results

Trace Results

http://...

Trace URL

Advanced Options »

Date Traced: 2026-05-06 20:06:12 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

#	Code	Requested URL
▼	301	http://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA

1 **301** http://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA
301 Redirect

Response Body:

```
HTTP/1.1 301 Moved Permanently
Date: Wed, 06 May 2026 20:06:12 GMT
Content-Type: text/html; charset=iso-8859-1
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
Location: https://bestvaultbargaindash.com/googlepixelbook/?
```

Response MetaData:

```
Array
(
    [url] => http://bestvaultbargaindash.com/googlepixelbook/?
    [content_type] => text/html; charset=iso-8859-1
    [http_code] => 301
    [header_size] => 705
```

2 **200** https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA

Response Body:

```
HTTP/2 200
date: Wed, 06 May 2026 20:06:13 GMT
content-type: text/html; charset=UTF-8
content-length: 8967
cache-control: no-store, no-cache, must-revalidate
vary: Accept-Encoding, User-Agent
content-encoding: gzip
```

Response MetaData:

```
Array
(
    [url] => https://bestvaultbargaindash.com/googlepixelbook/?
    [content_type] => text/html; charset=UTF-8
    [http_code] => 200
    [header_size] => 743
```

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.



Click to Copy URL of This Trace
https://wheregoes.com/trace/20262066100/

Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

First

Last

Email

Subscribe

* All fields required.

[Bot info](#) [About](#) [Contact](#)

Review Us:



TrustPilot

Follow:



By using this website, you are agreeing to the [terms of use](#) and [privacy policy](#).

© 2008-2025 WhereGoes.com. WhereGoes® is a registered trademark of Sovereign Stack, LLC. All rights reserved.

HTTPS redirection trace captured.

CHECK POINT

5. Robots.txt Report Link

STATUS
MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor restricts
# permission via Content-Signal with respect to the corresponding use.
# The content signals and their meanings are:
# search: Building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
# ai-input: Inputting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
# ai-train: training or fine-tuning AI models.
# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 4 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.
# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai-train=no
Allow: /
User-agent: Amazonbot
Disallow: /
User-agent: Applebot-Extended
Disallow: /
User-agent: Bytespider
Disallow: /
User-agent: CCBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: CloudflareBrowserRenderingCrawler
Disallow: /
User-agent: Google-Extended
Disallow: /
User-agent: GPTBot
Disallow: /
User-agent: meta-externalagent
Disallow: /
# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif$
User-agent: Googlebot-Image
Disallow: /*.jpg$
User-agent: Googlebot-Image
Disallow: /*.png$
User-agent: Googlebot-Image
Disallow: /*.svg$
User-agent: Googlebot-Image
Disallow: /*.webp$
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

3. Domain Test URL Report Link

STATUS

FAIL

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT



Security task failed: 3. Domain Test URL Report Link timed out while collecting the report screenshot.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: 6. Domain Expiry check Report Link timed out while collecting the report screenshot.

CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for <https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA> (checked with vnu 26.5.6)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by address:

<https://bestvaultbargaindash.com/googlepixelbook/?affid=1&state=CA>

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1, to line 1, column 16

```
<html lang="en">
```

2. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 4, column 5, to line 4, column 28

```
<head> <meta charset=utf-8"/>
```

3. **Error** A document must not include more than one `meta` element with a `charset` attribute.

From line 6, column 5, to line 6, column 27

```
> <meta charset=utf-8"/>
```

4. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 6, column 5, to line 6, column 27

```
> <meta charset=utf-8"/>
```

5. **Error** Element `title` not allowed as child of element `head` in this context. (Suppressing further errors from this subtree.)

From line 8, column 1, to line 8, column 7

```
<title></title>
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `title`:
If the document is an [HTML document](#) or if the information is available from a higher-level protocol. Zero or more elements of [metadatatitle](#), of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of [metadatatitle](#), of which exactly one is a `title` element and no more than one is a `base` element.

6. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 10, column 1, to line 10, column 55

```
</title><meta name="description" content="Felli 420x 3anble"/>
```

7. **Error** A `meta` element with an `http-equiv` attribute whose value is `X-UA-Compatible` must have a `content` attribute with the value `IE=edge`.

From line 13, column 1, to line 13, column 64

```
<!--> <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1"/>
```

8. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 13, column 1, to line 13, column 64

```
<!--> <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1"/>
```

9. **Error** A document must not include both a `meta` element with an `http-equiv` attribute whose value is `content-type`, and a `meta` element with a `charset` attribute.

From line 14, column 1, to line 14, column 68

```
<!--> <meta http-equiv="content-type" content="text/html; charset=utf-8"/>
```

10. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 14, column 1, to line 14, column 68

```
<!--> <meta http-equiv="content-type" content="text/html; charset=utf-8"/>
```

11. **Error** Using the `meta` element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.

From line 15, column 1, to line 15, column 54

```
<!--> <meta http-equiv="content-language" content="en-us"/>
```

12. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 15, column 1, to line 15, column 54

```
<!--> <meta http-equiv="content-language" content="en-us"/>
```

13. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 17, column 1, to line 17, column 57

```
<!--> <meta name="apple-mobile-web-app-capable" content="yes"/>
```

14. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 18, column 1, to line 18, column 68

```
<!--> <meta name="apple-mobile-web-app-status-bar-style" content="black"/>
```

15. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 19, column 1, to line 19, column 46

```
<!--> <meta name="android:fullscreen" content="true"/>
```

16. **Warning** Consider avoiding viewport values that prevent users from resizing documents.

From line 20, column 1, to line 20, column 105

```
<!--> <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>
```

17. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 20, column 1, to line 20, column 105

```
<!--> <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>
```

18. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 22, column 1, to line 22, column 106

```
<!--> <link rel="stylesheet" type="text/css" href="/googlepixelbook/app/desktop/css/app_new.css?v=1778089354"/>
```

19. **Error** A document must not include more than one `meta` element with its `name` attribute set to the value `description`.

From line 24, column 1, to line 24, column 36

```
<!--> <meta name="description" content="<!-->
```

20. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 45, column 9, to line 45, column 97

```
<!--> <link rel="stylesheet" type="text/css" href="/googlepixelbook/app/desktop/css/all.css"/>
```

21. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 46, column 9, to line 46, column 101

```
<!--> <link rel="stylesheet" type="text/css" href="/googlepixelbook/app/desktop/css/animate.css"/>
```

22. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 47, column 9, to line 47, column 113

```
<!--> <link rel="stylesheet" type="text/css" href="/googlepixelbook/app/desktop/css/custom.css?v=1778089354"/>
```

23. **Error** Element `style` not allowed as child of element `page-builder-block` in this context. (Suppressing further errors from this subtree.)

From line 57, column 9, to line 57, column 15

```
<!--> <style>
```

Contexts in which element `style` may be used:

Where [stylesheet content](#) is expected.

In a [stylesheet](#) element that is a child of a `head` element.

24. **Error** Stray end tag `head`.

From line 194, column 1, to line 194, column 7

```
</blocks></head>
```

25. **Error** Start tag `body` seen but an element of the same type was already open.

From line 196, column 1, to line 196, column 6

```
<!--> </body>
```

26. **Error** Element `img` is missing one or more of the following attributes: `src`, `srcset`.

From line 251, column 33, to line 251, column 180

```

```

Attributes for element `img`:

Global attributes

`alt` — Replacement text for use when images are not available

`src` — Address of the resource

`srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

`sizes` — Image sizes for different page layouts

`crossorigin` — How the element handles crossorigin requests

`usemap` — Name of `image map` to use

`ismap` — Whether the image is a server-side image map

`controls` — Show user agent controls

`width` — Horizontal dimension
`height` — Vertical dimension
`referrerpolicy` — [Referrer policy](#) for `fetches` initiated by the element
`decoding` — Decoding hint to use when processing this image for presentation
`loading` — Used when determining loading deferral
`fetchpriority` — Sets the `priority` for `fetches` initiated by the element

27. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**
 From line 251, column 33, to line 251, column 160
``

28. **Error** Element `<img>` is missing one or more of the following attributes: `src`, `srcset`.
 From line 298, column 71, to line 300, column 63
`<ek mx="1">  </spa`
 Attributes for element `img`
 Global attributes
`alt` — Replacement text for use when images are not available
`src` — Address of the resource
`srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
`sizes` — Image sizes for different page layouts
`crossorigin` — How the element handles crossorigin requests
`usemap` — Name of `image.map` to use
`ismap` — Whether the image is a server-side image map
`controls` — Show user agent controls
`width` — Horizontal dimension
`height` — Vertical dimension
`referrerpolicy` — [Referrer policy](#) for `fetches` initiated by the element
`decoding` — Decoding hint to use when processing this image for presentation
`loading` — Used when determining loading deferral
`fetchpriority` — Sets the `priority` for `fetches` initiated by the element

29. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**
 From line 298, column 71, to line 300, column 63
`<ek mx="1">  </spa`

30. **Error** Bad value `application/x-www-form-urlencoded;charset=utf-8` for attribute `enctype` on element `<form>`.
 From line 309, column 41, to line 371, column 117
`<form method="post" action="ajax.php/method_new_prospect" name="prospect_form">`
`accept-charset="utf-8" enctype="application/x-www-form-urlencoded;charset=utf-8"`
`class="px1">`

31. **Error** Duplicate attribute `value`.
 At line 397, column 56
`<control" value="" data-validate`

32. **Error** An `<img>` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
 From line 492, column 75, to line 492, column 183
`<td mt="3"> Secur`

33. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**
 From line 492, column 75, to line 492, column 183
`<td mt="3"> Secur`

34. **Error** Element `<img>` is missing one or more of the following attributes: `src`, `srcset`.
 From line 502, column 41, to line 502, column 171
`</div>`
 Attributes for element `img`
 Global attributes
`alt` — Replacement text for use when images are not available
`src` — Address of the resource
`srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
`sizes` — Image sizes for different page layouts
`crossorigin` — How the element handles crossorigin requests

CHECK POINT

7. SSL Grade Report Link

STATUS

MANUAL

REPORT LINK

[SSL Labs](#)

SCREEN SHORT

Qualys. SSL Labs
Home
Projects
Qualys Free Trial
Contact

You are here:
[Home](#)
>
[Projects](#)
>
[SSL Server Test](#)
>
bestvaultbargaindash.com

SSL Report: bestvaultbargaindash.com

Assessed on: Wed, 06 May 2026 13:41:27 UTC
[Clear cache](#)

[Scan Another >>](#)

	Server	Test time	Grade
1	104.21.91.177 Ready	Wed, 06 May 2026 13:37:34 UTC Duration: 57.695 sec	B
2	2606:4700:3031:0:0:8c43:b1fc Ready	Wed, 06 May 2026 13:38:32 UTC Duration: 58.197 sec	B
3	2606:4700:3030:0:0:6815:5bb1 Ready	Wed, 06 May 2026 13:39:30 UTC Duration: 58.775 sec	B
4	172.67.177.28 Ready	Wed, 06 May 2026 13:40:28 UTC Duration: 58.127 sec	B

SSL Report v2.4.1

Copyright © 2009-2026 [Qualys, Inc.](#) All Rights Reserved. [Privacy Policy](#)
[Try Qualys for free!](#) Experience the award-winning [Qualys Cloud Platform](#) and the entire collection of [Qualys Cloud Apps](#), including [certificate security](#) solutions. [Terms and Conditions](#)

SSL Labs scan queued; check index.html for grade once ready.

```
</script><script src="/googleplexibook/assets/js/jquery.min.js" type="text/javascript"></script>
```

CHECK POINT

8. Google PageSpeed Mobile Report Link


STATUS

FAIL

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT



Security task failed: 8. Google PageSpeed Mobile Report Link timed out while collecting the report screenshot.

CHECK POINT

9. Google PageSpeed Desktop Report Link

STATUS

SKIPPED

REPORT LINK

[PageSpeed Insights](#)

SCREEN SHORT

Screenshot pending

Skipped to stay within the 420s report budget.