

Test Case Report

Offer Name: test
Tested URL: https://blowoutcartcollective.com/nikemind/?affid=1&state=CA&click_id=test123
Test Date: 2026-05-09 03:06:59
Tested By: Automated Order Flow Runner
Overall Result: **FAIL**
Report ID: ofr_20260508_233349_d64d92c8

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Browser Mode: Headed
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: https://blowoutcartcollective.com/nikemind/?affid=1&state=CA&click_id=test123
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	-	FAIL	FAILED	VISA	4442	Declined or not confirmed after submit.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: -

Result: **FAIL**

Status: FAILED

Browser: msedge


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Declined or not confirmed after submit.

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 0 | Failed Orders: 1

CHECK POINT

Security report mode

STATUS

MANUAL

REPORT LINK

-

SCREEN SHORT

Screenshot pending

Mode=balanced, budget=180s, selected=7, skipped=3.

CHECK POINT

1. HTTP2 Report Link


STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT



HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

STATUS
MANUAL

REPORT LINK

WhereGoes.com

SCREEN SHORT

WhereGoes® - Trace Results

Trace Results

http://...

Trace URL

Advanced Options »

Date Traced: 2026-05-08 21:37:10 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

#	Code	Requested URL
▼	301	http://blowoutcartcollective.com/nikemind?affid=1&state=CA&click_id=test123

1 **301** http://blowoutcartcollective.com/nikemind?affid=1&state=CA&click_id=test123

301 Redirect

Response Body:

```
HTTP/1.1 301 Moved Permanently
Date: Fri, 08 May 2026 21:37:10 GMT
Content-Type: text/html; charset=iso-8859-1
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
Location: https://blowoutcartcollective.com/nikemind?
```

Response MetaData:

```
Array
(
    [url] => http://blowoutcartcollective.com/nikemind/?
    [affid=1&state=CA&click_id=test123]
    [content_type] => text/html; charset=iso-8859-1
    [http_code] => 301
    [header_size] => 710
```

2 **302** https://blowoutcartcollective.com/nikemind?affid=1&state=CA&click_id=test123

302 Redirect

Response Body:

```
HTTP/2 302
date: Fri, 08 May 2026 21:37:20 GMT
content-type: text/html; charset=UTF-8
location: https://blowoutcartcollective.com/nikemind/?
token=c9a3c93ec5a80d590d81df2408984d10cb188b1d073d9182ae10f8188
ec4d164&click_id=test123&vp=&mp=
expires: Thu, 19 Nov 1981 08:52:00 GMT
```

Response MetaData:

```
Array
(
    [url] => https://blowoutcartcollective.com/nikemind/?
    [affid=1&state=CA&click_id=test123]
    [content_type] => text/html; charset=UTF-8
    [http_code] => 302
    [header_size] => 884
```

3 **200** https://blowoutcartcollective.com/nikemind?token=c9a3c93ec5a80d590d81df2408984d10cb188b1d073d9182ae10f8188ec4d164&click_id=test123&vp=&mp=

Response Body:

```
HTTP/2 200
date: Fri, 08 May 2026 21:37:20 GMT
content-type: text/html; charset=UTF-8
content-length: 9849
expires: Thu, 19 Nov 1981 08:52:00 GMT
pragma: no-cache
cache-control: no-store, no-cache, must-revalidate
```

Response MetaData:

```
Array
(
    [url] => https://blowoutcartcollective.com/nikemind/?
    [token=c9a3c93ec5a80d590d81df2408984d10cb188b1d073d9182ae10f8188
    ec4d164&click_id=test123&vp=&mp=]
    [content_type] => text/html; charset=UTF-8
    [http_code] => 200
```

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.



Click to Copy URL of This Trace
https://wheregoes.com/trace/20262108206/

Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

First

Last

Email

Subscribe

* All fields required.

[Bot info](#) [About](#) [Contact](#)

Review Us:
★★★★★
TrustPilot

Follow:

By using this website, you are agreeing to the [Terms of Use](#) and [Privacy Policy](#).

© 2006-2026 WhereGoes.com. WhereGoes® is a registered trademark of Sovereign Stock, LLC. All rights reserved.

HTTPS redirection trace captured.

CHECK POINT

5. Robots.txt Report Link

STATUS

MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor restricts
# permission via Content-Signal with respect to the corresponding use.

# The content signals and their meanings are:
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
# ai-input: ingesting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
# ai-train: training or fine-tuning AI models.

# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 17 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.

# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai=train=no
Allow: /

User-agent: Amazonbot
Disallow: /

User-agent: Applebot-Extended
Disallow: /

User-agent: Bytespider
Disallow: /

User-agent: CCBot
Disallow: /

User-agent: ClaudeBot
Disallow: /

User-agent: CloudflareBrowserRenderingCrawler
Disallow: /

User-agent: Google-Extended
Disallow: /

User-agent: GPTBot
Disallow: /

User-agent: meta-externalagent
Disallow: /

# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif$
User-agent: Googlebot-Image
Disallow: /*.jpg$
User-agent: Googlebot-Image
Disallow: /*.jpeg$
User-agent: Googlebot-Image
Disallow: /*.png$
User-agent: Googlebot-Image
Disallow: /*.svg$
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

3. Domain Test URL Report Link

STATUS

FAIL

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT

 **www.whatsmydns.net**

Performing security verification

This website uses a security service to protect against malicious bots. This page is displayed while the website verifies you are not a bot.

☐ Verify you are human 

Security task failed: 3. Domain Test URL Report Link timed out while collecting the report screenshot.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: 6. Domain Expiry check Report Link timed out while collecting the report screenshot.

CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for https://blowoutcartcollective.com/nikemind/?affid=1&state=CA&click_id=test123 (checked with vnu 26.5.8)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by address

https://blowoutcartcollective.com/nikemind/?affid=1&state=CA&click_id=test123

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1, to line 1, column 16

```
<html lang="en"><h1>Chase
```

2. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 5, column 5, to line 5, column 28

```
style"><meta charset=utf-8"/></>
```

3. **Error** A document must not include more than one `meta` element with a `charset` attribute.

From line 6, column 5, to line 6, column 27

```
<"/><meta charset=utf-8"/><html>
```

4. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 6, column 5, to line 6, column 27

```
<"/><meta charset=utf-8"/><html>
```

5. **Error** Element `title` not allowed as child of element `head` in this context. (Suppressing further errors from this subtree.)

From line 6, column 1, to line 6, column 7

```
<title></><html>
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `head`:

If the document is [an HTML5 document](#) or if the information is available from a higher-level protocol. Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.

6. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 10, column 1, to line 10, column 47

```
</title><meta name="description" content="Mike Hlad" /><h1>Chase
```

7. **Error** A `meta` element with an `http-equiv` attribute whose value is `X-UA-Compatible` must have a `content` attribute with the value `IE=edge`.

From line 13, column 1, to line 13, column 64

```
<!--><meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" /><meta>
```

8. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 13, column 1, to line 13, column 64

```
<!--><meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" /><meta>
```

9. **Error** A document must not include both a `meta` element with an `http-equiv` attribute whose value is `content-type`, and a `meta` element with a `charset` attribute.

From line 14, column 1, to line 14, column 68

```
one="1" /><meta http-equiv="content-type" content="text/html; charset=utf-8" /><meta>
```

10. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 14, column 1, to line 14, column 68

```
one="1" /><meta http-equiv="content-type" content="text/html; charset=utf-8" /><meta>
```

11. **Error** Using the `meta` element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.

From line 15, column 1, to line 15, column 54

```
<!--><meta http-equiv="content-language" content="en-us" /></>
```

12. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 15, column 1, to line 15, column 54

```
<!--><meta http-equiv="content-language" content="en-us" /></>
```

13. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 17, column 1, to line 17, column 57

```
-us" /><meta name="apple-mobile-web-app-capable" content="yes" /><meta>
```

14. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 18, column 1, to line 18, column 68

```
t="yes" /><meta name="apple-mobile-web-app-status-bar-style" content="black" /><meta>
```

15. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 19, column 1, to line 19, column 46

```
"black" /><meta name="android:friendly" content="true" /><meta>
```

16. **Warning** Consider avoiding viewport values that prevent users from resizing documents.

From line 20, column 1, to line 20, column 105

```
"true" /><meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no" /><link>
```

17. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 20, column 1, to line 20, column 105

```
"true" /><meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no" /><link>
```

18. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 22, column 1, to line 22, column 99

```
uct.png"><link rel="stylesheet" type="text/css" href="/nikemind/app/desktop/css/app_new.css#177827431" /><h1>Chase
```

19. **Error** A document must not include more than one `meta` element with its `name` attribute set to the value `description`.

From line 24, column 1, to line 24, column 36

```
<!--><meta name="description" content=""><!-->
```

20. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 46, column 9, to line 46, column 90

```
<h1><link rel="stylesheet" type="text/css" href="/nikemind/app/desktop/css/all.css" />
```

21. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 47, column 9, to line 47, column 94

```
<h1><link rel="stylesheet" type="text/css" href="/nikemind/app/desktop/css/animate.css" />
```

22. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 48, column 9, to line 48, column 93

```
<h1><link rel="stylesheet" type="text/css" href="/nikemind/app/desktop/css/custom.css" />
```

23. **Error** Element `style` not allowed as child of element `page-builder-block` in this context. (Suppressing further errors from this subtree.)

From line 58, column 9, to line 58, column 15

```
<h1><style></>
```

Contexts in which element `style` may be used:

Where [stylesheet content](#) is expected.

In a `noscript` element that is a child of a `head` element.

24. **Error** Stray end tag `head`.

From line 207, column 1, to line 207, column 7

```
</body></html></head></body>
```

25. **Error** Start tag `body` seen but an element of the same type was already open.

From line 209, column 1, to line 209, column 6

```
</head><body></>
```

26. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 267, column 25, to line 267, column 121

```

```

27. **Error** Saw `<!--` within a comment. Probable cause: Nested comment (not allowed).

At line 342, column 37

```
<!--<div><img src=""
```

28. **Warning** The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.

At line 342, column 37

```
<!--<div><img src=""
```

29. **Error** Bad value `application/x-www-form-urlencoded; charset=utf-8` for attribute `enctype` on element `form`.

From line 423, column 41, to line 426, column 66

	<pre> <form method="post" id="form" action="checkout.php" vkenswchsh7heal3f0984645ub18964073d8122ae15f188e4d1646u1ick_id#test123vwupw"e" name="prospect_form1" accept-charset="utf-8"e" scripttype="application/x-www-form- </pre>
30.	Error Duplicate attribute <code>value</code>. At line 518, column 96 <pre> ~control" value="" data-validate </pre>
31.	Error An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 552, column 49, to line 553, column 81 <pre> e" </pre>
32.	Error An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 556, column 49, to line 557, column 81 <pre> e" </pre>
33.	Error An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 560, column 49, to line 561, column 81 <pre> e" </pre>
34.	Error Element <code>img</code> is missing one or more of the following attributes: <code>src</code>, <code>srcset</code>. From line 581, column 17, to line 582, column 98 <pre> e" </pre> Attributes for element <code>img</code> Global attributes <code>alt</code> — Replacement text for use when images are not available <code>src</code> — Address of the resource <code>srcset</code> — Images to use in different situations, e.g. high-resolution displays, small monitors, etc <code>sizes</code> — Image sizes for different page layouts <code>crossorigin</code> — How the element handles crossorigin requests <code>usemap</code> — Name of image map to use <code>ismap</code> — Whether the image is a server-side image map <code>controls</code> — Show user agent controls <code>width</code> — Horizontal dimension <code>height</code> — Vertical dimension <code>referrerpolicy</code> — Referrer policy for browsers initiated by the element <code>loading</code> — Decoding hint to use when processing this image for presentation <code>loading</code> — Used when determining loading deferral <code>fetchpriority</code> — Sets the priority for browsers initiated by the element
35.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 581, column 17, to line 582, column 98 <pre> e" </pre>
36.	Error The element <code>footer</code> must not appear as a descendant of the <code>footer</code> element. From line 596, column 17, to line 596, column 45 <pre> <footer class="footer-smee">e" </pre>
37.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 624, column 9, to line 624, column 39 <pre> <script type="text/javascript">h3x_p </pre>
38.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 624, column 2865, to line 624, column 2895 <pre> </script><script type="text/javascript">app_la </pre>
39.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 627, column 1, to line 627, column 72 <pre> </script><script src="/nikemind/assets/js/promise.min.js" type="text/javascript"></script> </pre>
40.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 628, column 1, to line 628, column 71 <pre> </script><script src="/nikemind/assets/js/jquery.min.js" type="text/javascript"></script> </pre>
41.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 629, column 1, to line 629, column 76 <pre> </script><script src="/nikemind/assets/js/jquery.mak.min.js" type="text/javascript"></script> </pre>
42.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 630, column 1, to line 630, column 70 <pre> </script><script src="/nikemind/assets/js/validator.js" type="text/javascript"></script> </pre>
43.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 631, column 1, to line 631, column 69 <pre> </script><script src="/nikemind/assets/js/codebase.js" type="text/javascript"></script> </pre>
44.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 632, column 1, to line 632, column 73 <pre> </script><script src="/nikemind/assets/js/form_handler.js" type="text/javascript"></script> </pre>
45.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 633, column 1, to line 633, column 64 <pre> </script><script src="/nikemind/assets/js/app.js" type="text/javascript"></script> </pre>
46.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 634, column 1, to line 634, column 66 <pre> </script><script src="/nikemind/assets/js/outco.js" type="text/javascript"></script> </pre>
47.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 635, column 1, to line 635, column 102 <pre> </script><script src="/nikemind/extensions/inputmask/js/jquery.inputmask.bundle.min.js" type="text/javascript"></script> </pre>
48.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 636, column 1, to line 636, column 85 <pre> </script><script src="/nikemind/extensions/inputmask/js/input-mask.js" type="text/javascript"></script> </pre>
49.	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 636, column 202, to line 636, column 232 <pre> <script type="text/javascript">e" </pre>
50.	Warning Consider using the <code>h1</code> element as a top-level heading only — or else use the <code>headingoffset</code> attribute (otherwise, all <code>h1</code> elements are treated as top-level headings by many screen readers and other tools). From line 364, column 33, to line 364, column 47 <pre> <h1 id="vcs">e" </pre>
51.	Error The heading <code>h4</code> (with computed level 4) follows the heading <code>h1</code> (with computed level 1), skipping 2 heading levels. From line 216, column 17, to line 216, column 31 <pre> <h4 id="vcs">specia </pre>
52.	Error The heading <code>h5</code> (with computed level 5) follows the heading <code>h1</code> (with computed level 1), skipping 3 heading levels. From line 366, column 33, to line 366, column 51 <pre> <h5 id="prod_col">f2eaa </pre>
Document checking completed. Used the HTML parser. Externally specified character encoding was UTF-8. Total execution time 622 milliseconds.	

[About this checker](#) · [Download on Linux](#)

W3C HTML validator report queued.

