

Test Case Report

Offer Name: test
Tested URL: https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?AFFID=test&C1=testc1&C2=testc2&C3=testc3&state=CA
Test Date: 2026-05-09 03:14:11
Tested By: Automated Order Flow Runner
Overall Result: PASS
Report ID: ofr_20260508_234213_3729a153

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Browser Mode: Headed
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?AFFID=test&C1=testc1&C2=testc2&C3=testc3&state=CA
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	7009287	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 7009287

Result: **PASS**

Status: PLACED

Browser: msedge


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

CHECK POINT

Security report mode

STATUS

MANUAL

REPORT LINK

-

SCREEN SHORT

Screenshot pending

Mode=balanced, budget=180s, selected=8, skipped=3.

CHECK POINT

1. HTTP2 Report Link

STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT

The screenshot shows the KeyCDN website's 'Tools' section. The 'HTTP/2 Test' tool is selected under the 'Web' category. The interface includes a sidebar with navigation links: Website Speed Test, Performance Test, HTTP Header Checker, HTTP/2 Test (selected), and Brotli Test. The main content area displays the 'HTTP/2 Test' results for the URL 'https://www.bestvaultbargaindash.com/nirjawoodfireoutdoorgrill/?AFFID=test&C'. The results show that 'ALPN extension is supported.' and 'KeyCDN uses cookies to make its website easier to use. Learn more about cookies.' A 'Test' button is visible. Below the results, there is an 'HTTP/2 Test FAQ' section with questions and answers. The footer contains a 'Get started for free' banner, a 'Get started' button, and a 'Pricing' button. The footer also includes the KeyCDN logo, copyright information, and links to Features, Network, Pricing, API, About, Blog, Contact, Referrals, Careers, Knowledge Base, Network Status, Open Source, FAQ, and Tools.

Tools
Troubleshoot website, network, and CDN issues for fast resolutions.

Web
Website Speed Test
Performance Test
HTTP Header Checker
HTTP/2 Test
Brotli Test

Network
Security
Other

HTTP/2 Test
VERIFY HTTP/2 SUPPORT

URL

www.bestvaultbargaindash.com

HTTP/2
KeyCDN uses cookies to make its website easier to use. Learn more about cookies. X

ALPN extension is supported.

HTTP/2 Test FAQ

What is HTTP/2?
HTTP/2 is the first major HTTP protocol update since 1997 when HTTP/1.1 was first published by the IETF. The new HTTP protocol is needed to keep up with the exponential growth of the web. The successor of HTTP/1.1 brings significant improvement in efficiency, speed and security and is supported by most modern web browsers. A list of [browsers that support HTTP/2](#) can be found on caniuse.com.

- HTTP/2 is binary, instead of textual.
- It is fully multiplexed, sending multiple requests in parallel over a single TCP connection.
- It uses header compression HPACK to reduce overhead.
- It allows servers to "push" responses proactively into client caches instead of waiting for a new request for each resource
- It uses the new ALPN extension which allows for faster-encrypted connections since the application protocol is determined during the initial connection.
- It reduces additional round trip times (RTT), making your website load faster without any optimization.
- [Domain sharding](#) and asset concatenation is no longer needed with HTTP/2.

HTTP/2 introduces other improvements, more details: [HTTP/2 RFC7540](#)

This test can check HTTP and HTTPS but most browsers only support HTTP/2 for HTTPS, which means you must [migrate to HTTPS](#) if you want to take advantage of the performance benefits.

Does this test also verify SPDY?
Not directly, but it tests which TLS extension is supported to negotiate the protocols. The tested TLS extensions are either [NPN](#) or [ALPN](#). Next Protocol Negotiation (NPN) appeared as part of the SPDY protocol but it has been deprecated. Application Layer Protocol Negotiation (ALPN) is the successor of NPN and is approved by the IETF ([RFC7301](#)). However, NPN advertises the supported protocols from the server to the client and this test will show the advertised protocols if HTTP/2 is not supported. The protocol advertising has been reversed in ALPN (client to server). The first phase of this HTTP/2 check runs the ALPN test with only h2 in the protocol list.

How to test HTTP/2 via command line?
Get the latest [curl](#) release and use this command:
`curl -v --http2`

Get started for free
Try KeyCDN with a free 14 day trial, no credit card required.

keycdn
© 2016 promy LLC
Made in Switzerland

PRODUCT
Features
Network
Pricing
API

COMPANY
About
Blog
Contact
Referrals
Careers

SUPPORT
Knowledge Base
Network Status
Open Source
FAQ
Tools

HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

STATUS

MANUAL

REPORT LINK

[WhereGoes.com](https://www.wherewas.com/)

SCREEN SHORT

WhereGoes® - Trace Results

Trace Results

http://...

Trace URL

Advanced Options »

Date Traced: 2026-05-08 21:44:19 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

#	Code	Requested URL
1	301	http://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?AFFID=test&C1=test&C2=test&C3=test&state=CA
2	200	https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?AFFID=test&C1=test&C2=test&C3=test&state=CA

301 Redirect

Response Body:

```

HTTP/1.1 301 Moved Permanently
Date: Fri, 08 May 2026 21:44:20 GMT
Content-Type: text/html; charset=iso-8859-1
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
Location: https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?AFFID=test&C1=test&C2=test&C3=test&state=CA

```

Response MetaData:

```

Array
(
    [url] => http://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?AFFID=test&C1=test&C2=test&C3=test&state=CA
    [content_type] => text/html; charset=iso-8859-1
    [http_code] => 301
    [header_size] => 764
)

```

200

Response Body:

```

HTTP/2 206
date: Fri, 08 May 2026 21:44:20 GMT
content-type: text/html; charset=UTF-8
content-length: 8102
cache-control: no-store, no-cache, must-revalidate
vary: Accept-Encoding, User-Agent
content-encoding: gzip

```

Response MetaData:

```

Array
(
    [url] => https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?AFFID=test&C1=test&C2=test&C3=test&state=CA
    [content_type] => text/html; charset=UTF-8
    [http_code] => 200
    [header_size] => 751
)

```

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.

Click to Copy URL of This Trace

https://wheregoes.com/trace/20262108270/

Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

First

Last

Email

Subscribe

* All fields required.

Bot Info About Contact

Review Us:

★★★★★

TrustPilot

Follow:   

By using this website, you are agreeing to the [terms of use](#) and [privacy policy](#).

© 2009-2026 WhereGoes.com. WhereGoes® is a registered trademark of Sovereign Stack, LLC. All rights reserved.

HTTPS redirection trace captured.

CHECK POINT

5. Robots.txt Report Link

STATUS

MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
#
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor restricts
# permission via Content-Signal with respect to the corresponding use.
#
# The content signals and their meanings are:
#
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
# ai-input: ingesting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
# ai-train: training or fine-tuning AI models.
#
# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 4 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.
#
# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai-train=no
Allow: /
User-agent: Amazonbot
Disallow: /
User-agent: Applebot-Extended
Disallow: /
User-agent: Bytespider
Disallow: /
User-agent: CCBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: CloudflareBrowserRenderingCrawler
Disallow: /
User-agent: Google-Extended
Disallow: /
User-agent: GPTBot
Disallow: /
User-agent: meta-externalagent
Disallow: /
# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif$
User-agent: Googlebot-Image
Disallow: /*.jpg$
User-agent: Googlebot-Image
Disallow: /*.png$
User-agent: Googlebot-Image
Disallow: /*.svg$
User-agent: Googlebot-Image
Disallow: /*.webp$
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

3a. Domain Test URL (with www)


STATUS

FAIL

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT



Security task failed: 3a. Domain Test URL (with www) timed out while collecting the report screenshot.

CHECK POINT

3b. Domain Test URL (without www)


STATUS

FAIL

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT



Security task failed: 3b. Domain Test URL (without www) timed out while collecting the report screenshot.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: 6. Domain Expiry check Report Link timed out while collecting the report screenshot.

CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill?AFFID=test&C1=testc1&C2=testc2&C3=testc3&state=CA> (checked with vnu 26.5.8)

Checker Input

Show ☐ source ☐ outfile ☐ image report ☐ errors & warnings only

Check by **address** ▼

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1: to line 1, column 16

```
<html lang="en"><h1>hello</h1>
```

2 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 4, column 5: to line 4, column 28

```
head<?<meta charset="utf-8" />< />
```

3 **Error** A document must not include more than one `<meta>` element with a `<charset>` attribute.

From line 5, column 5: to line 5, column 27

```
<?> /><meta charset="utf-8" />< />
```

4 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 5, column 5: to line 5, column 27

```
<? /><meta charset="utf-8" />< />
```

5 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 5, column 1: to line 9, column 66

```
<title><?<meta name="description" content="Ninja Woodfire Outdoor Grill" />< />< />
```

6 **Error** A `<meta>` element with an `http-equiv` attribute whose value is `X-UA-Compatible` must have a `<content>` attribute with the value `IE=edge`.

From line 12, column 1: to line 12, column 64

```
<!--<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />< />< />
```

7 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 12, column 1: to line 12, column 64

```
<!--<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />< />< />
```

8 **Error** A document must not include both a `<meta>` element with an `http-equiv` attribute whose value is `content-type`, and a `<meta>` element with a `<charset>` attribute.

From line 13, column 1: to line 13, column 68

```
<meta=" /><meta http-equiv="content-type" content="text/html; charset=utf-8" />< />< />
```

9 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 13, column 1: to line 13, column 68

```
<meta=" /><meta http-equiv="content-type" content="text/html; charset=utf-8" />< />< />
```

10 **Error** Using the `<meta>` element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.

From line 14, column 1: to line 14, column 54

```
<utf-8" /><meta http-equiv="content-language" content="en-us" />< />< />
```

11 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 14, column 1: to line 14, column 54

```
<utf-8" /><meta http-equiv="content-language" content="en-us" />< />< />
```

12 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 16, column 1: to line 16, column 57

```
-us" /><meta name="apple-mobile-web-app-capable" content="yes" />< />< />
```

13 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 17, column 1: to line 17, column 68

```
t="yes" /><meta name="apple-mobile-web-app-status-bar-style" content="black" />< />< />
```

14 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 18, column 1: to line 18, column 46

```
"black" /><meta name="handheldFriendly" content="true" />< />< />
```

15 **Warning** Consider avoiding viewport values that prevent users from resizing documents.

From line 19, column 1: to line 19, column 105

```
"true" /><meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no" />< />< />
```

16 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 19, column 1: to line 19, column 105

```
"true" /><meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no" />< />< />
```

17 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 21, column 1: to line 21, column 116

```
ct1.png"><link rel="stylesheet" type="text/css" href="/ninja-woodfire-outdoorgrill/app/desktop/css/app_new.css?v=177827646" />< />< />
```

18 **Error** A document must not include more than one `<meta>` element with its `name` attribute set to the value `description`.

From line 23, column 1: to line 23, column 36

```
<7646" /><meta name="description" content="Ninja Woodfire Outdoor Grill" />< />< />
```

19 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 46, column 9: to line 46, column 107

```
<?><link rel="stylesheet" type="text/css" href="/ninja-woodfire-outdoorgrill/app/desktop/css/all.css" />< />< />
```

20 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 47, column 9: to line 47, column 111

```
<?><link rel="stylesheet" type="text/css" href="/ninja-woodfire-outdoorgrill/app/desktop/css/animate.css" />< />< />
```

21 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 48, column 9: to line 48, column 110

```
<?><link rel="stylesheet" type="text/css" href="/ninja-woodfire-outdoorgrill/app/desktop/css/custom.css" />< />< />
```

22 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 55, column 9: to line 55, column 106

```
<?><link rel="stylesheet" href="/ninja-woodfire-outdoorgrill/app/desktop/css/ppp.css?v=177827646" />< />< />
```

23 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 56, column 9: to line 56, column 113

```
<?><link rel="stylesheet" href="/ninja-woodfire-outdoorgrill/app/desktop/css/common_index.css?v=177827646" />< />< />
```

24 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 57, column 9: to line 57, column 107

```
<?><link rel="stylesheet" href="/ninja-woodfire-outdoorgrill/app/desktop/css/topPop.css?v=177827646" />< />< />
```

25 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 58, column 9: to line 58, column 110

```
<?><link rel="stylesheet" href="/ninja-woodfire-outdoorgrill/app/desktop/css/index_new.css?v=177827646" />< />< />
```

26 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 59, column 9: to line 59, column 96

```
<?><link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.1/css/all.css" />< />< />
```

27 **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 60, column 9: to line 60, column 101

```
<?><link rel="stylesheet" href="/ninja-woodfire-outdoorgrill/app/desktop/css/bootstrap.min.css" />< />< />
```

28 **Error** Element `<style>` not allowed as child of element `<page-builder-block>` in this context. (Suppressing further errors from this subtree.)

From line 63, column 9: to line 63, column 103

```
<?><style>< />< />< />
```

Contents in which element `<style>` may be used:

Where `<meta-data content>` is expected.

In a `<script>` element that is a child of a `<head>` element.

29 **Error** CSS: `margin-top`: Too many values or values are not recognized.

From line 73, column 26: to line 73, column 28

```
gin-top:0 2px;< />< />< />
```

30 **Error** Stray end tag `<head>`.

From line 124, column 1: to line 124, column 7

```
</block>< /></head>< />< />
```

	Error Start tag <body> seen before element of the same type was already open. From line 126, column 1, to line 126, column 6 <pre><!--></head><!--><body></pre>
32	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 181, column 33, to line 181, column 139 <pre></pre>
33	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 181, column 33, to line 181, column 139 <pre></pre>
34	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 184, column 33, to line 184, column 137 <pre></pre>
35	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 184, column 33, to line 184, column 137 <pre></pre>
36	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 187, column 33, to line 187, column 137 <pre></pre>
37	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 187, column 33, to line 187, column 137 <pre></pre>
38	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 190, column 33, to line 190, column 137 <pre></pre>
39	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 190, column 33, to line 190, column 137 <pre></pre>
40	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 193, column 33, to line 193, column 137 <pre></pre>
41	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 193, column 33, to line 193, column 137 <pre></pre>
42	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 196, column 33, to line 196, column 137 <pre></pre>
43	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 196, column 33, to line 196, column 137 <pre></pre>
44	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 199, column 33, to line 199, column 137 <pre></pre>
45	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 199, column 33, to line 199, column 137 <pre></pre>
46	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 202, column 33, to line 202, column 137 <pre></pre>
47	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 202, column 33, to line 202, column 137 <pre></pre>
48	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 205, column 33, to line 205, column 137 <pre></pre>
49	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 205, column 33, to line 205, column 137 <pre></pre>
50	Error An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 208, column 33, to line 208, column 139 <pre></pre>
51	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 208, column 33, to line 208, column 139 <pre></pre>
52	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 262, column 33, to line 262, column 38 <pre>
</pre>
53	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 320, column 33, to line 320, column 38 <pre>
</pre>
54	Error Bad value application/x-www-form-urlencoded;charset=utf-8 for attribute enctype on element form. From line 322, column 37, to line 324, column 70 <pre><form method="post" action="/jsa.php/testdbmw_project" name="project_form">accept_charset=utf-8" enctype=application/www-form-urlencoded;charset=utf-8" class="new-form" id="theForm"></pre>
55	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 328, column 53, to line 330, column 109 <pre><input name="firstName" type="text" placeholder="First Name">Data: error - message>Please enter your first name! /></pre>
56	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 335, column 53, to line 337, column 108 <pre><input name="lastName" type="text" placeholder="Last Name" value="">Data: error - message>Please enter your last name! /></pre>
57	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 342, column 45, to line 344, column 102 <pre><input name="email" type="email" placeholder="Email Address" value"">Data: error - message>Please enter a valid email id! /></pre>
58	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 356, column 45, to line 358, column 96 <pre><input type="text" class="form-control form-control-xe required">Data: error - message>Please enter your address! /></pre>
59	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 361, column 45, to line 363, column 95 <pre><input type="text" class="form-control form-control-xe required" id="city">Data: error - message>Please enter your city! /></pre>
60	Error Duplicate attribute type. At line 373, column 89 <pre>[rating<+ type="text"></pre>

61	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 373, column 45; to line 376, column 106 <pre> <input type="text" name="shippingState" type="text" class="form-control form-control-xe required" data-group="1" id="shippingState" data-default="" data-error-message="Please select your state!" readonly /> </pre>
62	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 379, column 45; to line 383, column 120 <pre> <input type="tel" class="form-control form-control-xe required" id="zip"> name="shippingZip" placeholder="Zip code" maxlength="5"> max-length="5"> data-error-message="Please enter a valid Zip code"> </pre>
63	Error An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 392, column 60; to line 394, column 68 <pre> </div> </pre>
64	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 392, column 60; to line 394, column 68 <pre> </div> </pre>
65	Error An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 395, column 60; to line 397, column 68 <pre> </div> </pre>
66	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 395, column 60; to line 397, column 68 <pre> </div> </pre>
67	Error An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 398, column 60; to line 400, column 68 <pre> </div> </pre>
68	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 398, column 60; to line 400, column 68 <pre> </div> </pre>
69	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 415, column 13; to line 415, column 18 <pre>

 </pre>
70	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 415, column 19; to line 415, column 24 <pre>

 </pre>
71	Error An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 416, column 13; to line 416, column 98 <pre> </pre>
72	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 416, column 13; to line 416, column 98 <pre> </pre>
73	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 417, column 13; to line 417, column 18 <pre>

 </pre>
74	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 417, column 19; to line 417, column 24 <pre>

 </pre>
75	Warning Section lacks heading. Consider using <code>h2</code>/<code>h3</code> elements to add identifying headings to all sections, or else use a <code>div</code> element instead for any cases where no heading is needed. From line 422, column 5; to line 422, column 25 <pre> <section id="footer"> </pre>
76	Error Duplicate ID <code>loading-indicator</code>. From line 448, column 5; to line 448, column 52 <pre> <div id="loading-indicator" style="display:none">Proceed </pre>
77	Warning The first occurrence of ID <code>loading-indicator</code> was here. From line 389, column 41; to line 389, column 88 <pre> <div id="loading-indicator" style="display:none">Proceed </pre>
78	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 450, column 9; to line 450, column 39 <pre> <script type="text/javascript">h3h3_f </pre>
79	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 450, column 2914; to line 450, column 2944 <pre> </script><script type="text/javascript">app_1a </pre>
80	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 450, column 4033; to line 450, column 4063 <pre> </script><script type="text/javascript">var cb </pre>
81	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 453, column 1; to line 453, column 69 <pre> </script><script src="/ninjawoodfireoutdoorgrill/assets/js/promise.min.js" type="text/javascript"></script> </pre>
82	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 454, column 1; to line 454, column 88 <pre> </script><script src="/ninjawoodfireoutdoorgrill/assets/js/jquery.min.js" type="text/javascript"></script> </pre>
83	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 455, column 1; to line 455, column 93 <pre> </script><script src="/ninjawoodfireoutdoorgrill/assets/js/jquery.mask.min.js" type="text/javascript"></script> </pre>
84	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 456, column 1; to line 456, column 67 <pre> </script><script src="/ninjawoodfireoutdoorgrill/assets/js/validator.js" type="text/javascript"></script> </pre>
85	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 457, column 1; to line 457, column 86 <pre> </script><script src="/ninjawoodfireoutdoorgrill/assets/js/codebase.js" type="text/javascript"></script> </pre>
86	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 458, column 1; to line 458, column 90 <pre> </script><script src="/ninjawoodfireoutdoorgrill/assets/js/form_handler.js" type="text/javascript"></script> </pre>
87	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 459, column 1; to line 459, column 81 <pre> </script><script src="/ninjawoodfireoutdoorgrill/assets/js/app.js" type="text/javascript"></script> </pre>
88	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 460, column 1; to line 460, column 83 <pre> </script><script src="/ninjawoodfireoutdoorgrill/assets/js/outro.js" type="text/javascript"></script> </pre>
89	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 461, column 1; to line 461, column 110 <pre> </script><script src="/ninjawoodfireoutdoorgrill/extensions/GoUtilityPackage/js/cb-util-pkg.js" type="text/javascript"></script> </pre>
90	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 462, column 1; to line 462, column 119 <pre> </script><script src="/ninjawoodfireoutdoorgrill/extensions/InputGroup/js/jquery.inputmask.bundle.min.js" type="text/javascript"> </script> </pre>
91	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 463, column 1; to line 463, column 102 <pre> </script><script src="/ninjawoodfireoutdoorgrill/extensions/InputGroup/js/input-mask.js" type="text/javascript"></script> </pre>
92	Warning The <code>type</code> attribute is unnecessary for JavaScript resources. From line 463, column 236; to line 463, column 266 <pre> <script type="text/javascript"> </pre>

93. **Error** The heading `<h3>` (with computed level 3) follows the heading `<h1>` (with computed level 1), skipping 1 heading level.
From line 285, column 33, to line 285, column 52

`<h3 class="redText">capaa.`

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.

W3C HTML validator report queued.