

Test Case Report

Offer Name: <https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?affid=1&state=CA>
Tested URL: <https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?affid=1&state=CA>
Test Date: 2026-05-09 13:24:26
Tested By: Automated Order Flow Runner
Overall Result: **PASS**
Report ID: ofr_20260509_095227_1c7d00bb

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Browser Mode: Headed
Total Rows: 1

Product Map

Primary Offer: <https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?affid=1&state=CA>
Landing URL: <https://www.bestvaultbargaindash.com/ninjawoodfireoutdoorgrill/?affid=1&state=CA>
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	7012637	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 7012637

Result: PASS

Status: PLACED

Browser: msedge


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

CHECK POINT

Security report mode

STATUS

MANUAL

REPORT LINK

-

SCREEN SHORT

Screenshot pending

Mode=balanced, budget=180s, selected=8, skipped=3.

CHECK POINT

1. HTTP2 Report Link

STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT

The screenshot shows the KeyCDN website's 'Tools' section. The 'HTTP/2 Test' tool is selected, displaying a form to verify HTTP/2 support. The URL entered is `https://www.bestvaultbargaindash.com/nirjawoodfireoutdoorgrill/?affid=18&state=`. The 'Test' button is visible. Below the form, a message states 'KeyCDN uses cookies to make its website easier to use. Learn more about cookies.' and another message confirms 'ALPN extension is supported.'.

HTTP/2 Test FAQ

What is HTTP/2?

HTTP/2 is the first major HTTP protocol update since 1997 when HTTP/1.1 was first published by the IETF. The new HTTP protocol is needed to keep up with the exponential growth of the web. The successor of HTTP/1.1 brings significant improvement in efficiency, speed and security and is supported by most modern web browsers. A list of [browsers that support HTTP/2](#) can be found on caniuse.com.

- HTTP/2 is binary, instead of textual.
- It is fully multiplexed, sending multiple requests in parallel over a single TCP connection.
- It uses header compression HPACK to reduce overhead.
- It allows servers to "push" responses proactively into client caches instead of waiting for a new request for each resource
- It uses the new [ALPN](#) extension which allows for faster-encrypted connections since the application protocol is determined during the initial connection.
- It reduces additional round trip times (RTT), making your website load faster without any optimization.
- Domain sharding and asset concatenation is no longer needed with HTTP/2.

HTTP/2 introduces other improvements, more details: [HTTP/2 RFC7540](#)

This test can check HTTP and HTTPS but most browsers only support HTTP/2 for HTTPS, which means you must migrate to HTTPS if you want to take advantage of the performance benefits.

Does this test also verify SPDY?

Not directly, but it tests which TLS extension is supported to negotiate the protocols. The tested TLS extensions are either [NPN](#) or [ALPN](#). Next Protocol Negotiation (NPN) appeared as part of the SPDY protocol but it has been deprecated. Application Layer Protocol Negotiation (ALPN) is the successor of NPN and is approved by the IETF ([RFC7301](#)). However, NPN advertises the supported protocols from the server to the client and this test will show the advertised protocols if HTTP/2 is not supported. The protocol advertising has been reversed in ALPN (client to server). The first phase of this HTTP/2 check runs the ALPN test with only H2 in the protocol list.

How to test HTTP/2 via command line?

Get the latest [curl](#) release and use this command:

```
curl ->http2 .
```

Get started for free

Try KeyCDN with a free 14 day trial, no credit card required.

[Get started](#) [Pricing](#)

keycdn

© 2026 prony LLC
Made in Switzerland

[Terms](#) [Privacy](#) [GDPR](#)

PRODUCT

- Features
- Network
- Pricing
- API

COMPANY

- About
- Blog
- Contact
- Referrals
- Careers

SUPPORT

- Knowledge Base
- Network Status
- Open Source
- FAQ
- Tools

HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

SCREEN SHORT

HTTPS redirection trace captured.

CHECK POINT

5. Robots.txt Report Link

STATUS

MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
#
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor reserves
# permission via Content-Signal with respect to the corresponding use.
#
# The content signals and their meanings are:
#
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
#
# ai-input: importing content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
#
# ai-train: training or fine-tuning AI models.
#
# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 17 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.
#
# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai-train=no
Allow: /
User-agent: Amazonbot
Disallow: /
User-agent: Applebot-Extended
Disallow: /
User-agent: Bypassider
Disallow: /
User-agent: CCBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: CloudflareBrowserRenderingCrawler
Disallow: /
User-agent: Google-Extended
Disallow: /
User-agent: GPTBot
Disallow: /
User-agent: Meta-externalagent
Disallow: /
# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif
User-agent: Googlebot-Image
Disallow: /*.jpg
User-agent: Googlebot-Image
Disallow: /*.png
User-agent: Googlebot-Image
Disallow: /*.svg
User-agent: Googlebot-Image
Disallow: /*.tiff
User-agent: Googlebot-Image
Disallow: /*.webp
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

3a. Domain Test URL (with www)

STATUS

FAIL

REPORT LINK


[WhatsMyDNS](#)

SCREEN SHORT

 **www.whatsmydns.net**

Performing security verification

This website uses a security service to protect against malicious bots. This page is displayed while the website verifies you are not a bot.



Ray ID: 9f8f23828f9f926a
Performance and Security by [Cloudflare](#) | [Privacy](#)

Security task failed: 3a. Domain Test URL (with www) timed out while collecting the report screenshot.

CHECK POINT

3b. Domain Test URL (without www)

STATUS

FAIL

REPORT LINK


[WhatsMyDNS](#)

SCREEN SHORT

 **www.whatsmydns.net**

Performing security verification

This website uses a security service to protect against malicious bots. This page is displayed while the website verifies you are not a bot.



Ray ID: 9f8f2448e933526a
Performance and Security by [Cloudflare](#) | [Privacy](#)

Security task failed: 3b. Domain Test URL (without www) timed out while collecting the report screenshot.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: 6. Domain Expiry check Report Link timed out while collecting the report screenshot.

CHECK POINT

10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

31.	Error Start tag <code><body></code> seen but an element of the same type was already open. From line 126, column 1, to line 126, column 6 <pre><!/head><body></pre>
32.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 181, column 33, to line 181, column 139 <pre></pre>
33.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 181, column 33, to line 181, column 139 <pre></pre>
34.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 184, column 33, to line 184, column 137 <pre></pre>
35.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 184, column 33, to line 184, column 137 <pre></pre>
36.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 187, column 33, to line 187, column 137 <pre></pre>
37.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 187, column 33, to line 187, column 137 <pre></pre>
38.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 190, column 33, to line 190, column 137 <pre></pre>
39.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 190, column 33, to line 190, column 137 <pre></pre>
40.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 193, column 33, to line 193, column 137 <pre></pre>
41.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 193, column 33, to line 193, column 137 <pre></pre>
42.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 196, column 33, to line 196, column 137 <pre></pre>
43.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 196, column 33, to line 196, column 137 <pre></pre>
44.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 199, column 33, to line 199, column 137 <pre></pre>
45.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 199, column 33, to line 199, column 137 <pre></pre>
46.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 202, column 33, to line 202, column 137 <pre></pre>
47.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 202, column 33, to line 202, column 137 <pre></pre>
48.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 205, column 33, to line 205, column 137 <pre></pre>
49.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 205, column 33, to line 205, column 137 <pre></pre>
50.	Error An <code></code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images. From line 208, column 33, to line 208, column 138 <pre></pre>
51.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 208, column 33, to line 208, column 138 <pre></pre>
52.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 282, column 33, to line 282, column 38 <pre><hr /></pre>
53.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 320, column 33, to line 320, column 38 <pre><hr /></pre>
54.	Error Bad value <code>application/x-www-form-urlencoded;charset=utf-8</code> for attribute <code>enctype</code> on element <code><form></code>. From line 322, column 37, to line 324, column 70 <pre><form method="post" action="/ajax.php/method_new_prospect" name="prospect_form"> accept-charset=utf-8" enctype="application/x-www-form-urlencoded" charset=utf-8" class="new-form" id="theForm"></pre>
55.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 328, column 53, to line 330, column 109 <pre><input name="firstName" type="text" placeholder="First Name" value="" class="form-control form-control-ke required" message="Please enter your first name" /></pre>
56.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 335, column 53, to line 337, column 108 <pre><input name="lastName" type="text" placeholder="Last Name" value="" class="form-control form-control-ke required" data-error-message="Please enter your last name" /></pre>
57.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 342, column 45, to line 344, column 102 <pre><input name="email" type="email" placeholder="Email Address" value="" pattern="" class="form-control form-control-ke required" data-error-message="Please enter a valid email id" /></pre>
58.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 356, column 45, to line 358, column 98 <pre><input type="text" class="form-control form-control-ke required" name="shippingAddress" placeholder="Address" address" /></pre>
59.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values. From line 361, column 45, to line 363, column 95 <pre><input type="text" class="form-control form-control-ke required" id="city" name="shippingCity" value="" placeholder="City" your city" /></pre>
60.	Error Duplicate attribute <code>type</code>. At line 373, column 69 <pre><input type="text"></pre>
61.	Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 373, column 45, to line 376, column 108

```
<input type="text" name="shippingState" type="text" class="form-control form-control-xx required" id="zip" data-group="1" id="shippingState" data-error-message="Please select your state!" readonly />
```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 379, column 45, to line 383, column 120

```
<input type="tel" class="form-control form-control-xx required" id="zip" data-min-length="5" data-max-length="5" data-error-message="Please enter a valid zip code" />
```

Error An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 392, column 60, to line 394, column 68

```

```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 392, column 60, to line 394, column 68

```

```

Error An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 395, column 60, to line 397, column 68

```

```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 395, column 60, to line 397, column 68

```

```

Error An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 398, column 60, to line 400, column 68

```

```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 398, column 60, to line 400, column 68

```

```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 415, column 13, to line 415, column 18

```
<br />
```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 415, column 19, to line 415, column 24

```
<br />
```

Error An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 416, column 13, to line 416, column 98

```

```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 416, column 13, to line 416, column 98

```

```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 417, column 13, to line 417, column 18

```
<br />
```

Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 417, column 19, to line 417, column 24

```
<br />
```

Warning Section lacks heading. Consider using `h2` or `h3` elements to add identifying headings to all sections, or else use a `div` element instead for any cases where no heading is needed.

From line 422, column 5, to line 422, column 25

```
<div id="footer">
```

Error Duplicate ID `loading-indicator`.

From line 448, column 5, to line 448, column 52

```
<div id="loading-indicator" style="display:none">Proceed
```

Warning The first occurrence of ID `loading-indicator` was here.

From line 389, column 41, to line 389, column 88

```
<div id="loading-indicator" style="display:none">Proceed
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 450, column 9, to line 450, column 39

```
<script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 450, column 2862, to line 450, column 2912

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 450, column 4001, to line 450, column 4031

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 453, column 1, to line 453, column 89

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 454, column 1, to line 454, column 88

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 455, column 1, to line 455, column 93

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 456, column 1, to line 456, column 87

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 457, column 1, to line 457, column 86

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 458, column 1, to line 458, column 90

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 459, column 1, to line 459, column 81

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 460, column 1, to line 460, column 83

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 461, column 1, to line 461, column 110

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 462, column 1, to line 462, column 119

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 463, column 1, to line 463, column 102

```
</script><script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 463, column 236, to line 463, column 266

```
<script src="/ninjaboodfireoutdoorgrill/app/js/app.js" type="text/javascript">
```

93. **Error** The heading `h3` (with computed level 3) follows the heading `h1` (with computed level 1), skipping 1 heading level.
From line 285, column 33 to line 285, column 52

`h3 class="redText">capax`

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.

W3C HTML validator report queued.