

Test Case Report

Offer Name: test
Tested URL: <https://vaultnextmartelite.com/dewalt20vmaxcombokit?affid=1&state=CA>
Test Date: 2026-05-09 16:07:41
Tested By: Automated Order Flow Runner
Overall Result: **PASS**
Report ID: ofr_20260509_123540_c82da120

Credentials

Browser: msedge
Execution Type: Order Flow Automation
Browser Mode: Headed
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: <https://vaultnextmartelite.com/dewalt20vmaxcombokit?affid=1&state=CA>
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

Row	Email	Order ID	Result	Status	Card Type	Card Last 4	Notes
1	pritam.bhar+000020000@codeclouds.com	7012651	PASS	PLACED	VISA	4442	Order placed successfully.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 7012651

Result: PASS

Status: PLACED

Browser: msedge


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:



Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

CHECK POINT

Security report mode

STATUS

MANUAL

REPORT LINK

-

SCREEN SHORT

Screenshot pending

Mode=balanced, budget=180s, selected=7, skipped=3.

CHECK POINT

1. HTTP2 Report Link

STATUS

MANUAL

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHORT

The screenshot shows the KeyCDN Tools page with the 'HTTP/2 Test' tool selected. The tool is used to verify HTTP/2 support on a website. The URL entered is `https://vaultnextmartelite.com/dewalt20vmaxcombokit?affid=1&state=CA`. The test results show that the website supports HTTP/2 and ALPN extension. The page also includes an FAQ section for HTTP/2 and a 'Get started for free' banner.

Tools
Troubleshoot website, network, and CDN issues for fast resolutions.

Web
Website Speed Test
Performance Test
HTTP Header Checker
HTTP/2 Test
Brotli Test

Network
Security
Other

HTTP/2 Test

VERIFY HTTP/2 SUPPORT

URL
`https://vaultnextmartelite.com/dewalt20vmaxcombokit?affid=1&state=CA` **Test**

vaultnextmartelite.com

HTTP/2
KeyCDN uses cookies to make its website easier to use. Learn more about cookies. X

ALPN extension is supported.

HTTP/2 Test FAQ

What is HTTP/2?
HTTP/2 is the first major HTTP protocol update since 1997 when HTTP/1.1 was first published by the IETF. The new HTTP protocol is needed to keep up with the exponential growth of the web. The successor of HTTP/1.1 brings significant improvement in efficiency, speed and security and is supported by most modern web browsers. A list of [browsers that support HTTP/2](#) can be found on caniuse.com.

- HTTP/2 is binary, instead of textual.
- It is fully multiplexed, sending multiple requests in parallel over a single TCP connection.
- It uses header compression HPACK to reduce overhead.
- It allows servers to "push" responses proactively into client caches instead of waiting for a new request for each resource
- It uses the new **ALPN** extension which allows for faster-encrypted connections since the application protocol is determined during the initial connection.
- It reduces additional round trip times (RTT), making your website load faster without any optimization.
- Domain sharding and asset concatenation is no longer needed with HTTP/2.

HTTP/2 introduces other improvements, more details: [HTTP/2 RFC7540](#)

This test can check HTTP and HTTPS but most browsers only support HTTP/2 for HTTPS, which means you must migrate to HTTPS if you want to take advantage of the performance benefits.

Does this test also verify SPDY?
Not directly, but it tests which TLS extension is supported to negotiate the protocols. The tested TLS extensions are either **NPN** or **ALPN**. Next Protocol Negotiation (NPN) appeared as part of the SPDY protocol but it has been deprecated. Application Layer Protocol Negotiation (ALPN) is the successor of NPN and is approved by the IETF ([RFC7301](#)). However, NPN advertises the supported protocols from the server to the client and this test will show the advertised protocols if HTTP/2 is not supported. The protocol advertising has been reversed in ALPN (client to server). The first phase of this HTTP/2 check runs the ALPN test with only H2 in the protocol list.

How to test HTTP/2 via command line?
Get the latest `curl` release and use this command:
`curl ->http2`

Get started for free
Try KeyCDN with a free 14 day trial, no credit card required.

Get started **Pricing**

keycdn
© 2026 prony LLC
Made in Switzerland

PRODUCT
Features
Network
Pricing
API

COMPANY
About
Blog
Contact
Referrals
Careers

SUPPORT
Knowledge Base
Network Status
Open Source
FAQ
Tools

Terms Privacy GDPR

HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

SCREEN SHORT

HTTPS redirection trace captured.

CHECK POINT

5. Robots.txt Report Link

STATUS

MANUAL

REPORT LINK

[robots.txt](#)

SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
#
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor reserves
# permission via Content-Signal with respect to the corresponding use.
#
# The content signals and their meanings are:
#
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
#
# ai-input: inputting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
#
# ai-train: training or fine-tuning AI models.
#
# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 17 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.
#
# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai-train=no
Allow: /
User-agent: Amazonbot
Disallow: /
User-agent: Applebot-Extended
Disallow: /
User-agent: Bypassider
Disallow: /
User-agent: CCBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: CloudflareBrowserRenderingCrawler
Disallow: /
User-agent: Google-Extended
Disallow: /
User-agent: GPTBot
Disallow: /
User-agent: Meta-externalagent
Disallow: /
# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif
User-agent: Googlebot-Image
Disallow: /*.jpg
User-agent: Googlebot-Image
Disallow: /*.png
User-agent: Googlebot-Image
Disallow: /*.svg
User-agent: Googlebot-Image
Disallow: /*.tiff
User-agent: Googlebot-Image
Disallow: /*.webp
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

CHECK POINT

3. Domain Test URL Report Link

STATUS

FAIL

REPORT LINK


[WhatsMyDNS](#)

SCREEN SHORT

 **www.whatsmydns.net**

Performing security verification

This website uses a security service to protect against malicious bots. This page is displayed while the website verifies you are not a bot.



Ray ID: 9f981262f65d7154
Performance and Security by [Cloudflare](#) | [Privacy](#)

Security task failed: 3. Domain Test URL Report Link timed out while collecting the report screenshot.

CHECK POINT

4. Safe Browsing Site Status Report Link


STATUS

MANUAL

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: 6. Domain Expiry check Report Link timed out while collecting the report screenshot.

- CHECK POINT
- 10. HTML Optimisation Report Link**
- STATUS
- MANUAL
- REPORT LINK
- [W3C Validator](#)
- SCREEN SHORT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://vaultnextmartelite.com/deval120vmaxcombokit?affid=1&state=CA> (checked with vnu 26.5.8)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by address

<https://vaultnextmartelite.com/deval120vmaxcombokit?affid=1&state=CA>

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1, to line 1, column 16
`<html lang="en">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 4, column 5, to line 4, column 28
`<head><meta charset="utf-8"/></>`
- Error** A document must not include more than one `<meta>` element with a `charset` attribute.
From line 6, column 5, to line 6, column 27
`><meta charset="utf-8"/><meta charset="utf-8"/>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 6, column 5, to line 6, column 27
`><meta charset="utf-8"/><meta charset="utf-8"/>`
- Error** Element `<title>` not allowed as child of element `<head>` in this context. (Suppressing further errors from this subtree.)
From line 8, column 1, to line 8, column 7
`<title></><title></></>`
Contexts in which element `<title>` may be used:
In a `<head>` element containing no other `<title>` elements.
Content model for element `<title>`:
If the document is an `<iframe>` document or if title information is available from a higher-level protocol. Zero or more elements of `<meta data-content="">`, of which no more than one is a `<title>` element and no more than one is a `<base>` element.
Otherwise: One or more elements of `<meta data-content="">`, of which exactly one is a `<title>` element and no more than one is a `<base>` element.
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 10, column 1, to line 10, column 62
`</title><meta name="description" content="Default 20V Max Combo Kit"/></>`
- Error** A `<meta>` element with an `http-equiv` attribute whose value is `X-UA-Compatible` must have a `content` attribute with the value `IE=edge`.
From line 13, column 1, to line 13, column 64
`<!--><meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1"/><meta -->`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 13, column 1, to line 13, column 64
`<!--><meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1"/><meta -->`
- Error** A document must not include both a `<meta>` element with an `http-equiv` attribute whose value is `content-type`, and a `<meta>` element with a `charset` attribute.
From line 14, column 1, to line 14, column 68
`content="text/html; charset=utf-8"/><meta http-equiv="content-type" content="text/html; charset=utf-8"/><meta -->`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 14, column 1, to line 14, column 68
`content="text/html; charset=utf-8"/><meta http-equiv="content-type" content="text/html; charset=utf-8"/><meta -->`
- Error** Using the `<meta>` element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.
From line 15, column 1, to line 15, column 54
`<!--><meta http-equiv="content-language" content="en-us"/><meta -->`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 15, column 1, to line 15, column 54
`<!--><meta http-equiv="content-language" content="en-us"/><meta -->`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 17, column 1, to line 17, column 57
`--us"><meta name="apple-mobile-web-app-capable" content="yes"/><meta --us">`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 18, column 1, to line 18, column 68
`t="yes"/><meta name="apple-mobile-web-app-status-bar-style" content="black"/><meta --t="yes"/>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 19, column 1, to line 19, column 46
`"black"/><meta name="handheldfriendly" content="true"/><meta --"black"/>`
- Warning** Consider avoiding viewport values that prevent users from resizing documents.
From line 20, column 1, to line 20, column 105
`==true"/><meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no"/><link ==true"/>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 20, column 1, to line 20, column 105
`==true"/><meta name="viewport" content="width=device-width,initial-scale=1.0,maximum-scale=1.0,user-scalable=no"/><link ==true"/>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 22, column 1, to line 22, column 111
`g?v=8221"><link rel="stylesheet" type="text/css" href="/deval120vmaxcombokit/app/desktop/css/app_new.css?v=1778323150"/><meta g?v=8221">`
- Error** A document must not include more than one `<meta>` element with its `name` attribute set to the value `description`.
From line 24, column 1, to line 24, column 36
`3150"/><meta name="description" content=""><meta --3150"/>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 45, column 9, to line 45, column 102
`><link rel="stylesheet" type="text/css" href="/deval120vmaxcombokit/app/desktop/css/all.css"/>>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 46, column 9, to line 46, column 106
`><link rel="stylesheet" type="text/css" href="/deval120vmaxcombokit/app/desktop/css/animate.css"/>>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 47, column 9, to line 47, column 118
`><link rel="stylesheet" type="text/css" href="/deval120vmaxcombokit/app/desktop/css/custom.css?v=1778323150"/>>`
- Error** Element `<style>` not allowed as child of element `<page-builder-block>` in this context. (Suppressing further errors from this subtree.)
From line 57, column 9, to line 57, column 15
`><style></>`
Contexts in which element `<style>` may be used:
Where `<style data-content="">` is expected.
In a `<noscript>` element that is a child of a `<head>` element.
- Error** Stray end tag `<head>`.
From line 194, column 1, to line 194, column 7
`<!--><!--></head></>`
- Error** Start tag `<body>` seen but an element of the same type was already open.
From line 196, column 1, to line 196, column 6
`<!--></head><!--><body></>`
- Error** Element `<img>` is missing one or more of the following attributes: `src`, `srcset`.
From line 251, column 33, to line 251, column 185
`</>`
Attributes for element `<img>`:
Global attributes
`alt` — Replacement text for use when images are not available
`src` — Address of the resource
`srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
`sizes` — Image sizes for different page layouts
`crossorigin` — How the element handles crossorigin requests
`usemap` — Name of `<img map>` to use
`ismap` — Whether the image is a server-side image map
`controls` — Show user agent controls

`width` — Horizontal dimension
`height` — Vertical dimension
`referrerpolicy` — [Referrer policy](#) for `<img>`s initiated by the element
`decoding` — Decoding hint to use when processing this image for presentation
`loading` — Used when determining loading deferral
`fetchpriority` — Sets the [priority](#) for `<img>`s initiated by the element

27. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**

From line 251, column 33 to line 251, column 185

```

```

28. **Error** Element `<img>` is missing one or more of the following attributes: `src`, `srcset`.

From line 298, column 71 to line 300, column 63

```
<!-->  </img>
```

Attributes for element `<img>`

Global attributes

`alt` — Replacement text for use when images are not available

`src` — Address of the resource

`srcset` — Images to use in different situations, e.g. high-resolution displays, small monitors, etc.

`sizes` — Image sizes for different page layouts

`crossorigin` — How the element handles crossorigin requests

`usemap` — Name of `<img.map>` to use

`ismap` — Whether the image is a server-side image map

`controls` — Show user agent controls

`width` — Horizontal dimension

`height` — Vertical dimension

`referrerpolicy` — [Referrer policy](#) for `<img>`s initiated by the element

`decoding` — Decoding hint to use when processing this image for presentation

`loading` — Used when determining loading deferral

`fetchpriority` — Sets the [priority](#) for `<img>`s initiated by the element

29. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**

From line 298, column 71 to line 300, column 63

```
<!-->  </img>
```

30. **Error** Bad value `application/x-www-form-urlencoded;charset=utf-8` for attribute `enctype` on element `<form>`.

From line 349, column 41 to line 351, column 117

```
<form method="post" action="/ajax.php?method=new_prospect" name="prospect_form">
<input type="text" value="" data-vali
enctype="application/x-www-form-urlencoded;charset=utf-8"
class="px-1-0">
```

31. **Error** Duplicate attribute `value`.

At line 377, column 56

```
<input type="text" value="" data-vali
```

32. **Error** An `<img>` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 472, column 75 to line 472, column 188

```
<!-->  Secur
```

33. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**

From line 472, column 75 to line 472, column 188

```
<!-->  Secur
```

34. **Error** Element `<img>` is missing one or more of the following attributes: `src`, `srcset`.

From line 482, column 41 to line 482, column 176

```
</div>
```

Attributes for element `<img>`

Global attributes

`alt` — Replacement text for use when images are not available

`src` — Address of the resource

`srcset` — Images to use in different situations, e.g. high-resolution displays, small monitors, etc.

`sizes` — Image sizes for different page layouts

`crossorigin` — How the element handles crossorigin requests

`usemap` — Name of `<img.map>` to use

`ismap` — Whether the image is a server-side image map

`controls` — Show user agent controls

`width` — Horizontal dimension

`height` — Vertical dimension

`referrerpolicy` — [Referrer policy](#) for `<img>`s initiated by the element

`decoding` — Decoding hint to use when processing this image for presentation

`loading` — Used when determining loading deferral

`fetchpriority` — Sets the [priority](#) for `<img>`s initiated by the element

35. **Info** Trailing slash on void elements **has no effect and interacts badly with unquoted attribute values.**

From line 482, column 41 to line 482, column 176

```
</div>
```

36. **Error** The element `<footer>` must not appear as a descendant of the `<footer>` element.

From line 513, column 17 to line 513, column 45

```
<footer class="footer-main">
```

37. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 543, column 9 to line 543, column 39

```
<script type="text/javascript">haha_y
```

38. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 543, column 2877 to line 543, column 2907

```
</script><script type="text/javascript">app_1a
```

39. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 543, column 3996 to line 543, column 4026

```
</script><script type="text/javascript">var cb
```

40. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 546, column 1 to line 546, column 84

```
</script><script src="/devault20vmaxcombokit/assets/js/promise.min.js" type="text/javascript"></script>
```

41. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 547, column 1 to line 547, column 83

```
</script><script src="/devault20vmaxcombokit/assets/js/jquery.min.js" type="text/javascript"></script>
```

42. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 548, column 1 to line 548, column 88

```
</script><script src="/devault20vmaxcombokit/assets/js/jquery.mask.min.js" type="text/javascript"></script>
```

43. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 549, column 1 to line 549, column 82

```
</script><script src="/devault20vmaxcombokit/assets/js/validator.js" type="text/javascript"></script>
```

44. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 550, column 1 to line 550, column 81

```
</script><script src="/devault20vmaxcombokit/assets/js/codebase.js" type="text/javascript"></script>
```

45. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 551, column 1 to line 551, column 85

```
</script><script src="/devault20vmaxcombokit/assets/js/form_handler.js" type="text/javascript"></script>
```

46. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 552, column 1 to line 552, column 76

```
</script><script src="/devault20vmaxcombokit/assets/js/app.js" type="text/javascript"></script>
```

47. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 553, column 1 to line 553, column 78

```
</script><script src="/devault20vmaxcombokit/assets/js/outline.js" type="text/javascript"></script>
```

48. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 554, column 1 to line 554, column 105

```
</script><script src="/devault20vmaxcombokit/extensions/CDOTilityPackage/js/cb-util-pkg.js" type="text/javascript"></script>
```

49. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 555, column 1 to line 555, column 114

```
</script><script src="/devault20vmaxcombokit/extensions/InputGroup/js/jquery.inputmask.bundle.min.js" type="text/javascript"></script>
```

50. **Warning** The `type` attribute is unnecessary for JavaScript resources.

50. **Warning** The `type` attribute is unnecessary for JavaScript resources.
From line 556, column 1, to line 556, column 97
`</script><script src="/deva120vmaacombok1/extensions/1nputleak/3a" type="text/javascript"></script>`

51. **Warning** The `type` attribute is unnecessary for JavaScript resources.
From line 556, column 226, to line 556, column 256
`<script type="text/javascript">`

52. **Warning** Consider using the `h1` element as a top-level heading only — or else use the `headingoffset` attribute (otherwise, all `h1` elements are treated as top-level headings by many screen readers and other tools).
From line 280, column 33, to line 280, column 47
`ch1 id="ave3a">`

53. **Error** The heading `h4` (with computed level 4) follows the heading `h1` (with computed level 1), skipping 2 heading levels.
From line 203, column 17, to line 203, column 31
`ch4 id="1avv37">space1`

54. **Error** The heading `h3` (with computed level 3) follows the heading `h1` (with computed level 1), skipping 1 heading level.
From line 294, column 29, to line 294, column 48
`ch3 class="endtext">capan`

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.
Total execution time 557 milliseconds.

W3C HTML validator report queued.