

# Test Case Report

**Offer Name:** test  
**Tested URL:** <https://www.savesspottopmarket.com/ultimatesportsfangiftbundle/?affid=1&state=CA>  
**Test Date:** 2026-05-15 12:04:24  
**Tested By:** Automated Order Flow Runner  
**Overall Result:** **PASS**  
**Report ID:** ofr\_20260515\_063226\_20ccf7b3

## Credentials

**Browser:** chrome  
**Execution Type:** Order Flow Automation  
**Browser Mode:** Headed  
**Total Rows:** 1

## Product Map

**Primary Offer:** test  
**Landing URL:** <https://www.savesspottopmarket.com/ultimatesportsfangiftbundle/?affid=1&state=CA>  
**Report Artifact:** HTML

## Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.  
Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

## Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

## Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

## Tested Rows

| Row | Email                                | Order ID | Result | Status | Card Type | Card Last 4 | Notes                      |
|-----|--------------------------------------|----------|--------|--------|-----------|-------------|----------------------------|
| 1   | pritam.bhar+000020000@codeclouds.com | 7066992  | PASS   | PLACED | VISA      | 4442        | Order placed successfully. |

## Issues Found

No issues found.

## Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 7066992

Result: PASS

Status: PLACED

Browser: chrome


Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:



## Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0

CHECK POINT

Security report mode

STATUS

MANUAL

REPORT LINK

-

SCREEN SHORT

Screenshot pending

Mode=balanced, budget=180s, selected=8, skipped=3.

## CHECK POINT

# 1. HTTP2 Report Link

## STATUS

## MANUAL

## REPORT LINK

[KeyCDN HTTP2 Test](#)

## SCREEN SHORT

The screenshot shows the KeyCDN HTTP2 Test tool interface. At the top, there's a navigation bar with links for Features, Solutions, Network, Pricing, Support, Login, and Sign Up. The main heading is "Tools" with a subtitle "Troubleshoot website, network, and CDN issues for fast resolutions." Below this, there's a sidebar with categories: Web, Network, Security, and Other. The "Web" category is selected, showing sub-options like Website Speed Test, Performance Test, HTTP Header Checker, HTTP2 Test, and Brodli Test. The main content area is titled "HTTP/2 Test" and "VERIFY HTTP/2 SUPPORT". It includes a URL input field with the example URL "https://www.savesspottopmarket.com/ultimatesportsfangiftbundle/?affid=1&state" and a "Test" button. Below the input field, the website "www.savesspottopmarket.com" is displayed. A green status bar indicates "HTTP/2" and "ALPN extension is supported." To the right, there's a KeyCDN logo and a brief description: "KeyCDN is a content delivery network that will supercharge your web assets." Below the status bar, there's an "HTTP/2 Test FAQ" section. It includes questions like "What is HTTP/2?", "Does this test also verify SPDY?", and "How to test HTTP/2 via command line?". The "What is HTTP/2?" section explains that HTTP/2 is the first major HTTP protocol update since 1997, offering improvements in efficiency, speed, and security. The "Does this test also verify SPDY?" section clarifies that while SPDY is deprecated, the test checks for SPDY support. The "How to test HTTP/2 via command line?" section provides the command "curl -I -http2". At the bottom, there's a "Get started for free" section with a "Get started" button and a "Pricing" link. The footer contains the KeyCDN logo, copyright information, and links for Product, Company, and Support.

keycdn Tools

Features Solutions Network Pricing Support Login Sign Up

## Tools

Troubleshoot website, network, and CDN issues for fast resolutions.

Web

- Website Speed Test
- Performance Test
- HTTP Header Checker
- HTTP2 Test**
- Brodli Test

Network

Security

Other

## HTTP/2 Test

VERIFY HTTP/2 SUPPORT

URL

<https://www.savesspottopmarket.com/ultimatesportsfangiftbundle/?affid=1&state> Test

www.savesspottopmarket.com

HTTP/2

KeyCDN uses cookies to make its website easier to use. Learn more about cookies.

ALPN extension is supported.

### HTTP/2 Test FAQ

**What is HTTP/2?**

HTTP/2 is the first major HTTP protocol update since 1997 when HTTP/1.1 was first published by the IETF. The new HTTP protocol is needed to keep up with the exponential growth of the web. The successor of HTTP/1.1 brings significant improvement in efficiency, speed and security and is supported by most modern web browsers. A list of browsers that support HTTP/2 can be found on caniuse.com.

- HTTP/2 is binary, instead of textual.
- It is fully multiplexed, sending multiple requests in parallel over a single TCP connection.
- It uses header compression HPACK to reduce overhead.
- It allows servers to "push" responses proactively into client caches instead of waiting for a new request for each resource
- It uses the new ALPN extension which allows for faster-encrypted connections since the application protocol is determined during the initial connection.
- It reduces additional round trip times (RTT), making your website load faster without any optimization.
- Domain sharding and asset concatenation is no longer needed with HTTP/2.

HTTP/2 introduces other improvements, more details: [HTTP/2 RFC7540](#)

This test can check HTTP and HTTPS but most browsers only support HTTP/2 for HTTPS, which means you must migrate to HTTPS if you want to take advantage of the performance benefits.

**Does this test also verify SPDY?**

Not directly, but it tests which TLS extension is supported to negotiate the protocols. The tested TLS extensions are either NPN or ALPN. Next Protocol Negotiation (NPN) appeared as part of the SPDY protocol but it has been deprecated. Application Layer Protocol Negotiation (ALPN) is the successor of NPN and is approved by the IETF (RFC7301). However, NPN advertises the supported protocols from the server to the client and this test will show the advertised protocols if HTTP/2 is not supported. The protocol advertising has been reversed in ALPN (client to server). The first phase of this HTTP/2 check runs the ALPN test with only h2 in the protocol list.

**How to test HTTP/2 via command line?**

Get the latest curl release and use this command:

```
curl -I -http2 .
```

**Get started for free**

Try KeyCDN with a free 14 day trial, no credit card required.

Get started Pricing

keycdn

© 2026 prinity LLC  
Made in Switzerland

Terms Privacy GDPR

**PRODUCT**

- Features
- Network
- Pricing
- API

**COMPANY**

- About
- Blog
- Contact
- Referrals
- Careers

**SUPPORT**

- Knowledge Base
- Network Status
- Open Source
- FAQ
- Tools

HTTP2 test executed and results captured on screen.

CHECK POINT

## 2. HTTPS Redirection Report Link

STATUS

MANUAL

REPORT LINK

[WhereGoes.com](https://www.wherewas.com/)

SCREEN SHORT

WhereGoes® - Trace Results

## Trace Results

http://...

Trace URL

Advanced Options »

Date Traced: 2026-05-15 06:34:33 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

| # | Code | Requested URL                                                                    |
|---|------|----------------------------------------------------------------------------------|
| 1 | 301  | http://www.savesspottopmarket.com/ultimatesportsfangiftbundle/?affid=1&state=CA  |
| 2 | 200  | https://www.savesspottopmarket.com/ultimatesportsfangiftbundle/?affid=1&state=CA |

### Response Body:

```
HTTP/1.1 301 Moved Permanently
Date: Fri, 15 May 2026 06:34:33 GMT
Content-Type: text/html; charset=iso-8859-1
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
Location: https://www.savesspottopmarket.com/ultimatesportsfangiftbundle/?
```

### Response MetaData:

```
Array
(
    [url] => http://www.savesspottopmarket.com/ultimatesportsfangiftbundle/?
    [affid=1&state=CA]
    [content_type] => text/html; charset=iso-8859-1
    [http_code] => 301
    [header_size] => 723
```

### Response Body:

```
HTTP/2 200
date: Fri, 15 May 2026 06:34:34 GMT
content-type: text/html; charset=UTF-8
content-length: 7913
cache-control: no-store, no-cache, must-revalidate
vary: Accept-Encoding, User-Agent
content-encoding: gzip
```

### Response MetaData:

```
Array
(
    [url] => https://www.savesspottopmarket.com/ultimatesportsfangiftbundle/?
    [affid=1&state=CA]
    [content_type] => text/html; charset=UTF-8
    [http_code] => 200
    [header_size] => 759
```

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.



Click to Copy URL of This Trace

https://wheregoes.com/trace/20262213081/

## Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

First

Last

Email

Subscribe

\* All fields required

Bot info About Contact

Review Us:



Follow:



By using this website, you are agreeing to the [terms of use](#) and [privacy policy](#).

© 2006-2026 WhereGoes.com. WhereGoes® is a registered trademark of Sovereign Stock, LLC. All rights reserved.

HTTPS redirection trace captured.

CHECK POINT

5. Robots.txt Report Link

STATUS

# MANUAL

## REPORT LINK

[robots.txt](#)

## SCREEN SHORT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
#
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor restricts
# permission via Content-Signal with respect to the corresponding use.
#
# The content signals and their meanings are:
#
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
# ai-input: ingesting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
# ai-train: training or fine-tuning AI models.
#
# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 4 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.
#
# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai-train=no
Allow: /
User-agent: Amazonbot
Disallow: /
User-agent: Applebot-Extended
Disallow: /
User-agent: Bytespider
Disallow: /
User-agent: CCBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: CloudflareBrowserRenderingCrawler
Disallow: /
User-agent: Google-Extended
Disallow: /
User-agent: GPTBot
Disallow: /
User-agent: meta-externalagent
Disallow: /
# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif$
User-agent: Googlebot-Image
Disallow: /*.jpg$
User-agent: Googlebot-Image
Disallow: /*.png$
User-agent: Googlebot-Image
Disallow: /*.svg$
User-agent: Googlebot-Image
Disallow: /*.webp$
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I

## CHECK POINT

### 3a. Domain Test URL (with www)


## STATUS

**FAIL**

## REPORT LINK

[WhatsMyDNS](#)

## SCREEN SHORT



Security task failed: 3a. Domain Test URL (with www) timed out while collecting the report screenshot.

CHECK POINT

**3b. Domain Test URL (without www)**


STATUS

**FAIL**

REPORT LINK

[WhatsMyDNS](#)

SCREEN SHORT



Security task failed: 3b. Domain Test URL (without www) timed out while collecting the report screenshot.

CHECK POINT

**4. Safe Browsing Site Status Report Link**


STATUS

**MANUAL**

REPORT LINK

[Google Transparency Report](#)

SCREEN SHORT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

**6. Domain Expiry check Report Link**


STATUS

**FAIL**

REPORT LINK

[Digicert Help](#)

SCREEN SHORT



Security task failed: 6. Domain Expiry check Report Link timed out while collecting the report screenshot.

CHECK POINT

## 10. HTML Optimisation Report Link

STATUS

MANUAL

REPORT LINK

[W3C Validator](#)

SCREEN SHORT

## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for <https://www.savesspottopmarket.com/ultimateportsfangiftbundle/?affid=1&state=CA> (checked with vnu 26.5.16)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by address:

<https://www.savesspottopmarket.com/ultimateportsfangiftbundle/?affid=1&state=CA>

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.  
From line 1, column 1, to line 1, column 16  
`<html lang="en"><meta charset="utf-8"></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 4, column 5, to line 4, column 28  
`<meta charset="utf-8"/></meta>`
- Error** A document must not include more than one `<meta>` element with a `charset` attribute.  
From line 5, column 5, to line 5, column 27  
`<meta charset="utf-8"/><meta charset="utf-8"/>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 5, column 5, to line 5, column 27  
`<meta charset="utf-8"/></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 5, column 5, to line 5, column 69  
`</title><meta name="description" content="Ultimate Sports Fan Gift Bundle"/></meta>`
- Error** A `<meta>` element with an `http-equiv` attribute whose value is `X-UA-Compatible` must have a `content` attribute with the value `IE=edge`.  
From line 12, column 1, to line 12, column 64  
`<meta http-equiv="X-UA-Compatible" content=""></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 12, column 1, to line 12, column 64  
`<meta http-equiv="X-UA-Compatible" content=""></meta>`
- Error** A document must not include both a `<meta>` element with an `http-equiv` attribute whose value is `content-type`, and a `<meta>` element with a `charset` attribute.  
From line 13, column 1, to line 13, column 68  
`<meta http-equiv="content-type" content="text/html; charset=utf-8"/></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 13, column 1, to line 13, column 68  
`<meta http-equiv="content-type" content="text/html; charset=utf-8"/></meta>`
- Error** Using the `<meta>` element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.  
From line 14, column 1, to line 14, column 54  
`<meta http-equiv="content-language" content="en-us"/></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 14, column 1, to line 14, column 54  
`<meta http-equiv="content-language" content="en-us"/></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 16, column 1, to line 16, column 57  
`<meta name="apple-mobile-web-app-capable" content="yes"/></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 17, column 1, to line 17, column 68  
`<meta name="apple-mobile-web-app-status-bar-style" content="black"/></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 18, column 1, to line 18, column 46  
`<meta name="HandheldFriendly" content="true"/></meta>`
- Warning** Consider avoiding viewport values that prevent users from resizing documents.  
From line 19, column 1, to line 19, column 105  
`<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 19, column 1, to line 19, column 105  
`<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 21, column 1, to line 21, column 118  
`<link rel="stylesheet" type="text/css" href="/ultimateportsfangiftbundle/app/desktop/css/app_new.css?v=1778826990"/></link>`
- Error** A document must not include more than one `<meta>` element with its `name` attribute set to the value `description`.  
From line 23, column 1, to line 23, column 36  
`<meta name="description" content=""></meta>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 46, column 9, to line 46, column 109  
`<link rel="stylesheet" type="text/css" href="/ultimateportsfangiftbundle/app/desktop/css/all.css"/></link>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 47, column 9, to line 47, column 113  
`<link rel="stylesheet" type="text/css" href="/ultimateportsfangiftbundle/app/desktop/css/animate.css"/></link>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 48, column 9, to line 48, column 112  
`<link rel="stylesheet" type="text/css" href="/ultimateportsfangiftbundle/app/desktop/css/custom.css"/></link>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 55, column 9, to line 55, column 108  
`<link rel="stylesheet" href="/ultimateportsfangiftbundle/app/desktop/css/popup.css?v=1778826990"/></link>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 56, column 9, to line 56, column 115  
`<link rel="stylesheet" href="/ultimateportsfangiftbundle/app/desktop/css/common_index.css?v=1778826990"/></link>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 57, column 9, to line 57, column 109  
`<link rel="stylesheet" href="/ultimateportsfangiftbundle/app/desktop/css/pop.css?v=1778826990"/></link>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 58, column 9, to line 58, column 112  
`<link rel="stylesheet" href="/ultimateportsfangiftbundle/app/desktop/css/index_new.css?v=1778826990"/></link>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 59, column 9, to line 59, column 96  
`<link rel="stylesheet" href="http://use.fontawesome.com/releases/v5.8.1/css/all.css"/></link>`
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.  
From line 60, column 9, to line 60, column 103  
`<link rel="stylesheet" href="/ultimateportsfangiftbundle/app/desktop/css/bootstrap.min.css"/></link>`
- Error** Element `div` not allowed as child of element `page-builder-block` in this context. (Suppressing further errors from this subtree).  
From line 63, column 9, to line 63, column 15  
`<div></div>`  
Contexts in which element `div` may be used:  
Where `page-data-content` is expected.  
In a `page-wrap` element that is a child of a `body` element.
- Error** CSS: `margin-top`: Too many values or values are not recognized.  
From line 73, column 26, to line 73, column 28  
`margin-top: 2px;`
- Error** Stray end tag `head`.  
From line 128, column 1, to line 128, column 7  
`</block></head></head>`
- Error** Start tag `body` seen but an element of the same type was already open.

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | <p>From line 130, column 1, to line 130, column 6</p> <pre>&lt;div&gt;   &lt;/div&gt; &lt;/div&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 32 | <p><b>Error</b> An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult <a href="#">guidance on providing text alternatives for images</a>.</p> <p>From line 185, column 33, to line 185, column 141</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/Detroit.webp" class="product img-fluid prod-img" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 33 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 185, column 33, to line 185, column 141</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/Detroit.webp" class="product img-fluid prod-img" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 34 | <p><b>Error</b> An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult <a href="#">guidance on providing text alternatives for images</a>.</p> <p>From line 188, column 33, to line 188, column 141</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/Chicago.webp" class="product img-fluid prod-img" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 35 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 188, column 33, to line 188, column 141</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/Chicago.webp" class="product img-fluid prod-img" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 36 | <p><b>Error</b> An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult <a href="#">guidance on providing text alternatives for images</a>.</p> <p>From line 191, column 33, to line 191, column 139</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/Texas.webp" class="product img-fluid prod-img" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 37 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 191, column 33, to line 191, column 139</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/Texas.webp" class="product img-fluid prod-img" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 38 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 262, column 33, to line 262, column 38</p> <pre>&lt;hr /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 39 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 326, column 33, to line 326, column 38</p> <pre>&lt;hr /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 40 | <p><b>Error</b> Bad value <code>application/x-www-form-urlencoded;charset=utf-8</code> for attribute <code>enctype</code> on element <code>form</code>.</p> <p>From line 328, column 37, to line 330, column 70</p> <pre>&lt;form method="post" action="/ajax.php/method=new_prospect" name="prospect_form"&gt;   &lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your first name" /&gt;   &lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your last name" /&gt;   &lt;input type="email" class="form-control form-control-ke required" value="" data-error="Please enter a valid email" /&gt;   &lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your city" /&gt;   &lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your state" /&gt;   &lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter a valid zip" /&gt; &lt;/form&gt;</pre> |
| 41 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 334, column 53, to line 336, column 109</p> <pre>&lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your first name" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 42 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 341, column 53, to line 343, column 108</p> <pre>&lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your last name" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 43 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 348, column 45, to line 350, column 102</p> <pre>&lt;input type="email" class="form-control form-control-ke required" value="" data-error="Please enter a valid email" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 44 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 362, column 45, to line 364, column 98</p> <pre>&lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your address" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 45 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 367, column 45, to line 369, column 95</p> <pre>&lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your city" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 46 | <p><b>Error</b> Duplicate attribute <code>type</code>.</p> <p>At line 379, column 89</p> <pre>&lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your state" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 47 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 379, column 45, to line 382, column 106</p> <pre>&lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter your state" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 48 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 385, column 45, to line 389, column 120</p> <pre>&lt;input type="text" class="form-control form-control-ke required" value="" data-error="Please enter a valid zip" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 49 | <p><b>Error</b> An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult <a href="#">guidance on providing text alternatives for images</a>.</p> <p>From line 398, column 60, to line 400, column 68</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/secure1.png" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 50 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 398, column 60, to line 400, column 68</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/secure1.png" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 51 | <p><b>Error</b> An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult <a href="#">guidance on providing text alternatives for images</a>.</p> <p>From line 401, column 60, to line 403, column 68</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/secure2.png" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 52 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 401, column 60, to line 403, column 68</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/secure2.png" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 53 | <p><b>Error</b> An <code>img</code> element must have an <code>alt</code> attribute, except under certain conditions. For details, consult <a href="#">guidance on providing text alternatives for images</a>.</p> <p>From line 404, column 60, to line 406, column 68</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/secure3.png" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 54 | <p><b>Info</b> Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.</p> <p>From line 404, column 60, to line 406, column 68</p> <pre>&lt;img src="/ultimateportsfangiftbundle/app/desktop/images/secure3.png" /&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 55 | <p><b>Warning</b> Section lacks heading. Consider using <code>h2</code> or <code>h3</code> elements to add identifying headings to all sections, or else use a <code>div</code> element instead for any cases where no heading is needed.</p> <p>From line 416, column 5, to line 416, column 36</p> <pre>&lt;div&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 56 | <p><b>Warning</b> Section lacks heading. Consider using <code>h2</code> or <code>h3</code> elements to add identifying headings to all sections, or else use a <code>div</code> element instead for any cases where no heading is needed.</p> <p>From line 418, column 5, to line 418, column 25</p> <pre>&lt;div&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 57 | <p><b>Error</b> Duplicate ID <code>loading-indicator</code>.</p> <p>From line 444, column 5, to line 444, column 52</p> <pre>&lt;div id="loading-indicator"&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 58 | <p><b>Warning</b> The first occurrence of ID <code>loading-indicator</code> was here.</p> <p>From line 395, column 41, to line 395, column 88</p> <pre>&lt;div id="loading-indicator"&gt;</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 59 | <p><b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.</p> <p>From line 446, column 9, to line 448, column 39</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|    |                                                                                                                                                                                                                                                                                             |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 60 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 446, column 2916, to line 446, column 2946<br>`</script><script type="text/javascript">app.js`                                                                                         |
| 61 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 446, column 4035, to line 446, column 4065<br>`</script><script type="text/javascript">sw.js`                                                                                          |
| 62 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 449, column 1, to line 449, column 91<br>`<script><script src="/ultimateports/fangifibundle/assets/js/promises.min.js" type="text/javascript"></script>`                               |
| 63 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 450, column 1, to line 450, column 90<br>`<script><script src="/ultimateports/fangifibundle/assets/js/jquery.min.js" type="text/javascript"></script>`                                 |
| 64 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 451, column 1, to line 451, column 95<br>`<script><script src="/ultimateports/fangifibundle/assets/js/jquery.mak.min.js" type="text/javascript"></script>`                             |
| 65 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 452, column 1, to line 452, column 89<br>`<script><script src="/ultimateports/fangifibundle/assets/js/validator.js" type="text/javascript"></script>`                                  |
| 66 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 453, column 1, to line 453, column 88<br>`<script><script src="/ultimateports/fangifibundle/assets/js/codebase.js" type="text/javascript"></script>`                                   |
| 67 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 454, column 1, to line 454, column 92<br>`<script><script src="/ultimateports/fangifibundle/assets/js/form_handler.js" type="text/javascript"></script>`                               |
| 68 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 455, column 1, to line 455, column 83<br>`<script><script src="/ultimateports/fangifibundle/assets/js/app.js" type="text/javascript"></script>`                                        |
| 69 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 456, column 1, to line 456, column 85<br>`</script><script src="/ultimateports/fangifibundle/assets/js/outro.js" type="text/javascript"></script>`                                     |
| 70 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 457, column 1, to line 457, column 112<br>`<script><script src="/ultimateports/fangifibundle/extensions/CDNLibsPackage/js/cd-lib.js" type="text/javascript"></script>`                 |
| 71 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 458, column 1, to line 458, column 121<br>`<script><script src="/ultimateports/fangifibundle/extensions/inputmask/js/jquery.inputmask.bundle.min.js" type="text/javascript"></script>` |
| 72 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 459, column 1, to line 459, column 104<br>`<script><script src="/ultimateports/fangifibundle/extensions/inputmask/js/inputmask.js" type="text/javascript"></script>`                   |
| 73 | <b>Warning</b> The <code>type</code> attribute is unnecessary for JavaScript resources.<br>From line 459, column 240, to line 459, column 270<br>`<script type="text/javascript">`                                                                                                          |
| 74 | <b>Error</b> The heading <code>h3</code> (with computed level 3) follows the heading <code>h1</code> (with computed level 1), skipping 1 heading level.<br>From line 265, column 33, to line 265, column 52<br>`<h3 class="redText">cpain`                                                  |

W3C HTML validator report queued.