

Management QA Test Report

Offer Name: test
Tested URL: <https://www.savesspottopmarket.com/kohlertrashcan/?affid=1&state=AL>
Test Date: 2026-05-16 23:25:21
Prepared By: QA Testing Portal
Report ID: ofr_20260516_175321_5219101f

Executive Summary

OVERALL RESULT PASS	TOTAL ROWS 1	PLACED ORDERS 1
FAILED ORDERS 0		

All submitted order rows completed successfully in this automation run.

Credentials

Browser: chrome
Execution Type: Order Flow Automation
Browser Mode: Headed
Total Rows: 1

Product Map

Primary Offer: test
Landing URL: <https://www.savesspottopmarket.com/kohlertrashcan/?affid=1&state=AL>
Report Artifact: HTML

Client Requirements

Checkout should load correctly, card information should be entered successfully, and each row should record the final order outcome.

Required output fields retained in this report: Order ID, Result, Status, Card Type, Card Last 4, and Notes.

Desktop and Mobile

This report captures automated checkout execution results. Mobile-specific layout validation is not part of this order-flow run unless separately configured.

Usability

Checkout readiness, popup interruption handling, and form completion behavior were evaluated during the automated run.

Tested Rows

ROW	EMAIL	ORDER ID	RESULT	STATUS	CARD TYPE	CARD LAST 4	NOTES
1	pritam.bhar+000020000@codeclouds.com	7081337	PASS	PLACED	VISA	4442	Order placed successfully.

Issues Found

No issues found.

Execution Details

Order no. 1

Email: pritam.bhar+000020000@codeclouds.com

Order ID: 7081337

Result: **PASS**

Status: PLACED

Browser: chrome

Card Type: VISA

Card Last 4: 4442

Expectation: prepaid

Notes: Order placed successfully.

Screenshot:

THANK YOU!



We have successfully received your entry for the draw.
Please keep an eye on your inbox for your exclusive login details and FREE coupon codes.

Copyright © 2026 - All Rights Reserved.

Security and Performance

Summary: Total Rows: 1 | Placed Orders: 1 | Failed Orders: 0


CHECK POINT

1. HTTP2 Report Link

REPORT LINK

[KeyCDN HTTP2 Test](#)

SCREEN SHOT



HTTP2 test executed and results captured on screen.

CHECK POINT

2. HTTPS Redirection Report Link

REPORT LINK

[WhereGoes.com](https://www.wherego.es/)

SCREEN SHOT

WhereGoes® - Trace Results

Trace Results

http://...

Trace URL

[Advanced Options »](#)

Date Traced: 2026-05-16 17:55:29 GMT

User Agent: Wheregoes.com Redirect Checker/1.0

#	Code	Requested URL
▼	301	http://www.savesspottopmarket.com/kohlertrashcan/?affid=1&state=AL

1 **301** <http://www.savesspottopmarket.com/kohlertrashcan/?affid=1&state=AL>
301 Redirect

Response Body:

```
HTTP/1.1 301 Moved Permanently
Date: Sat, 16 May 2026 17:55:30 GMT
Content-Type: text/html; charset=iso-8859-1
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
Location: https://www.savesspottopmarket.com/kohlertrashcan/?
```

Response MetaData:

```
Array
(
    [url] => http://www.savesspottopmarket.com/kohlertrashcan/?affid=1&state=AL
    [content_type] => text/html; charset=iso-8859-1
    [http_code] => 301
    [header_size] => 710
```

2 **200** <https://www.savesspottopmarket.com/kohlertrashcan/?affid=1&state=AL>

Response Body:

```
HTTP/2 200
date: Sat, 16 May 2026 17:55:30 GMT
content-type: text/html; charset=UTF-8
content-length: 7757
cache-control: no-store, no-cache, must-revalidate
vary: Accept-Encoding, User-Agent
content-encoding: gzip
```

Response MetaData:

```
Array
(
    [url] => https://www.savesspottopmarket.com/kohlertrashcan/?affid=1&state=AL
    [content_type] => text/html; charset=UTF-8
    [http_code] => 200
    [header_size] => 752
```

Trace Complete

NOTICE: The results above may vary depending on the user-agent used during the test and whether or not the responding server is blocking WhereGoes. If you are seeing a 403 response code, the trace might have been blocked.

Warning: This service does not evaluate if the links are safe to visit. Use your discretion on whether you should visit the final destination. If you are not sure, assume it is not safe.



Click to Copy URL of This Trace
<https://wheregoes.com/trace/20262231307/>

Notify me about new features:

upcoming free account access, charts & stats, historical data, API, etc.

* All fields required

[Bot info](#) [About](#) [Contact](#)

Review Us:
★★★★★
TrustPilot

Follow:

By using this website, you are agreeing to the [terms of use](#) and [privacy policy](#).

© 2008-2025 WhereGoes.com. WhereGoes® is a registered trademark of Sovereign Stack, LLC. All rights reserved.

HTTPS redirection trace captured.

CHECK POINT

5. Robots.txt Report Link

REPORT LINK

[robots.txt](#)

SCREEN SHOT

```
# As a condition of accessing this website, you agree to abide by the following
# content signals:
#
# (a) If a Content-Signal = yes, you may collect content for the corresponding
# use.
# (b) If a Content-Signal = no, you may not collect content for the
# corresponding use.
# (c) If the website operator does not include a Content-Signal for a
# corresponding use, the website operator neither grants nor restricts
# permission via Content-Signal with respect to the corresponding use.
#
# The content signals and their meanings are:
#
# search: building a search index and providing search results (e.g., returning
# hyperlinks and short excerpts from your website's contents). Search does not
# include providing AI-generated search summaries.
# ai-input: ingesting content into one or more AI models (e.g., retrieval
# augmented generation, grounding, or other real-time taking of content for
# generative AI search answers).
# ai-train: training or fine-tuning AI models.
#
# ANY RESTRICTIONS EXPRESSED VIA CONTENT SIGNALS ARE EXPRESS RESERVATIONS OF
# RIGHTS UNDER ARTICLE 17 OF THE EUROPEAN UNION DIRECTIVE 2019/790 ON COPYRIGHT
# AND RELATED RIGHTS IN THE DIGITAL SINGLE MARKET.
#
# BEGIN Cloudflare Managed content
User-agent: *
Content-Signal: search=yes,ai-train=no
Allow: /
User-agent: Amazonbot
Disallow: /
User-agent: Applebot-Extended
Disallow: /
User-agent: Bypassbot
Disallow: /
User-agent: CCBot
Disallow: /
User-agent: ClaudeBot
Disallow: /
User-agent: CloudflareBrowserRenderingCrawler
Disallow: /
User-agent: Google-Extended
Disallow: /
User-agent: GPTBot
Disallow: /
User-agent: Meta-externalagent
Disallow: /
# END Cloudflare Managed Content
User-agent: *
Disallow: /
User-agent: Googlebot-Image
Disallow: /*.gif$
User-agent: Googlebot-Image
Disallow: /*.jpg$
User-agent: Googlebot-Image
Disallow: /*.png$
User-agent: Googlebot-Image
Disallow: /*.svg$
```

robots.txt snippet: # As a condition of accessing this website, you agree to abide by the following # content signals: # (a) If a Content-Signal = yes, you may collect content for the corresponding # use. # (b) I


CHECK POINT

4. Safe Browsing Site Status Report Link

REPORT LINK

[Google Transparency Report](#)

SCREEN SHOT



Safe Browsing lookup queued on Google Transparency Report.

CHECK POINT

6. Domain Expiry check Report Link


STATUS

FAIL

REPORT LINK

[Digicert Help](#)

SCREEN SHOT



Security task failed: 6. Domain Expiry check Report Link timed out while collecting the report screenshot.

CHECK POINT

10. HTML Optimisation Report Link

REPORT LINK

[W3C Validator](#)

SCREEN SHOT

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://www.savesspottopmarket.com/kohlertrashcan/?affid=1&state=AL> (checked with vnu 26.5.16)

Checker Input

Show ☐ source ☐ outline ☐ image report ☐ errors & warnings only

Check by address: ▼

<https://www.savesspottopmarket.com/kohlertrashcan/?affid=1&state=AL>

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1, to line 1, column 16

```
<html lang="en"> +><div>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 4, column 5, to line 4, column 28

```
<head>+<meta charset=utf-8"/>+</>
```
- Error** A document must not include more than one `meta` element with a `charset` attribute.

From line 6, column 5, to line 6, column 27

```
> +<meta charset=utf-8"/>+<html>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 6, column 5, to line 6, column 27

```
> +<meta charset=utf-8"/>+<html>
```
- Error** Element `title` not allowed as child of element `head` in this context. (Suppressing further errors from this subtree.)

From line 8, column 1, to line 8, column 7

```
<title>+<h1>+<h2>
```

Contexts in which element `title` may be used:

In a `head` element containing no other `title` elements.

Content model for element `head`:

If the document is an `HTML5 document` or if the information is available from a higher-level protocol. Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 10, column 1, to line 10, column 53

```
</title>+<meta name="description" content="Kohler Trashcan"/>+<h1>
```
- Error** A `meta` element with an `http-equiv` attribute whose value is `X-UA-Compatible` must have a `content` attribute with the value `IE=edge`.

From line 13, column 1, to line 13, column 64

```
<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1"/>+<meta>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 13, column 1, to line 13, column 64

```
<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1"/>+<meta>
```
- Error** A document must not include both a `meta` element with an `http-equiv` attribute whose value is `content-type`, and a `meta` element with a `charset` attribute.

From line 14, column 1, to line 14, column 68

```
<meta http-equiv="content-type" content="text/html; charset=utf-8"/>+<meta>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 14, column 1, to line 14, column 68

```
<meta http-equiv="content-type" content="text/html; charset=utf-8"/>+<meta>
```
- Error** Using the `meta` element to specify the document-wide default language is obsolete. Consider specifying the language on the root element instead.

From line 15, column 1, to line 15, column 54

```
<html lang="en">+<meta http-equiv="content-language" content="en-us"/>+<h1>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 15, column 1, to line 15, column 54

```
<html lang="en">+<meta http-equiv="content-language" content="en-us"/>+<h1>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 17, column 1, to line 17, column 57

```
-<meta name="apple-mobile-web-app-capable" content="yes"/>+<meta>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 18, column 1, to line 18, column 68

```
<meta name="apple-mobile-web-app-status-bar-style" content="black"/>+<meta>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 19, column 1, to line 19, column 46

```
<meta name="black" content="true"/>+<meta>
```
- Warning** Consider avoiding viewport values that prevent users from resizing documents.

From line 20, column 1, to line 20, column 105

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>+<link>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 20, column 1, to line 20, column 105

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no"/>+<link>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 22, column 1, to line 22, column 105

```
+<meta>
```
- Error** A document must not include more than one `meta` element with its `name` attribute set to the value `description`.

From line 24, column 1, to line 24, column 36

```
<div>+<meta name="description" content="Kohler">
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 45, column 9, to line 45, column 96

```
>+<link rel="stylesheet" type="text/css" href="/kohlertrashcan/app/desktop/css/all.css"/>+</>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 46, column 9, to line 46, column 100

```
>+<link rel="stylesheet" type="text/css" href="/kohlertrashcan/app/desktop/css/animate.css"/>+</>
```
- Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 47, column 9, to line 47, column 99

```
>+<link rel="stylesheet" type="text/css" href="/kohlertrashcan/app/desktop/css/custom.css"/>+</>
```
- Error** Element `style` not allowed as child of element `page-builder-block` in this context. (Suppressing further errors from this subtree.)

From line 57, column 9, to line 57, column 15

```
>+<style>+</>
```

Contexts in which element `style` may be used:

Where `metadata content` is expected.

In a `script` element that is a child of a `head` element.
- Error** CSS: Parse Error.

From line 174, column 15, to line 175, column 8

```
<style>+</style>
```
- Error** Stray end tag `head`.

From line 179, column 1, to line 179, column 7

```
-<div>+</div>+</div>
```
- Error** Start tag `body` seen but an element of the same type was already open.

From line 181, column 1, to line 181, column 6

```
</div>+<body>+</body>
```
- Error** Element `img` is missing one or more of the following attributes: `src`, `srcset`.

From line 236, column 29, to line 236, column 179

```
+</>
```

Attributes for element `img`

Global attributes

`alt` — Replacement text for use when images are not available

`src` — Address of the resource

`srcset` — Images to use in different situations, e.g. high-resolution displays, small monitors, etc.

`sizes` — Image sizes for different page layouts

`crossorigin` — How the element handles cross-origin requests

image — Name of `image` map to use
image — Whether the image is a server-side image map
controls — Show user agent controls
width — Horizontal dimension
height — Vertical dimension
referrerpolicy — [Referrer policy](#) for `fetches` initiated by the element
decoding — Decoding hint to use when processing this image for presentation
loading — Used when determining loading deferral
fetchpriority — Sets the `priority` for `fetches` initiated by the element

Info Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 236, column 29, to line 236, column 179

```

```

Error Bad value 'application/x-www-form-urlencoded;charset=utf-8' for attribute 'enctype' on element 'form'.

From line 323, column 41, to line 325, column 117

```
<form method="post" action="ajax.php/method_new_prospect" name="prospect_form">
  <script charset="utf-8">
    <script charset="utf-8">
      <script type="text/javascript">
```

Error Duplicate attribute 'value'.

At line 351, column 96

```
<control" value="" data-validate
```

Error An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 460, column 45, to line 460, column 132

```

```

Error Element `img` is missing one or more of the following attributes: `src`, `srcset`.

From line 485, column 17, to line 486, column 98

```

```

Attributes for element `img`:

Global attributes

alt — Replacement text for use when images are not available

src — Address of the resource

srcset — Images to use in different situations, e.g. high-resolution displays, small monitors, etc.

sizes — Image sizes for different page layouts

crossorigin — How the element handles crossorigin requests

image — Name of `image` map to use

image — Whether the image is a server-side image map

controls — Show user agent controls

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — [Referrer policy](#) for `fetches` initiated by the element

decoding — Decoding hint to use when processing this image for presentation

loading — Used when determining loading deferral

fetchpriority — Sets the `priority` for `fetches` initiated by the element

Info Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 485, column 17, to line 486, column 98

```

```

Error Attribute `z` not allowed on element `a` at this point.

From line 509, column 13, to line 509, column 109

```
<a href="#">
  <a href="#">
    <a href="#">
```

Attributes for element `a`:

Global attributes

href — Address of the `hyperlink`

target — Navigable for `hyperlink` navigation

download — Whether to download the resource instead of navigating to it, and its filename if so

ping — URLs to ping

rel — Relationship between the location in the document containing the `hyperlink` and the destination resource

hreflang — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — [Referrer policy](#) for `fetches` initiated by the element

Error Attribute `z` not allowed on element `a` at this point.

From line 511, column 13, to line 511, column 111

```
<a href="#">
  <a href="#">
    <a href="#">
```

Attributes for element `a`:

Global attributes

href — Address of the `hyperlink`

target — Navigable for `hyperlink` navigation

download — Whether to download the resource instead of navigating to it, and its filename if so

ping — URLs to ping

rel — Relationship between the location in the document containing the `hyperlink` and the destination resource

hreflang — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — [Referrer policy](#) for `fetches` initiated by the element

Error Attribute `z` not allowed on element `a` at this point.

From line 513, column 13, to line 513, column 111

```
<a href="#">
  <a href="#">
    <a href="#">
```

Attributes for element `a`:

Global attributes

href — Address of the `hyperlink`

target — Navigable for `hyperlink` navigation

download — Whether to download the resource instead of navigating to it, and its filename if so

ping — URLs to ping

rel — Relationship between the location in the document containing the `hyperlink` and the destination resource

hreflang — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — [Referrer policy](#) for `fetches` initiated by the element

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 520, column 9, to line 520, column 39

```
<script type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 520, column 2871, to line 520, column 2901

```
</script><script type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 520, column 3990, to line 520, column 4020

```
</script><script type="text/javascript">
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 523, column 1, to line 523, column 78

```
</script><script src="/kohlertrashaon/assets/js/promise.min.js" type="text/javascript"></script>
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 524, column 1, to line 524, column 77

```
</script><script src="/kohlertrashaon/assets/js/jquery.min.js" type="text/javascript"></script>
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 525, column 1, to line 525, column 82

```
</script><script src="/kohlertrashaon/assets/js/jquery.nak.min.js" type="text/javascript"></script>
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 526, column 1, to line 526, column 76

```
</script><script src="/kohlertrashaon/assets/js/validator.js" type="text/javascript"></script>
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 527, column 1, to line 527, column 75

```
</script><script src="/kohlertrashaon/assets/js/codebase.js" type="text/javascript"></script>
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 528, column 1, to line 528, column 79

```
</script><script src="/kohlertrashaon/assets/js/form_handler.js" type="text/javascript"></script>
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 529, column 1, to line 529, column 70

```
</script><script src="/kohlertrashaon/assets/js/app.js" type="text/javascript"></script>
```

Warning The `type` attribute is unnecessary for JavaScript resources.

From line 530, column 1, to line 530, column 72

</script><script src="/shilstraahwa/assets/js/outro.js" type="text/javascript"></script>

48

Warning

The type attribute is unnecessary for JavaScript resources.

From line 531, column 1, to line 531, column 99

</script><script src="/shilstraahwa/extensions/CDUtilityPackage/js/db-util-pkg.js" type="text/javascript"></script>

49

Warning

The type attribute is unnecessary for JavaScript resources.

From line 532, column 1, to line 532, column 108

</script><script src="/shilstraahwa/extensions/InputMask/js/query.inputmask.bundle.min.js" type="text/javascript"></script>

50

Warning

The type attribute is unnecessary for JavaScript resources.

From line 533, column 1, to line 533, column 91

</script><script src="/shilstraahwa/extensions/InputMask/js/input-mask.js" type="text/javascript"></script>

51

Warning

The type attribute is unnecessary for JavaScript resources.

From line 533, column 214, to line 533, column 244

tx<script type="text/javascript">

52

Warning

Consider using the h1 element as a top-level heading only — or else use the headingOffset attribute (otherwise, all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 247, column 33, to line 247, column 47

ch3 id="vc3">

53

Error

The heading h4 (with computed level 4) follows the heading h1 (with computed level 1), skipping 2 heading levels.

From line 188, column 17, to line 188, column 31

ch4 id="lv03">specia

54

Error

The heading h3 (with computed level 3) follows the heading h1 (with computed level 1), skipping 1 heading level.

From line 255, column 33, to line 255, column 86

ch3 class="orangeText" style="color: red; !important">span

Document checking completed.

Used the HTML parser: Externally specified character encoding was UTF-8.

Total execution time 441 milliseconds.

W3C HTML validator report queued.