Swagger
Supported by SMARTBEAR

Diet monitoring App Backend API 1.0.0

OAS 3.0

REST API documentation for the **Diet monitoring system** backend.

Provides endpoints for authentication, user management, and related EMS operations.

Authentication

Authentication uses two **HttpOnly cookies**, set by the server. There is no token in the response body and nothing to copy or paste.

Cookie	Lifetime	Purpose
`access_token`	15 minutes	Sent automatically with every API request
`refresh_token`	7 days (fixed)	Sent only to `POST /api/auth/refresh`

How to try protected routes here:

1. Call `POST /api/auth/login` (or `/api/auth/signup`) with **Try it out**. The browser stores both cookies.
2. Call any protected endpoint. The browser attaches `access_token` by itself.
3. After 15 minutes protected routes return `401` with `errorCode: TOKEN_EXPIRED`. Call `POST /api/auth/refresh` to get a new access cookie.
4. `POST /api/auth/logout` clears both cookies.

Notes:

- This page must be opened from the same origin as the API (for example `http://localhost:3300/api-docs`), otherwise the browser will not send the cookies.
- The **Authorize** button cannot set cookies, because browsers do not let pages set the `Cookie` header. Log in with the login endpoint instead.
- Error codes: `TOKEN_MISSING`, `TOKEN_EXPIRED`, `TOKEN_INVALID` (access cookie) and `REFRESH_MISSING`, `REFRESH_EXPIRED`, `REFRESH_INVALID` (refresh cookie, send the user to the login page).

Contact :

alshettypritesh4@gmail.com

Servers

http://localhost:3300 - Local development server

Authorize

DMS Diet and meal management (requires a logged-in user)

POST `/api/dms/insertMeal` Insert a meal and its ingredients

The meal is saved for the logged-in user (taken from the access cookie). Do not send a user_id; it is ignored.

Parameters Cancel

No parameters

Request body required application/json

Edit Value | Schema

```
  "meal_type_other": "",
  "mealData": [
    {
      "name": "oats",
      "quantity": 60,
      "unit": "g"
    },
    {
      "name": "milk",
      "quantity": 250,
      "unit": "ml"
    },
    {
      "name": "banana",
      "quantity": 1,
      "unit": "piece"
    }
  ]
}
```

Execute

Responses

Code	Description	Links
201	Meal and ingredients inserted successfully Media type: application/json Controls Accept header. Example Value	*No links*

Code	Description	Links


```
{
  "success": true,
  "message": "Meal info uploaded successfully.",
  "data": {
    "meal_id": 6,
    "user_id": 1,
    "meal_type": "Breakfast",
    "meal_name": "Oatmeal with Milk and Banana",
    "total_calories": 427,
    "total_protein_gm": 16.5,
    "total_carbs_gm": 74.5,
    "total_fat_gm": 8.1,
    "total_fiber_gm": 9.3
  }
}
```


400 Missing meal_type or mealData — *No links*

Media type

application/json

Example Value


```
{
  "success": false,
  "message": "meal_type is required."
}
```


401 Not logged in or access token expired (errorCode TOKEN_MISSING, TOKEN_EXPIRED or TOKEN_INVALID) — *No links*

500 Database or server error — *No links*

Media type

application/json

Example Value


```
{
  "success": false,
  "message": "Internal server error"
}
```


502 Nutrition macro service failed — *No links*

Media type

application/json

Example Value


```
{
  "success": false,
  "message": "Failed to calculate meal macros."
}
```

Auth Authentication and user management (HttpOnly cookie sessions)