

# **Cloth Pattern Recognition & Retrieval System**

**Submitted in partial fulfillment of the requirements**

**of the degree of**

**Bachelor of Engineering**

**by**

<b>Jayesh Kukreja</b>	<b>41</b>
<b>Priteshe Satpute</b>	<b>65</b>
<b>Ankit Vishwakarma</b>	<b>79</b>

**Supervisor:**

**Prof. Udaychandra Nayak**



**UNIVERSITY OF MUMBAI**

# **Cloth Pattern Recognition & Retrieval System**

**Submitted in partial fulfillment of the requirements**

**of the degree of**

**Bachelor of Engineering**

**by**

<b>Jayesh Kukreja</b>	<b>41</b>
<b>Pritesht Satpute</b>	<b>65</b>
<b>Ankit Vishwakarma</b>	<b>79</b>

**Supervisor:**

**Prof. Udaychandra Nayak**



**Department of Information Technology**

**Don Bosco Institute of Technology  
Vidyavihar Station Road, Mumbai - 400070  
2016-2017**

**DON BOSCO INSTITUTE OF TECHNOLOGY**  
Vidyavihar Station Road, Mumbai - 400070

**Department of Information Technology**

**CERTIFICATE**

This is to certify that the project entitled "**Cloth Pattern Recognition & Retrieval System**" is a bonafide work of

<b>Jayesh Kukreja</b>	<b>41</b>
<b>Pritesh Satpute</b>	<b>65</b>
<b>Ankit Vishwakarma</b>	<b>79</b>

submitted to the University of Mumbai in partial fulfillment of the requirement for the award of the degree of **Undergraduate** in **Bachelor of Information Technology**

Date:      /      /

**(Prof. Udaychandra Nayak)**  
**Supervisor**

**(Prof. Prasad Padalkar)**  
**HOD, IT Department**

**(Dr. Prasanna Nambiar)**  
**Principal**

# **DON BOSCO INSTITUTE OF TECHNOLOGY**

**Vidyavihar Station Road, Mumbai - 400070**

## **Department of Information Technology**

### **Project Report Approval for B.E.**

This project report entitled "**Cloth Pattern Recognition & Retrieval System**" by **Jayesh Kukreja, Pritesh Satpute, Ankit Vishwakarma** is approved for the degree of **Bachelor of Engineering in Information Technology**

**(Examiner's Name and Signature)**

**1. \_\_\_\_\_**

**2. \_\_\_\_\_**

**(Supervisor's Name and Signature)**

**1. \_\_\_\_\_**

**( Chairman)**

**1. \_\_\_\_\_**

**Date:**

**Place:**

# **DON BOSCO INSTITUTE OF TECHNOLOGY**

**Vidyavihar Station Road, Mumbai - 400070**

## **Department of Information Technology**

### **Declaration**

I declare that this written submission represents my ideas in my own words and where others' ideas or words have been included, I have adequately cited and referenced the original sources. I also declare that I have adhered to all principles of academic honesty and integrity and have not misrepresented or fabricated or falsified any idea / data / fact / source in my submission. I understand that any violation of the above will be cause for disciplinary action by the Institute and can also evoke penal action from the sources which have thus not been properly cited or from whom proper permission has not been taken when needed.

(                )  
**(Signature)**

(                )  
**(Jayesh Kukreja 41)**

(                )  
**(Pritesh Satpute 65)**

(                )  
**(Ankit Vishwakarma 79)**

**Date:**

## **Abstract**

The aim of our project is to design a system where user can find similar clothes online based on input image to the system.

The image is captured by the camera and get processed to identify features like pattern, colour, collar type ,text and sleeve type of the respective image using DL models . After identifying the features the generated query is then given to Bing API. Cloth recognition algorithms are often confronted with 3 fundamental challenges when adopted in real world applications i.e. Clothes often have large variations in styles, textures and patterns; clothing items are frequently subject to deformations and occlusions; clothing images often exhibit serious variations .Thus, through our project we try to develop the above aforementioned system while considering the challenges.

**Keywords:** Computer Vision, Artificial Intelligence, Deep Learning

# Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Problem Statement . . . . .	2
1.2	Scope of the Project . . . . .	2
1.3	Need for the Proposed System . . . . .	2
1.4	Summary of the results and task completed . . . . .	3
<b>2</b>	<b>Review of Literature</b>	<b>5</b>
2.1	Summary of the investigation in the published papers . . . . .	5
2.2	Comparison between the tools / methods / algorithms . . . . .	6
<b>3</b>	<b>Analysis and Design</b>	<b>9</b>
3.1	Methodology / Procedure adopted . . . . .	9
3.2	Analysis . . . . .	10
3.2.1	Software / System Requirement Specification . . . . .	10
3.3	System Architecture / Design . . . . .	10
3.3.1	Modules and their description . . . . .	10
3.4	Software/Hardware Minimum Requirements . . . . .	17
<b>4</b>	<b>Implementation</b>	<b>18</b>
4.1	Implementation Plan . . . . .	18
4.2	Coding Standard . . . . .	18
4.3	Testing . . . . .	19
4.3.1	Test Cases . . . . .	20
<b>5</b>	<b>Results and Discussion</b>	<b>22</b>
<b>6</b>	<b>Conclusion &amp; Future Work</b>	<b>25</b>

<b>Appendix</b>	<b>26</b>
Data Sheet(s) - Electronic component . . . . .	26
Installation Procedure - Development Software . . . . .	26
<b>References</b>	<b>28</b>
<b>Technical Paper in IEEE Format</b>	<b>29</b>

# List of Figures

3.1	Agile Methodology . . . . .	9
3.2	System Design. . . . .	10
3.3	CNN Architecture. . . . .	12
3.4	Inception Model. . . . .	13
3.5	Custom CNN Model. . . . .	13
3.6	Dominant Colours. . . . .	14
3.7	Locating Text. . . . .	15
3.8	Query Formulation. . . . .	16
4.1	Implementation Plan. . . . .	18
5.1	Home Page. . . . .	23
5.2	Upload Image. . . . .	23
5.3	Unfiltered Results. . . . .	24
5.4	Filtered Results. . . . .	24

# **List of Tables**

4.1	Test Case for Sleeve . . . . .	20
4.2	Test Case for Collar . . . . .	21
4.3	Test Case for Pattern . . . . .	21

# Chapter 1

## Introduction

### 1.1 Problem Statement

To provide an efficient algorithm that is both effective and economical in performing cloth pattern detection task and retrieval from web without compromising on lighting, wrinkles or orientational parameters.

### 1.2 Scope of the Project

Ease the work of the user for finding clothes online based on an input image. We've created dataset which consists of around 300 images per feature category. Classes are as follow:

- Pattern Type: Plaid, Striped, Solid, Irregular
- Sleeve Type: Sleeveless, Half Sleeve, full sleeve
- Collar Type: Crewneck, Polo Neck, V-Neck

### 1.3 Need for the Proposed System

- Minimize user browsing time:

When it comes to online shopping, users are browsing more and buying less. Shoppers look across various sites for clothes. According to data

from the survey, two-thirds of consumers on average (66%) say they have specific product in mind and look for just that.

- Increase conversion rate [Probability of user browsing and buying]:  
Allowing user to find and locate clothes alternative across various sites, thereby increasing conversion rate.
- Improving the search experience and its efficiency:  
Online shoppers can upload an image to the site, or take a picture in an app, to look for similar products in the Retailer's catalog in a blink of an eye. This paves the way for much better product discovery experience, as shoppers don't need to wander through endless sub-categories to find that leopard print furry coat – especially that in many cases they may not even know how it's called what they are looking for.
- Find less expensive, similar pieces of clothing:  
At some point in our lives, we all have fallen in love with an item, but found it too expensive to buy. With visual search solutions running in the app or website, Retailers can suggest similar-looking items in different price ranges, so the customer can buy a look-alike product at a lower price. This feature can become a staple in e-commerce sites, as it can be used to offer relevant recommendations, based on items the shopper looked at but didn't buy. Of course, Retailers can also use such solutions to upsell to the customer, showing higher value alternatives that look alike.
- Increased product discovery accuracy.
- Marketers will be able to gain better insights into customer motivations and, more importantly, habits to provide a more tailored experience.
- Brands are also tapping into visual search to give customers a gentle nudge to continue shopping when they are tempted to navigate away from the eCommerce website.

## 1.4 Summary of the results and task completed

After a thorough research and analysis, our main agenda was to develop a system which will be able to predict feature labels and various attributes mentioned above and generate a query to obtain data online.

This also led to the process of data collection for different features. This data

was obtained from Google Image and Bing Images.

We decided to target only t-shirts, since all the necessary data is either not available or not accessible to us, we self generated dataset based on our study.

During the initial phase of our project we used a custom 14 Layer Convolution neural network for feature prediction but later realised using a Pre-trained model can better suit our problem due to low quality and quantity of our datasets. Hence, we shifted to Inception v3. The accuracy of that model after transfer learning was 80%+ across all classes, which was 15-20% increase from our previous model with the exception of one.

# **Chapter 2**

## **Review of Literature**

### **2.1 Summary of the investigation in the published papers**

#### **Cloth Pattern Recognition with Four Features**

Automatic clothing pattern recognition is a challenging research problem due to rotation, scaling, illumination, and especially large intra-class pattern variations. This paper recognizes clothing patterns in four categories (plaid, striped, pattern-less, and irregular) and identifies clothing colors. To recognize clothing patterns, we propose a novel Radon Transform Descriptor (RTD), Scale Invariant Feature Transform (SIFT), Mathematical Morphology (MM) based global feature and a schema to extract Statistical Descriptor (STA) to capture global features of clothing patterns. They all are combined to recognize complex clothing patterns. Our approach achieves 96% recognition accuracy which significantly outperforms the state-of-the-art texture analysis methods on clothing pattern recognition.

#### **Cloth Pattern Recognition for Visually Impaired People**

Visually impaired people face several challenges in their day to day lives such as picking up clothes of their interest. Our system will help them assist in this task and works in an effort to encourage their individuality without any human supervision. Matching clothes is a challenging task for many blind people,

The use of an efficient computer vision-based system to match clothes with multiple colours and complex patterns helps assist visually impaired and blind people by distinguishing both pattern and colour information. The three main components in our methodology for clothes matching: Colour detection and matching, Pattern detection, Pattern matching. The test feature extraction from the image is comprising of RADON signature curve, DWT pattern and SIFT results. The resulting output shows whether the cloths are of matching colour or patterns or both.

## **2.2 Comparison between the tools / methods / algorithms**

Pattern recognition aims to classify data (patterns) based on either a priori knowledge or on statistical information extracted from the patterns. The patterns to be classified are usually groups of measurements or observations, defining points in an appropriate multidimensional space. During the last few years the researchers have proposed many mathematical approaches to solve the pattern recognition problems. Recognition strategies heavily depend on the nature of the data to be recognized. The available methods of pattern recognition may be categorized into two basic principles:

- Statistical Methods:

Consisting the sub disciplines like discriminate analysis, feature extraction, error estimation, cluster analysis.

Neural Networks based Methods Statistical Methods of Pattern Recognition:

This is an approach to machine intelligence which is based on statistical modelling of data. In a statistical model, one applies probability theory and decision theory to get an algorithm. The three major issues encountered in the design of a statistical pattern recognition system are sensing, feature extraction, and classification. The primary issue is the representation of the input data which can be measured from the objects to be recognized and it is called sensing problem.

The number of features of the pattern samples is usually very large. The features of the pattern samples are reduced by considering their salient characteristics. This process is referred to as feature extraction. The last issue of the statistical pattern recognition is the pattern classification or development of the classifier. The pattern classifier is defined as a device or

a process that sorts the given data into identifiable categories and classes. Trainable classifier is one that can improve its performance in response to the information it receives as a function of time. Training is a process by which the parameters of the classifiers are adjusted. The classifier is trained using the reduced pattern samples. It is often assumed that the pattern samples of a given class occupy a finite region in a pattern space and it is called a class region.

On comparing statistical and neural pattern recognition techniques we realize that how neural techniques are much far better than statistical techniques.

- Neural Network Based Methods:

The pattern recognition approaches discussed so far are based on direct computation through machines. The neural approach applies biological concepts to machines for pattern recognition. The outcome of this effort is invention of artificial neural networks. Neural networks can be viewed as massively parallel computing systems consisting of an extremely large number of simple processors with many interconnections. Neural network models attempt to use some organizational principles (such as learning, generalization, adaptively, fault tolerance, distributed representation, and computation) in a network of weighted directed graphs in which the nodes are artificial neurons and directed edges (with weights) are connections between neuron outputs and neuron inputs.

The main characteristics of neural networks are that they have the ability to learn complex nonlinear input-output relationships, use sequential training procedures, and adapt themselves to the data.

The increasing popularity of neural network models to solve pattern recognition problems has been primarily due to their seemingly low dependence on domain-specific knowledge (relative to model-based and rule-based approaches) and due to the availability of efficient learning algorithms. Neural networks provide a new suite of nonlinear algorithms for feature extraction (using hidden layers) and classification (e.g., multilayer perceptron's). In addition, existing feature extraction and classification algorithms can also be mapped on neural network architectures for efficient (hardware) implementation.

The second type of approach focuses on content-based image retrieval (CBIR), where images are automatically indexed and retrieved with low level content


features like colour, shape and texture. In image classification and retrieval, images are represented using low level features. Because an image is an unstructured array of pixels, the first step in semantic understanding is to extract efficient and effective visual features from these pixels. Appropriate feature representation significantly improves the performance of the semantic learning techniques. Image segmentation is usually the first step to extract region-based image representation. The segmentation algorithm divides images into different components based on feature homogeneity. A number of segmentation approaches exist in the literature, such as grid based, clustering based, contour based, model based, graph based, and region growing based method. Image segmentation plays an important role in the screening of medical imaging. In the last decades, fuzzy segmentation methods, especially the fuzzy c-means algorithm, have been widely used in the image segmentation and such a success chiefly attributes to the introduction of fuzziness for the belongingness of each image pixel .This allows for the ability to make the clustering methods able to retain more information from the original image than the crisp or hard segmentation methods.

# Chapter 3

## Analysis and Design

### 3.1 Methodology / Procedure adopted

The development methodology used is Agile Methodology. We conduct meetings every 2 days in a week. Topics told in the previous meeting are studied and implemented and then discussed in the meeting. After the given task is done, new tasks are divided among the team to study and implemented. The progress of the work is written in the project booklet.



**Figure 3.1:** Agile Methodology.

### 3.2 Analysis

The whole process was divided into various small milestones. Collection of data for different feature which assist in attributes prediction was our topmost priority in the initial stages. Training various models on small samples to finalize a model. Accuracy of algorithm at each level is noted and model is further fine-tuned. Model is trained on complete dataset and integrated with rest of the pipeline.

### **3.2.1 Software / System Requirement Specification**


- User Interface:

Our project consists of a web portal which allows user to provide an image or capture using device camera. This image is sent to the backend which then returns all the similar clothes with similarity index to the user.

- Software Stack:

HTML / CSS, JavaScript, Python, TensorFlow, Keras, Bing API, Flask, OpenCV.

### **3.3 System Architecture / Design**



**Figure 3.2:** System Design.

### **3.3.1 Modules and their description**

The Overall System Architecture can be divided into following steps:

- Pre-processing the image for any noise.

- Extracting various features from the image such as pattern, sleeve type, collar type, colour of the T-shirt and Text on the T-shirt.
- Using the features list for formulating a Query.
- Retrieving the results using the query.
- Finding Similarity index between result images and input image.

**1. Pre-processing the image for any noise:**

The aim of digital image processing is to improve the image data (features) by suppressing unwanted distortions and/or enhancement of some important image features so that our AI-Computer Vision models can benefit from this improved data to work on.

**A. Resize Image:**

Images captured by a camera and fed to our algorithms vary in size, therefore, we establish a base size of 250 x 250 DPI for all images fed into our algorithms.

**B. Remove noise (Denoise):**

Gaussian blur (also known as Gaussian smoothing) is the result of blurring an image by a Gaussian function. Gaussian smoothing is also used as a pre-processing stage in if size of input image is greater than 3MB.

**2. Extracting various features from the image such as pattern, sleeve type, collar type, colour of the T-shirt and Text on the T-shirt:**


We are using an ensemble approach for extracting various features. Ensemble methods is a machine learning technique that combines several base models in order to produce one optimal predictive model. Since we are only focused on T-shirts the various features used are:

Colour, Pattern, Sleeve type, Collar type, Text

**(a) CNN Model:**

A Convolutional Neural Network (ConvNet/CNN) is a Deep Learning algorithm which can take in an input image, assign importance (learnable weights and biases) to various aspects/objects in the image and be able to differentiate one from the other. The pre-processing required in a ConvNet is much lower as compared to other classification algorithms. While in primitive methods filters are hand-engineered, with enough training, ConvNets have the ability to learn these filters/characteristics.

A ConvNet is able to successfully capture the Spatial and Temporal dependencies in an image through the application of relevant filters. The architecture performs a better fitting to the image dataset due to the reduction in the number of parameters involved and reusability of weights. In other words, the network can be trained to understand the sophistication of the image better.




**Figure 3.3:** CNN Architecture.

#### (b) Inception Model:

Transfer learning (TL) is a research problem in machine learning (ML) that focuses on storing knowledge gained while solving one problem and applying it to a different but related problem. From the practical standpoint, reusing or transferring information from previously learned tasks for the learning of new tasks has the potential to significantly improve the sample efficiency of a reinforcement learning agent.

Inception is a widely-used image recognition model. The model itself is made up of symmetric and asymmetric building blocks, including convolutions, average pooling, max pooling, concats, dropouts, and fully connected layers. Batchnorm is used extensively throughout the model and applied to activation inputs. Loss is computed via Softmax. A high-level diagram of the model is shown below:

**Figure 3.4:** Inception Model.**(c) Custom CNN Model:**

This model is only used for pattern dataset as it yielded more accuracy compared to inception. The summary of the model is given below: -

Layer (type)	Output Shape	Param #
conv2d_1 (Conv2D)	(None, 254, 254, 32)	896
max_pooling2d_1 (MaxPooling2)	(None, 127, 127, 32)	0
conv2d_2 (Conv2D)	(None, 125, 125, 64)	18496
max_pooling2d_2 (MaxPooling2)	(None, 62, 62, 64)	0
conv2d_3 (Conv2D)	(None, 60, 60, 128)	73856
max_pooling2d_3 (MaxPooling2)	(None, 30, 30, 128)	0
conv2d_4 (Conv2D)	(None, 28, 28, 256)	295168
max_pooling2d_4 (MaxPooling2)	(None, 14, 14, 256)	0
conv2d_5 (Conv2D)	(None, 12, 12, 512)	1180160
max_pooling2d_5 (MaxPooling2)	(None, 6, 6, 512)	0
flatten_1 (Flatten)	(None, 18432)	0
dense_1 (Dense)	(None, 512)	9437696
dense_2 (Dense)	(None, 256)	131328
dense_3 (Dense)	(None, 4)	1028

**Figure 3.5:** Custom CNN Model.

Total params: 11,138,628


Trainable params: 11,138,628

Non-trainable params: 0

(d) Identifying Color:

i. Finding Dominant Colors:

We are using K-means to find three most dominant colors in the image. K-means algorithm is an iterative algorithm that tries to partition the dataset into K pre-defined distinct non-overlapping subgroups (clusters) where each data point belongs to only one group. It tries to make the inter-cluster data points as similar as possible while also keeping the clusters as different (far) as possible.



**Figure 3.6:** Dominant Colours.


ii. Finding Colour Names:

It assigns names to a dominant color such that the sum of the squared distance between the RGB value of the reference color names and the dominat color (euclidean distance) is at the minimum.

$$d(p, q) = \sqrt{[(q_1 - p_1)^2 + (q_2 - p_2)^2 + \dots + (q_n - p_n)^2]^2}$$

iii. Locating Text in Image:

We are using OpenCV's EAST text detector. Which is a deep learning model, based on a novel architecture and training pattern. The text sections in the image are located and then cropped before feeding to OCR for obtaining text.



**Figure 3.7:** Locating Text.

iv. OCR:


We are using Tesseract engine to perform Optical character recognition. It works by finding templates in pixels, letters, words and sentences. It uses two-step approach that calls adaptive recognition. It requires one data stage for character recognition, then the second stage to fulfil any letters, it wasn't insured in, by letters that can match the word or sentence context.

v. Using Bing OCR Engine:

We are also using Bing OCR as tesseract performs poorly under noisy backgrounds and changing fonts and colours. Combining output of two OCR further improves the overall accuracy of identifying text.

### 3. Using the features list for formulating a Query:

The query is formed based on the output of the above algorithms. Flow diagram of query generation



**Figure 3.8:** Query Formulation.

### 4. Retrieving the results using the query:

The query will be given to bing api which will return response to that query.

### 5. Finding Similarity index between result images and input image:

Top 10 Images obtained from Bing API are downloaded and then compared with the users input image to find the similarity between the two. For which we have used SIFT algorithm. The scale-invariant feature transform (SIFT) is an algorithm used to detect and describe local features in digital images. It locates certain key points and then furnishes them with quantitative information (so-called descriptors) which can for example be used for object recognition. A key point is the position where the feature has been detected, while the descriptor is an array containing numbers to

describe that feature. When the descriptors are similar, it means that also the feature is similar.

### **3.4 Software/Hardware Minimum Requirements**

It is advised the website browser is updated (max 2 versions old). More older browsers might have an issue in loading some webpage functionalities. Device should have minimum 4GB of RAM and Dedicated Graphics card. Lesser RAM may lead to system lag causing undue delays.

# Chapter 4

## Implementation

### 4.1 Implementation Plan



Figure 4.1: Implementation Plan.

### 4.2 Coding Standard

#### 1. Code Layout

##### (a) Indentation

- Use 4 spaces per indentation level

##### (b) Maximum Line Length

- Limit all lines to a maximum of 79 characters.

##### (c) Blank Lines

- Surround top-level function and class definitions with two blank lines.
- Method definitions inside a class are surrounded by a single blank line.
- Extra blank lines may be used (sparingly) to separate groups of related functions. Blank lines may be omitted between a bunch of related one-liners.
- Use blank lines in functions, sparingly, to indicate logical sections.

(d) Source File Encoding

- All source files are encoded using UTF-8.

(e) Imports

Imports should be grouped in the following order:

- Standard library imports.
- Related third party imports.
- Local application/library specific imports.

You should put a blank line between each group of imports.

## 2. Naming Convention

(a) Function and Variable Names

C-style naming separates words in a name using underscores:

this\_is\_an\_identifier.

(b) Constants

Constants are usually defined on a module level and written in all capital letters with underscores separating words. Example include PATH.

## 4.3 Testing

• Unit Testing:

In computer programming, unit testing is a software testing method by which individual units of source code, sets of one or more computer program modules together with associated control data, usage procedures, and operating procedures, are tested to determine whether they are fit for use. For example, in our case, we have three different CNN models each trained on different feature dataset. Each of these were individually tested.

- Integration Testing:

Sometimes called integration and testing, (abbreviated I and T) is the phase in software testing in which individual software modules are combined tested as a group. Integration testing is conducted to evaluate the compliance of a system or component with specified functional requirements. It occurs after unit testing and before validation testing. Integration testing takes as its input modules that have been unit tested, groups them in larger aggregates, applies tests defined in an integration test plan to those aggregates, and delivers as its output the integrated system ready for system testing.

In our system, after unit testing now we have all models individually tested and all these are integrated into our system's backend. Similarly, with our website too, each button and input field is individually tested. Finally, after both, the backend and the Web App (which are the modules that are unit tested), are then integrated and tested. One of the test examples is, we test run multiple images from different client devices and browsers to ensure the system performs consistently.

- White Box Testing:

White Box Testing (also known as Clear Box Testing, Open Box Testing, Glass Box Testing, Transparent Box Testing, Code-Based Testing or Structural Testing) is a software testing method in which the internal structure/design/implementation of the item being tested is known to the tester. Tested by group members who have full knowledge for redundancies and structural format.

### 4.3.1 Test Cases

From all the dataset 10% of the images are used for testing of the models.

Model Name	Classes	Image per Class	Accuracy
Sleeve Type	Half Sleeve	109 % 10 = 10	85
	Full Sleeve	116 % 10 = 11	86
	Sleeveless	239 % 10 = 23	91
		Total Images: 41	Total Accuracy: 87.3

**Table 4.1:** Test Case for Sleeve

Collar Type			
	Polo Neck	$71\% \cdot 10 = 7$	87
	V Neck	$75\% \cdot 10 = 7$	83
	Crew Neck	$92\% \cdot 10 = 9$	77
		Total Images: 23	Total Accuracy: 82

**Table 4.2:** Test Case for Collar


Pattern Type			
	Plaid	$158\% \cdot 10 = 15$	81
	Striped	$159\% \cdot 10 = 15$	88
	Irregular	$157.5\% \cdot 10 = 15$	95
	Patternless	$157\% \cdot 10 = 15$	91
		Total Images: 60	Total Accuracy: 88.75

**Table 4.3:** Test Case for Pattern


# **Chapter 5**

## **Results and Discussion**

In order to retrieve similar clothes online, we have built a prediction system that predicts the various attributes from input cloth image and forms a query based on parameters like colour, pattern, sleeve type etc. The average accuracy of all the models is 86.11%. The individual accuracy of the models is 87.3% for sleeve model, 82% for collar model and 88.75% for pattern model. The overall success rate of the system in formulating the query based on a random sample of 20 images is 60%. The search results obtained after formulation of a query from Bing image search API are uncertain and dubious. The similarity index helps to eliminate the problem to some extent but its computationally very expensive and time consuming hence its impossible to check every image from the search result.



**Figure 5.1:** Home Page.



**Figure 5.2:** Upload Image.




Figure 5.3: Unfiltered Results.




Figure 5.4: Filtered Results.

# Chapter 6

## Conclusion & Future Work

Online Product searching has been limited to traditional methods and can be enhanced further using AI and Image Processing due abundance of data and increase in DL research and Computer processing over the years. Our system provides a small demonstration of such a system using an example of clothes but core ideas and principles can be expanded to many similar applications. The performance of system can further be increased by using segmentation to separate object from the background before providing it to DL models for attribute prediction. Increasing the quality of dataset or using augmentation techniques can also help in improving the accuracy of models.

# **Appendix - I**

## **Installation Procedure**

1. Cloning the repo:

```
$ git clone https://github.com/priteshsatpute/deepfashion.git or download  
the zip file
```

2. Installing Dependencies:

```
$ cd deepfashion  
$ python setup.py
```

3. To start the server run this command in terminal or cmd to start the project:

```
$ python server.py
```

4. Project will run on port 5000. Go to <http://localhost:5000/>

## References

- [1] Sproles, G., 2020. Fashion Theory: A Conceptual Framework. [online] Acrwebsite.org. Available at: [\[https://www.acrwebsite.org/volumes/5731/volumes/v01/NA-01\]](https://www.acrwebsite.org/volumes/5731/volumes/v01/NA-01) [Accessed 17 April 2020].
- [2] Korolyov, A., 2020. Fashion E-Commerce. How Is It Different? - Ecommerce Development Company. [online] eCommerce Development Company. Available at: [\[https://www.mavenecommerce.com/2019/04/09/fashion-e-commerce/\]](https://www.mavenecommerce.com/2019/04/09/fashion-e-commerce/) [Accessed 17 April 2020].
- [3] Mage Solutions Blog. 2020. Shopping Online: Common Problems Faced By Customers. [online] Available at: [\[https://www.magesolution.com/blog/shopping-online-problems-customers-faced/\]](https://www.magesolution.com/blog/shopping-online-problems-customers-faced/) [Accessed 17 April 2020].
- [4] Medium. 2020. Shopping With Your Camera: How Visual Search Is Transforming Ecommerce. [online] Available at: [\[https://towardsdatascience.com/shopping-with-your-camera-how-visual-search-is-transforming-ecommerce-1bee5877994e\]](https://towardsdatascience.com/shopping-with-your-camera-how-visual-search-is-transforming-ecommerce-1bee5877994e) [Accessed 17 April 2020].
- [5] Scott, S., 2020. The Future Of E-Commerce: Visual Search. [online] Rocketspace.com. Available at: [\[https://www.rocketspace.com/corporate-\]](https://www.rocketspace.com/corporate-)

- innovation/the-future-of-e-commerce-visual-search] [Accessed 17 April 2020].
- [6] Catchoom.com. 2020. [online] Available at: <https://catchoom.com/blog/visual-recognition-fashion-e-commerce/> [Accessed 17 April 2020].
- [7] Ieeexplore.ieee.org. 2020. Pattern Recognition And Image Processing - IEEE Journals & Magazine. [online] Available at: <https://ieeexplore.ieee.org/document/1674602> [Accessed 17 April 2020].
- [8] Pankaj Mathur, ‘Beating Fine-Grained Clothing Classification benchmark using Fast.AI in 10 Lines of Code’, 2018, Available: <https://medium.com/@pankajmathur/clothing-categories-classification-using-fast-ai-v1-0-in-10-lines-of-code-4e848797721>
- [9] V. Varun Sharma, S. Narasimha Reddy, S. Kanmani, ‘Cloth Pattern Recognition for Visually Impaired People’, 2017, Available: <http://www.ijcstjournal.org/volume-5/issue-2/IJCST-V5I2P47.pdf>
- [10] Advanced Guide to Inception v3 on Cloud TPU, Available: <https://cloud.google.com/tpu/docs/inception-v3-advanced>
- [11] West, Jeremy, Ventura, Dan, Warnick, Sean (2007). "Spring Research Presentation: A Theoretical Foundation for Inductive Transfer". Brigham Young University, College of Physical and Mathematical Sciences. Archived from the original on 2007-08-01. Retrieved 2007-08-05.
- [12] George Karimpanal, Thommen; Bouffanais, Roland (2019). "Self-organizing maps for storage and transfer of knowledge in reinforcement learning". Adaptive Behavior. 27 (2): 111–126. arXiv:1811.08318. doi:10.1177/1059712318818568. ISSN 1059-7123.

## Acknowledgements

Firstly, we would like to thank our project guide Prof. Udaychandra Nayak who helped us throughout the project by giving his valuable suggestions and opinions whenever we were stuck at some point. His ideas improved the quality of the project. We are also grateful to the IT Department of Don Bosco Institute of Technology, Mumbai.

We would also like to thank the faculty members of the IT Department for their guidance whenever needed. We are also thankful to our project coordinator Prof. Sunantha Krishnan, for her constant encouragement.

A special vote of thanks to Prof. Prasad Padalkar of the IT Department who helped us to understand the scenario that is followed at present and the improvements that would make the project user-friendly. We would also like to thank Prof. Supratim Biswas for his inputs that provided a finesse to the project.

(\_\_\_\_\_  
**(Jayesh Kukreja 41)**)

(\_\_\_\_\_  
**(Pritesh Satpute 65)**)

(\_\_\_\_\_  
**(Ankit Vishwakarma 79)**)

**Date:**