

**Visvesvaraya Technological University**

**Belagavi, Karnataka - 590018**



Project Report on

**“Food Runner – Mobile Application”**

Submitted in partial fulfillment of the requirements for the course

**MOBILE APPLICATION DEVELOPMENT (18CSMP68)** Course of the 6<sup>th</sup> semester

**BACHELOR OF ENGINEERING**

**IN**

**COMPUTER SCIENCE AND ENGINEERING**

**Submitted by**

**Prithviraj Patil**

**1JS19CS125**

**Kiran A**

**1JS19CS076**

**Under the guidance of**

**Mrs. Shruthi P**

**Mrs. Rashmi B N**

Assistant professor, Dept. of CSE

Assistant professor, Dept. of CSE



**JSS Academy of Technical Education, Bengaluru**

**Department of Computer Science and Engineering**

2021-2022

JSS MAHA VIDYAPEETHA MYSURU

**JSS ACADEMY OF TECHNICAL EDUCATION**

JSS Campus, Uttarahalli - Kengeri Main Road, Bengaluru - 560060

**Department of Computer Science and Engineering**



**CERTIFICATE**

This is to certify that the project titled "**Food Ordering– Mobile Application** " is a bonafide work carried out by **Mr.Prithviraj patil (1JS19CS125)** and **Mr. Kiran A (1JS19CS076)** in partial fulfillment of the requirements for **MOBILE APPLICATION DEVELOPMENT (18CSMP68)** of 6th semester **Bachelor of Engineering in Computer Science and Engineering of the Visvesvaraya Technological University, Belgaum** during the academic year 2021-22. It is certified that all corrections and suggestions indicated for Internal Assessment have been incorporated in the report deposited in the department library. The project report has been approved as it satisfies the academic requirements in respect of project work prescribed for the said degree.

**Mrs. Shruthi P**  
**Asst.Professor,**  
**CSE Department**

**Dr. Naveen N C**  
**Prof & HOD,**  
**CSE Department**

**Mrs. B N Rashmi**  
**Asst.Professor,**  
**CSE Department**

Name of the Examiners

Signature with date

1.....

.....

2.....

.....

## ACKNOWLEDGEMENT

We express our humbleness pranamas to his Holiness **Jagadguru Sri Sri Shivaratri Deshikendra Mahaswamiji** for showering his blessings on us to receive good education and have a successful career.

The completion of any project involves the efforts of many people. We have been lucky enough to have received a lot of support from all ends during the course of this project. So, we take this opportunity to express our gratitude to all whose guidance and encouraged helped us emerging successful.

We are thankful for the resourceful guidance, timely assistance and grateful gesture of our guide **Mrs. Shruti P and Mrs. B N Rashmi** Assistant Professor, Department of Computer Science and Engineering, who had helped us in every aspect of our project work.

We are also forever grateful to **Dr. Naveen N.C**, Head of the Department, Computer Science Engineering, for his unending support, guidance and encouragement in all our ventures.

We express our sincere thanks to our beloved Principal **Dr. Bhimasen Soragon** for having supported us in all our academic endeavours.

Last but not the least, we would be immensely pleased to express our heartfelt thanks to all teaching and non-teaching staff of the Department of CSE and our friends for their timely help, support and guidance.

**Prithviraj Patil [1JS19CS125]**

**Kiran A [1JS19CS076]**

## **ABSTRACT**

Increased demand of restaurant-goers generated the need for much attention for the hospitality industry. Intrinsically ordering food through online food app has become an innate human tendency. Those vendors offering the food products and services through online food app have shown remarkable growth in the most recent years.

The Online Food Ordering System's main purpose is to maintain track of information such as Item Category, Food, Order, and Shopping Cart. It keeps track of information about the Item Category, the Customer, the Shopping Cart, and the Item Category. Only the administrator gets access to the project because it is totally built at the administrative level. The project's purpose is to develop software that will cut down on the time spent manually managing Item Category, Food, Customer, and Delivery Address. It saves the Order, and Shopping Cart information.

Technological interference has become mandatory to improve the quality of the service and business in this industry. Evidences are already existed for partial automation of food ordering process in the country; most of these technologies implemented are based on wireless technologies.

## CHAPTER-1

### INTRODUCTION

#### 1.1 Overview

The purpose of the project is to build an application program to reduce the manual work for managing the above information. The main objective of this app is to manage the details of item category, food, order, shopping cart. To provide efficient authorization and security. To achieve integration of all records of shopping cart. To achieve the good representation of food items and restaurant details. Better synchronization of data. This project is designed using Kotlin language in android studio.

#### 1.2 Problem Statement

The technology we recommend is an easy-to-use online meal ordering system for customers. It overcomes the disadvantages of traditional queueing systems. Our system is both a convenient way to order food from restaurants and a mess service. The procedure of taking a customer's order is made easier with this technology. Customers may place orders fast utilising the online meal ordering system, which generates an online menu. Customers can also use a meal menu to keep track of their orders. Users can also rate the food goods using this system's feedback feature. In addition, based on the user's ratings, the proposed system can recommend hotels and meals, and the hotel staff will be notified of any quality adjustments.

#### 1.3 Motivation

My motivation for creating this app stemmed from the fact that my family works in the fast food industry, and I dislike waiting in lines or having to call ahead to place an order, especially during peak lunch or dinner hours. In addition, I value my current knowledge of the Java and JSP programming languages, as well as understanding how strong and dynamic they are when it comes to web design and application development. Because I found them to be highly beneficial when working on the technologies, I used Kotlin, android stuio to develop this application.

#### 1.4 Technologies

This whole project designed based on food ordering system which is used by citizens. This project uses Kotlin language for field validations.

Gradle's and wrappers are used for assigning the SDKs and other runtime platform. This project also can be implemented in different gadgets like mobile phones. The whole project has a simple looking UI design.

### 1.5 Application of Mobile Application Development

- **Simplicity** – It is the key to good performing application UI/UX design is a crucial factor that should be implemented in every application to draw the attention of audience. Simple UI designs with simple or login applications will catch the user's attention.
- **Best performance** – The best performance is decided by loading speed of the applications. Also, security plays a major role here.
- **Different modes of work** – Most of the mobile apps are offline and some of the apps are online. But both will have a particular traffic base to access them. Thus, users can change the app mode based on their network.
- **Customization** – when comes to organize the applications, the users may have the choice to design there UI according to their wishes. The mobile app is having more customization features like a web app.
- **Notifications** – Another main application of mobile app development is, it is having pop-up notification. Any new messages from the app or regarding the app will appear in front and user can easily remember the new messages.
- **Branding** – A mobile app is a wide platform for marketing your business easily. Most of the apps are generating ads which result in branding for a particular business.
- **Real time users** – A mobile app is popular because it is useful for real time activities. Food ordering and many applications make the audience more engaging with it. To get a data intensive application, it should be fun, engaging at the same time, it should be useful because users are giving their valuable time to access your apps. Hence the app should worth the time of using it.

## **CHAPTER-2**

### **REQUIREMENT SPECIFICATION**

#### **2.1 SOFTWARE SPECIFICATION**

Operating System: Windows Vista 7/8/10

Software: Android Studio

Language: Kotlin

#### **2.2 HARDWARE SPECIFICATION**

Processor: X86 Compatible processor with 1.7GHz clock

Speed Ram: 4GB or greater Hard

Disk: 400 GB min

Monitor: VGA/SVGA

Keyboard: 104 keys standard

Mouse: 2/3 button optical / mechanical

Smart Phone

#### **2.3 USER CHARACTERISTICS**

Every user

- Should be comfortable with the basic working of the computer.
- Must have basic knowledge of English.
- Must have skills of Android Studio and Kotlin.

## Chapter 3

### System Design

#### 3.1 Proposed System

In this paper, we created a app, which is popular in today's world where the app is simple and has set of rules, when the user downloads and opens the applications, user can register by pressing "don't have an account?/sign up" and user can fill the details for further process.

User can see set of restaurants and food items, can add the items to cart by pressing "Add to cart". It also has the option to place the order.

#### 3.2 Features of System

- User can add the restaurants to his favourite list
- User can give the ratings to the restaurant.
- Order history of users is available in profile.
- User can change the profile details.

#### 3.3 Design

How Food is Ordered?

- User can login by entering username and password.
- If user does not have account then he can register by entering details.
- User can search or select the restaurant.
- User can select and add food items to the cart.
- Swipe right to see his profile, order history, faqs.
- User can place order after adding food items to cart.

#### 3.4 Database

Room database is room is persistence library that provides an abstraction layer over the SQLite database to allow more robust database with the help of room we can easily create the database and perform CRUD operations very easily.

components of room database:

- **Entity:** Entity is a model class that is annotated with @Entity. This class is having variables that will be our columns and the class is our table
- **Database:** It is an abstract class where we will be storing all our database entries which we can call Entities.



- **DAO:** the full form of DAO is Database Access Object which is an interface class with the help of it we can perform different operations in our database.




Fig 3.4.1: Room Database

## Chapter 4

### Implementation

#### 4.1 Module Description

Login Module: Used for managing the login details.

Register Module: User can register by filling details.

Food Item Management Module: Used for managing the Food Item details.

Confirm Order Module: Used for managing the details of Confirm Order.

Order Module: Used for managing the Order information's.

Restaurant Module: User can choose the restaurant.

#### 4.2 Manifest file:

Include permissions for running activities.

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    package="com.kartikey.foodrunner">
```

```
    <uses-permission android:name="android.permission.ACCESS_NETWORK_STATE" />
```

```
    <uses-permission android:name="android.permission.INTERNET" />
```

```
    <application
```

```
        android:allowBackup="true"
```

```
        android:icon="@mipmap/ic_app_logo"
```

```
        android:label="@string/app_name"
```

```
        android:networkSecurityConfig="@xml/network_security_config"
```

```
        android:resizeableActivity="false"
```

```
        android:roundIcon="@mipmap/ic_app_logo_round"
```

```
        android:supportsRtl="true"
```

```
        android:theme="@style/AppTheme">
```

```
            <activity
```

```
                android:name=".activity.OrderPlacedActivity"
```

```
                android:configChanges="orientation|screenSize"
```

```
                android:screenOrientation="portrait" />
```

```
            <activity
```

```
                android:name=".activity.DashboardActivity"
```

```
        android:configChanges="orientation|screenSize"
        android:screenOrientation="portrait" />
    <activity
        android:name=".activity.CartActivity"
        android:configChanges="orientation|screenSize"
        android:screenOrientation="portrait" />
    <activity
        android:name=".activity.RestaurantMenuActivity"
        android:configChanges="orientation|screenSize"
        android:screenOrientation="portrait" />
    <activity
        android:name=".activity.LoginRegisterActivity"
        android:configChanges="orientation|screenSize"
        android:screenOrientation="portrait" />
    <activity
        android:name=".activity.SplashActivity"
        android:configChanges="orientation|screenSize"
        android:screenOrientation="portrait">
        <intent-filter>
            <action android:name="android.intent.action.MAIN" />

            <category android:name="android.intent.category.LAUNCHER" />
        </intent-filter>
    </activity>

</application>

</manifest>
```

### 4.3 RestaurantDao.kt:

Database access for object files of restaurant database.

```
package com.kartikey.foodrunner.database
```

```
import androidx.room.Dao
import androidx.room.Delete
import androidx.room.Insert
```

## Food Runner

---

```
import androidx.room.Query
```

```
@Dao
```

```
interface RestaurantDao {
```

```
    @Insert
```

```
    fun insertRestaurant(restaurantEntity: RestaurantEntity)
```

```
    @Delete
```

```
    fun deleteRestaurant(restaurantEntity: RestaurantEntity)
```

```
    @Query("SELECT * FROM restaurants")
```

```
    fun getAllRestaurants(): List<RestaurantEntity>
```

```
    @Query("SELECT * FROM restaurants WHERE restaurant_id = :restaurantId")
```

```
    fun getRestaurantById(restaurantId: String): RestaurantEntity
```

```
}
```

### 4.4 RestaurantDatabase.kt:

Restaurant Database.

```
package com.kartikey.foodrunner.database
```

```
import androidx.room.Database
```

```
import androidx.room.RoomDatabase
```

```
@Database(entities = [RestaurantEntity::class], version = 1)
```

```
abstract class RestaurantDatabase : RoomDatabase() {
```

```
    abstract fun restaurantDao(): RestaurantDao
```

```
}
```

### 4.5 RestaurantEntity.kt:

Entity class file which is stored in database.

```
package com.kartikey.foodrunner.database
```

```
import androidx.room.ColumnInfo
```

## Food Runner

---

```
import androidx.room.Entity
import androidx.room.PrimaryKey

@Entity(tableName = "restaurants")
data class RestaurantEntity
(
    @ColumnInfo(name = "restaurant_id") @PrimaryKey var restaurantId: String,
    @ColumnInfo(name = "restaurant_name") var restaurantName: String
)
```

### 4.6 Login activity.kt:

Access to the user's account.

```
package com.kartikey.foodrunner.activity

import android.content.Context
import android.content.Intent
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.view.MenuItem
import com.kartikey.foodrunner.fragment.LoginFragment
import com.kartikey.foodrunner.R

class LoginRegisterActivity : AppCompatActivity() {

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_login_register)

        val sharedPreferences = getSharedPreferences(
            getString(R.string.shared_preferences),
            Context.MODE_PRIVATE
        )

        if (sharedPreferences.getBoolean("user_logged_in", false)) {
```

```
        val intent = Intent(this@LoginRegisterActivity, DashboardActivity::class.java)
        startActivity(intent)
        finish();
    } else {
        openLoginFragment()
    }
}

fun openLoginFragment() {

    val transaction = supportFragmentManager.beginTransaction()
    transaction.replace(
        R.id.frameLayout,
        LoginFragment(this)
    )
    transaction.commit()
    supportActionBar?.title = "DashboardActivity"

}

override fun onBackPressed() {
    val currentFragment = supportFragmentManager.findFragmentById(R.id.frameLayout)
    when (currentFragment) {
        !is LoginFragment -> {
            openLoginFragment()
        }
        else -> {
            super.onBackPressed()
        }
    }
}

override fun onOptionsItemSelected(item: MenuItem): Boolean {
    val id = item.itemId
    when (id) {
        android.R.id.home -> {
            openLoginFragment()
        }
    }
}
```

```
        }  
    }  
    return super.onOptionsItemSelected(item)  
}  
  
}
```

### 4.7 Gradle file:

Plugins Used are:

```
apply plugin: 'com.android.application'  
apply plugin: 'kotlin-android'  
apply plugin: 'kotlin-android-extensions'  
apply plugin: 'kotlin-kapt'
```

```
android {  
    compileSdkVersion 30  
    buildToolsVersion "30.0.0"  
  
    defaultConfig {  
        applicationId "com.kartikey.foodrunner"  
        minSdkVersion 18  
        targetSdkVersion 30  
        versionCode 1  
        versionName "1.0"  
  
        testInstrumentationRunner "androidx.test.runner.AndroidJUnitRunner"  
    }  
  
    buildTypes {  
        release {  
            minifyEnabled false  
            proguardFiles getDefaultProguardFile('proguard-android-optimize.txt'), 'proguard-rules.pro'  
        }  
    }  
}
```

```
dependencies {
    implementation fileTree(dir: "libs", include: ["*.jar"])

    def room_version = "2.2.5"
    implementation "androidx.room:room-runtime:$room_version"
    kapt "androidx.room:room-compiler:$room_version"

    implementation "org.jetbrains.kotlin:kotlin-stdlib:$kotlin_version"
    implementation 'androidx.core:core-ktx:1.3.0'
    implementation 'androidx.appcompat:appcompat:1.1.0'
    implementation 'androidx.constraintlayout:constraintlayout:1.1.3'
    implementation 'com.squareup.picasso:picasso:2.71828'
    implementation 'com.android.support:design:28.0.0'
    implementation 'com.android.volley:volley:1.1.1'
    implementation 'androidx.legacy:legacy-support-v4:1.0.0'
    testImplementation 'junit:junit:4.12'
    androidTestImplementation 'androidx.test.ext:junit:1.1.1'
    androidTestImplementation 'androidx.test.espresso:espresso-core:3.2.0'
}
```



## Chapter 5

### Results



Fig 5.1

The above figure shows Login Pag



Fig 5.2

The above figure shows Register Page



Fig 5.3

The above figure shows User Profile Page




Fig 5.4

The above figure shows Restaurants Pag




Fig 5.5

The above figure shows Menu Page of Restaurant




Fig 5.6

The above figure shows Proceed to cart




Fig 5.7

The above figure shows Order Confirmed Page

### Chapter 6

#### Conclusion

An online food ordering system is developed where the customers can make an order for the food and avoid the hassles of waiting for the order to be taken by the waiter. Using the application, the end users register online, read the E-menu card and select the food from the e-menu card to order food online. Once the customer selects the required food item the chef will be able to see the results on the screen and start processing the food. This application nullifies the need of a waiter or reduces the workload of the waiter. The advantage is that in a crowded restaurant there will be chances that the waiters are overloaded with orders and they are unable to meet the requirements of the customer in a satisfactory manner. Therefore by using this application, the users can directly place the order for food to the chef online.

#### 6.2 Future Enhancement

With this platform we developed, we hoping to reduce time-wastage, avoid misunderstandings, provide easy data flow, customer pleasure, and less hard work. We believe that we have accomplished our goals and satisfied with the code we developed.

There is more for the future work that can be done, can be implemented to other platform so the developers can aim to wider market, and can be done in various language so the application can suite better for each specific count.