Jobs

Generated by Talend Cloud Big Data Platform

Project Name	PrixQualityDWH	GENERATION DATE	Mar 19, 2021 5:06:43 PM
AUTHOR	Bellucco, Fabrizio	Talend Cloud VERSION	7.3.1.20200219_1130

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	PrixQualityDWH
Language	java

Description	Prix Quality Datawarehouse

Description

Properties	Values
Name	Load_staging
Author	Bellucco, Fabrizio
Version	0.1
Purpose	Load_staging
Status	
Description	caricamento tabelle staging
Creation	Mar 18, 2021 5:02:58 PM
Modification	Mar 19, 2021 3:47:05 PM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	true
Use logs (tLogCatcher)	true
Use volumetrics (tFlowMeterCatcher)	true
On Console	false

On Files	true
File Path	"C:/temp/Log"
Log File Name	"logs_file.txt"
Meter file name	"meter_file.txt"
Stats File Name	"stats_file.txt"
On Databases	false
Catch components statistics	true
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextProduction

Name	Prompt	Need Prompt?	Type	Value
InazSQL_Schema	InazSQL_Schema?	false	id_String	DWH
InazSQL_Login	InazSQL_Login?	false	id_String	cdg
InazSQL_Database	InazSQL_Database?	false	id_String	DbHR

InazSQL_AdditionalParams	InazSQL_AdditionalParams?	false	id_String	
InazSQL_Password	InazSQL_Password?	false	id_Password	********
InazSQL_Server	InazSQL_Server?	false	id_String	10.0.1
InazSQL_Port	InazSQL_Port?	false	id_String	1433
flag_source	flag_source?	false	id_String	
table_name	table_name?	false	id_String	
verso_corrente	verso_corrente?	false	id_String	
verso_precedente	verso_precedente?	false	id_String	
VerticaStaging_Login	VerticaStaging_Login?	false	id_String	horsac
VerticaStaging_AdditionalParams	VerticaStaging_AdditionalParams?	false	id_String	
VerticaStaging_Database	VerticaStaging_Database?	false	id_String	vertica
VerticaStaging_Password	VerticaStaging_Password?	false	id_Password	********
VerticaStaging_Schema	VerticaStaging_Schema?	false	id_String	DWH_
VerticaStaging_Server	VerticaStaging_Server?	false	id_String	10.0.1
VerticaStaging_Port	VerticaStaging_Port?	false	id_String	5433
VerticaStaging_FullMonthToReload	VerticaStaging_FullMonthToReload?	false	id_Integer	2

Component List

Component Name	Component Type
tDBClose_1	tMSSqlClose
tDBClose_2	tVerticaClose
tDBConnection_1	tMSSqlConnection
tDBConnection_2	tVerticaConnection
tDBInput_1	tVerticaInput
tDBInput_2	tMSSqlInput
tDBOutput_1	tVerticaOutput
tDBRow_1	tVerticaRow
tFlowToIterate_1	tFlowToIterate
tJava_1	tJava
tJava_2	tJava
tJava_3	tJava
tPostjob_1	tPostjob
tPrejob_1	tPrejob

Components Description

Component   tMSSqlClose

	UNIQUE NAME	tDBClose_1	INPUT(S)	tPostjob_1
	LABEL	__UNIQUE_NAME__\ __CONNECTION__	OUTPUT(S)	tDBClose_2

Component Parameters:

Properties	Values
Database	tMSSqlClose
Unique Name	tDBClose_1
Component Name	tMSSqlClose
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlClose
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Component List	tDBConnection_1
Label format	__UNIQUE_NAME__ __CONNECTION__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tVerticaClose

	UNIQUE NAME	tDBClose_2	INPUT(S)	tDBClose_1
	LABEL	__UNIQUE_NAME__ __CONNECTION__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tVerticaClose
Unique Name	tDBClose_2
Component Name	tVerticaClose

Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaClose
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Component List	tDBConnection_2
Label format	__UNIQUE_NAME__ __CONNECTION__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tMSSqlConnection

	UNIQUE NAME	tDBConnection_1	INPUT(S)	tPrejob_1
	LABEL	__UNIQUE_NAME__ InazSQL	OUTPUT(S)	tDBConnection_2

Component Parameters:

Properties	Values
Database	tMSSqlConnection
Unique Name	tDBConnection_1
Component Name	tMSSqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server|ELT/Connections
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MSSQL):InazSQL
JDBC Provider	JTDS
Host	context.InazSQL_Server
Database Driver	MSSQL
Port	context.InazSQL_Port
Schema	context.InazSQL_Schema
Database	context.InazSQL_Database
Username	context.InazSQL_Login
Password	context.InazSQL_Password
Encoding	"ISO-8859-15"
Additional JDBC Parameters	context.InazSQL_AdditionalParams
Use or register a shared DB Connection	false

Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""
Auto Commit	false
Share identity insert in multi table	false
Label format	__UNIQUE_NAME__ InazSQL
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tVerticaConnection

	UNIQUE NAME	tDBConnection_2	INPUT(S)	tDBConnection_1
	LABEL	__UNIQUE_NAME__ VerticaStaging	OUTPUT(S)	tJava_3

Component Parameters:

Properties	Values
Database	tVerticaConnection
Unique Name	tDBConnection_2
Component Name	tVerticaConnection

Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (VERTICA):VerticaStaging
DB Version	VERTICA_9_0
Host	context.VerticaStaging_Server
Database Driver	VERTICA

Port	context.VerticaStaging_Port
Database	context.VerticaStaging_Database
Schema	context.VerticaStaging_Schema
Username	context.VerticaStaging_Login
Password	context.VerticaStaging_Password
Additional JDBC Parameters	context.VerticaStaging_AdditionalParams
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Auto Commit	true
Label format	__UNIQUE_NAME__ VerticaStaging
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tVerticaInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tFlowToIterate_1

Component Parameters:

Properties	Values
Database	tVerticaInput
Unique Name	tDBInput_1
Component Name	tVerticaInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Property Type	Built-In
DB Version	VERTICA_9_0
Use an existing connection	true
Component List	tDBConnection_2
Host name	""
Database Driver	VERTICA
Port	"5433"
Database	""
Schema	""
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"conf_load_table"
Query Type	Built-In
Guess Schema	""
Query	"SELECT table_name, flag_source, flag_active, tag FROM DWH_INT.conf_load_table where flag_active=1 and tag = 'hr'"
Mapping	vertica_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=table_name, TRIM=false}, {SCHEMA_COLUMN=flag_source, TRIM=false}, {SCHEMA_COLUMN=flag_active, TRIM=false}, {SCHEMA_COLUMN=tag, TRIM=false}]

Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
table_name	false	String	50		false	
flag_source	false	String	10		true	
flag_active	false	Long	19		true	
tag	false	String	20		true	

Original Function Parameters:
Component   tMSSqlInput

UNIQUE NAME	tDBInput_2		INPUT(S)	tJava
LABEL	__UNIQUE_NAME__ __CONNECTION__ __TABLE__	OUTPUT(S)	tDBC

Component Parameters:

Properties	Values
Database	tMSSqlInput

Unique Name	tDBInput_2
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	true
Component List	tDBConnection_1

Property Type	Built-In
Host	""
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	""
Database	""
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	context.table_name
Query Type	Built-In
Guess Schema	""
Query	"select * from " + context.table_name + " where year(data) >= 2021"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=dynamic_schema, TRIM=false}]

Label format	__UNIQUE_NAME__ __CONNECTION__ __TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
dynamic_schema	false	Dynamic			true	

Original Function Parameters:
Component   tVerticaOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tDBIr
	LABEL	__UNIQUE_NAME__ __CONNECTION__ __TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tVerticaOutput
Unique Name	tDBOutput_1
Component Name	tVerticaOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica

Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
DB Version	VERTICA_9_0
Use an existing connection	true
Component List	tDBConnection_2
TYPE	VERTICA
Host	""
Port	"5433"

Database	""
Schema	""
Username	""
Password	**
Table	context.table_name
Action on table	CREATE_IF_NOT_EXISTS
Use "drop cascade"	true
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Die on error	true
Mapping	vertica_id
Additional JDBC Parameters	""
Use alternate schema	false
Schema	""
Abort on error	false
Maximum Rejects	
Exception file	
Exception file node	
Rejected data file	
Rejected data file node	

No Commit	true
Encoding	"ISO-8859-15"
Commit every	100
Use batch mode	true
Batch size	100
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=dynamic_schema, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Create projection when create table	true
Label format	__UNIQUE_NAME__ __CONNECTION__ __TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
dynamic_schema	false	Dynamic			true	

Original Function Parameters:
Component tVerticaRow

	UNIQUE NAME	tDBRow_1	INPUT(S)	tJava_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJava_2

Component Parameters:

Properties	Values
Database	tVerticaRow
Unique Name	tDBRow_1
Component Name	tVerticaRow
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
DB Version	VERTICA_9_0
Use an existing connection	true
Component List	tDBConnection_2
Host	""
Port	"5433"
Database	""
Schema	""
TYPE	VERTICA
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Table Name	""
Query Type	Built-In
Query	"TRUNCATE TABLE dwh_int." + context.table_name

Use NB_LINE_	NONE
Die on error	true
Additional JDBC Parameters	""
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Encoding	"ISO-8859-15"
Commit every	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tFlowToIterate

	UNIQUE NAME	tFlowToIterate_1	INPUT(S)	tDBInput_1

LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJava_1

Component Parameters:

Properties	Values
Unique Name	tFlowToIterate_1
Component Name	tFlowToIterate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFlowToIterate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Use the default (key, value) in global variables.	true
Customize	[]
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowToIterate_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component tJava

	UNIQUE NAME	tJava_1	INPUT(S)	tFlowToIterate_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBRow_1

Component Parameters:

Properties	Values
Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)

Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Code	context.table_name=(String)globalMap.get("row1.table_name");
	context.flag_source=(String)globalMap.get("row1.flag_source");
	System.out.println("nome tabella : " + context.table_name);

Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tJava

	UNIQUE NAME	tJava_2	INPUT(S)	tDBRow_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBInput_2

Component Parameters:

Properties	Values
Unique Name	tJava_2
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tJava

	UNIQUE NAME	tJava_3	INPUT(S)	tDBConnection_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tJava_3
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	context.table_name= ""; context.flag_source= "";
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_3 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tPostjob

	UNIQUE NAME	tPostjob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBClose_1

Component Parameters:

Properties	Values
Unique Name	tPostjob_1
Component Name	tPostjob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	__UNIQUE_NAME__

Hint format	\<b\>__UNIQUE_NAME__\</b\>\<br\>__COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tPrejob

	UNIQUE NAME	tPrejob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBConnection_1

Component Parameters:

Properties	Values
Unique Name	tPrejob_1
Component Name	tPrejob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPrejob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Users\gabriele.decesare\Documents\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: