



Jobs

Generated by Talend Cloud Big Data Platform

Project Name	PrixQualityDWH	GENERATION DATE	Dec 7, 2021 9:33:27 AM
AUTHOR	Bellucco, Fabrizio	Talend Cloud VERSION	7.3.1.20200219_1130

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description

Properties	Values
Name	PrixQualityDWH
Language	java

Description	Prix Quality Datawarehouse
-------------	----------------------------

Description

Properties	Values
Name	Copy_of_ext_impianti_arneg
Author	Bellucco, Fabrizio
Version	0.1
Purpose	impianti
Status	
Description	carica impianti frigo arneg da file csv
Creation	Nov 20, 2021 12:25:12 PM
Modification	Nov 25, 2021 1:48:14 PM

Preview Picture

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	true
Use logs (tLogCatcher)	true
Use volumetrics (tFlowMeterCatcher)	true
On Console	false
On Files	false
On Databases	false
Catch components statistics	true
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value
VerticaStaging_Login	VerticaStaging_Login?	false	id_String	horsa
VerticaStaging_AdditionalParams	VerticaStaging_AdditionalParams?	false	id_String	
VerticaStaging_Database	VerticaStaging_Database?	false	id_String	vertic:
VerticaStaging_Password	VerticaStaging_Password?	false	id_Password	*****
VerticaStaging_Schema	VerticaStaging_Schema?	false	id_String	DWH_
VerticaStaging_FullMonthToReload	VerticaStaging_FullMonthToReload?	false	id_Integer	2
VerticaStaging_Server	VerticaStaging_Server?	false	id_String	10.0.1
VerticaStaging_Port	VerticaStaging_Port?	false	id_String	5433
AttachmentArnegEpta	AttachmentArnegEpta?	false	id_String	"EXP(
AttachmentFrigoVenetaRename	AttachmentFrigoVenetaRename?	false	id_String	"*_ha
MailFile	MailFile?	false	id_String	"*.mai
AttachmentFrigoVeneta	AttachmentFrigoVeneta?	false	id_String	"hacc
PathAttachmentArchiveArneg	PathAttachmentArchiveArneg?	false	id_String	"/opt/r
PathAttachment	PathAttachment?	false	id_String	"/opt/r

PathAttachmentArchiveEpta	PathAttachmentArchiveEpta?	false	id_String	"/opt/r
condition	condition?	false	id_Boolean	
MailServer	MailServer?	false	id_String	"10.0.
PathMailArchive	PathMailArchive?	false	id_String	"/opt/r
MailServerPort	MailServerPort?	false	id_Integer	993
PathMail	PathMail?	false	id_String	"/opt/r
MailPrixPassword	MailPrixPassword?	false	id_Password	*****
MailPrixUserName	MailPrixUserName?	false	id_String	"prix.t
PathAttachmentArchiveFrigoVeneta	PathAttachmentArchiveFrigoVeneta?	false	id_String	"/opt/r

Component List


Component Name	Component Type
tDBCclose_1	tVerticaClose
tDBConnection_1	tVerticaConnection
tDBOutput_10	tVerticaOutput
tDBOutput_5	tVerticaOutput
tFileInputDelimited_13	tFileInputDelimited

tFileInputDelimited_14	tFileInputDelimited
tFileInputDelimited_15	tFileInputDelimited
tFileInputDelimited_28	tFileInputDelimited
tFileInputDelimited_29	tFileInputDelimited
tFileInputDelimited_30	tFileInputDelimited
tFileList_10	tFileList
tFileList_5	tFileList
tJavaRow_10	tJavaRow
tJavaRow_5	tJavaRow
tJava_10	tJava
tJava_5	tJava
tMap_10	tMap
tMap_19	tMap
tMap_20	tMap
tMap_9	tMap
tPostjob_1	tPostjob
tPrejob_1	tPrejob

tSendMail_2	tSendMail
tSendMail_3	tSendMail
tUnpivotRow_10	tUnpivotRow
tUnpivotRow_5	tUnpivotRow

Components Description

Component tVerticaClose


	UNIQUE NAME	tDBCclose_1	INPUT(S)	tPostjob_1
	LABEL	__UNIQUE_NAME__ __CONNECTION__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tVerticaClose
Unique Name	tDBCclose_1
Component Name	tVerticaClose
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaClose
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Component List	tDBConnection_1
Label format	__UNIQUE_NAME__ __CONNECTION__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tVerticaConnection

	UNIQUE NAME	tDBConnection_1	INPUT(S)	tPrejob_1
	LABEL	__UNIQUE_NAME__ VerticaStaging	OUTPUT(S)	none


Component Parameters:

Properties	Values
Database	tVerticaConnection
Unique Name	tDBConnection_1
Component Name	tVerticaConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (VERTICA):VerticaStaging
DB Version	VERTICA_9_0
Host	context.VerticaStaging_Server
Database Driver	VERTICA
Port	context.VerticaStaging_Port
Database	context.VerticaStaging_Database
Schema	context.VerticaStaging_Schema
Username	context.VerticaStaging_Login
Password	context.VerticaStaging_Password
Additional JDBC Parameters	context.VerticaStaging_AdditionalParams
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Auto Commit	true
Label format	__UNIQUE_NAME__ VerticaStaging
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tVerticaOutput

	UNIQUE NAME	tDBOutput_10	INPUT(S)	tMap_20 , tFileInputDelimited_30
	LABEL	__TABLE__	OUTPUT(S)	tSendMail_2 , tFileCopy_10

Component Parameters:

Properties	Values
Database	tVerticaOutput
Unique Name	tDBOutput_10
Component Name	tVerticaOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaOutput
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (VERTICA):VerticaStaging
DB Version	VERTICA_9_0
Use an existing connection	true
Component List	tDBConnection_1
TYPE	VERTICA
Host	context.VerticaStaging_Server
Port	context.VerticaStaging_Port
Database	context.VerticaStaging_Database
Schema	context.VerticaStaging_Schema
Username	context.VerticaStaging_Login
Password	context.VerticaStaging_Password
Table	"ext_impianti_frigido_test"
Action on table	CREATE_IF_NOT_EXISTS
Use "drop cascade"	true
Action on data	INSERT

REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Die on error	true
Mapping	vertica_id
Additional JDBC Parameters	context.VerticaStaging_AdditionalParams
Use alternate schema	false
Schema	""
Abort on error	false
Maximum Rejects	
Exception file	
Exception file node	
Rejected data file	
Rejected data file node	
No Commit	true
Encoding	"ISO-8859-15"
Commit every	100
Use batch mode	true
Batch size	100
Additional columns	[]
Use field options	false


Field options	[{SCHEMA_COLUMN=punto_vendita, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=impianto, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=fornitore, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=data_rilevazione, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=temperatura, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=file_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Create projection when create table	true
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_10 :

Column	Key	Type	Length	Precision	Nullable	Comment
punto_vendita	false	String	3		true	
impianto	false	String	50		true	
fornitore	false	String	50		true	
data_rilevazione	false	java.util.Date			true	

temperatura	false	String	10		true	
file_name	false	String	50		true	

Original Function Parameters:
Component tVerticaOutput

	UNIQUE NAME	tDBOutput_5	INPUT(S)	tMap_10
	LABEL	__TABLE__	OUTPUT(S)	tFileCopy_5

Component Parameters:

Properties	Values
Database	tVerticaOutput
Unique Name	tDBOutput_5
Component Name	tVerticaOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Vertica
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tVerticaOutput
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (VERTICA):VerticaStaging
DB Version	VERTICA_9_0
Use an existing connection	true
Component List	tDBConnection_1
TYPE	VERTICA
Host	context.VerticaStaging_Server
Port	context.VerticaStaging_Port
Database	context.VerticaStaging_Database
Schema	context.VerticaStaging_Schema
Username	context.VerticaStaging_Login
Password	context.VerticaStaging_Password
Table	"ext_impianti_frigido_test"
Action on table	CREATE_IF_NOT_EXISTS
Use "drop cascade"	true
Action on data	INSERT

REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Die on error	true
Mapping	vertica_id
Additional JDBC Parameters	context.VerticaStaging_AdditionalParams
Use alternate schema	false
Schema	""
Abort on error	false
Maximum Rejects	
Exception file	
Exception file node	
Rejected data file	
Rejected data file node	
No Commit	true
Encoding	"ISO-8859-15"
Commit every	100
Use batch mode	true
Batch size	100
Additional columns	[]
Use field options	false


Field options	[{SCHEMA_COLUMN=punto_vendita, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=impianto, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=fornitore, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=data_rilevazione, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=temperatura, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=file_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Create projection when create table	true
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_5 :

Column	Key	Type	Length	Precision	Nullable	Comment
punto_vendita	false	String	3		true	
impianto	false	String	50		true	
fornitore	false	String	50		true	
data_rilevazione	false	java.util.Date			true	

temperatura	false	String	10		true	
file_name	false	String	50		true	

Original Function Parameters:
Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_13	INPUT(S)	tJava_5
	LABEL	pdv	OUTPUT(S)	tJavaRow_5

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_13
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DELIM:pdv_Impianti_Arneg_Epta - pdv
File name/Stream	context.PathAttachment+((String)globalMap.get("tFileList_5_CURRENT_FILE"))
CSV options	true
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	","
Escape char	""
Text enclosure	""
Header	0
Footer	0
Limit	1
Skip empty rows	false
Uncompress as zip file	false


Die on error	false
Schema	repository: DELIM:pdv_Impianti_Arneg_Epta - pdv
Temporary directory	"C:/Users/gabriele.decesare/Documents/Talend/PRIXQUALITY/Talend-Studio-20200219_1130-V7
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=pdv, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false
Decode table	[{SCHEMA_COLUMN=pdv, DECODE=false}]
Destination	
Min column number of optimize code	100
Label format	pdv
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for pdv :

Column	Key	Type	Length	Precision	Nullable	Comment
pdv	false	String	50		true	

Original Function Parameters:
Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_14	INPUT(S)	tJavaRow_5
	LABEL	metadata1	OUTPUT(S)	tMap_9

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_14
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	repository: DELIM:Impianti_Arneg_Epta - metadata
File name/Stream	context.PathAttachment+((String)globalMap.get("tFileList_5_CURRENT_FILE"))
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	","
Escape char	""
Text enclosure	""

Header	6
Footer	0
Limit	
Skip empty rows	true
Uncompress as zip file	false
Die on error	false
Schema	Built-In
Temporary directory	"C:/Users/gabriele.decesare/Documents/Talend/PRIXQUALITY/Talend-Studio-20200219_1130-V7
Advanced separator (for numbers)	false
Thousands separator	" , "
Decimal separator	" . "
Extract lines at random	false
Number of lines	10
Trim all columns	false

Check column to trim	<pre>[{SCHEMA_COLUMN=newColumn1, TRIM=false}, {SCHEMA_COLUMN=newColumn2, TRIM=false}, {SCHEMA_COLUMN=newColumn3, TRIM=false}, {SCHEMA_COLUMN=newColumn4, TRIM=false}, {SCHEMA_COLUMN=newColumn5, TRIM=false}, {SCHEMA_COLUMN=newColumn6, TRIM=false}, {SCHEMA_COLUMN=newColumn7, TRIM=false}, {SCHEMA_COLUMN=newColumn8, TRIM=false}, {SCHEMA_COLUMN=newColumn9, TRIM=false}, {SCHEMA_COLUMN=newColumn10, TRIM=false}, {SCHEMA_COLUMN=newColumn11, TRIM=false}, {SCHEMA_COLUMN=newColumn12, TRIM=false}, {SCHEMA_COLUMN=newColumn13, TRIM=false}, {SCHEMA_COLUMN=newColumn14, TRIM=false}, {SCHEMA_COLUMN=newColumn15, TRIM=false}, {SCHEMA_COLUMN=newColumn16, TRIM=false}, {SCHEMA_COLUMN=newColumn17, TRIM=false}, {SCHEMA_COLUMN=newColumn18, TRIM=false}, {SCHEMA_COLUMN=newColumn19, TRIM=false}, {SCHEMA_COLUMN=newColumn20, TRIM=false}, {SCHEMA_COLUMN=newColumn21, TRIM=false}, {SCHEMA_COLUMN=newColumn22, TRIM=false}, {SCHEMA_COLUMN=newColumn23, TRIM=false}, {SCHEMA_COLUMN=newColumn24, TRIM=false}, {SCHEMA_COLUMN=newColumn25, TRIM=false}, {SCHEMA_COLUMN=newColumn26, TRIM=false}, {SCHEMA_COLUMN=newColumn27, TRIM=false}, {SCHEMA_COLUMN=newColumn28, TRIM=false}]</pre>
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	true
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false

Decode table	<pre>[{SCHEMA_COLUMN=newColumn1, DECODE=false}, {SCHEMA_COLUMN=newColumn2, DECODE=false}, {SCHEMA_COLUMN=newColumn3, DECODE=false}, {SCHEMA_COLUMN=newColumn4, DECODE=false}, {SCHEMA_COLUMN=newColumn5, DECODE=false}, {SCHEMA_COLUMN=newColumn6, DECODE=false}, {SCHEMA_COLUMN=newColumn7, DECODE=false}, {SCHEMA_COLUMN=newColumn8, DECODE=false}, {SCHEMA_COLUMN=newColumn9, DECODE=false}, {SCHEMA_COLUMN=newColumn10, DECODE=false}, {SCHEMA_COLUMN=newColumn11, DECODE=false}, {SCHEMA_COLUMN=newColumn12, DECODE=false}, {SCHEMA_COLUMN=newColumn13, DECODE=false}, {SCHEMA_COLUMN=newColumn14, DECODE=false}, {SCHEMA_COLUMN=newColumn15, DECODE=false}, {SCHEMA_COLUMN=newColumn16, DECODE=false}, {SCHEMA_COLUMN=newColumn17, DECODE=false}, {SCHEMA_COLUMN=newColumn18, DECODE=false}, {SCHEMA_COLUMN=newColumn19, DECODE=false}, {SCHEMA_COLUMN=newColumn20, DECODE=false}, {SCHEMA_COLUMN=newColumn21, DECODE=false}, {SCHEMA_COLUMN=newColumn22, DECODE=false}, {SCHEMA_COLUMN=newColumn23, DECODE=false}, {SCHEMA_COLUMN=newColumn24, DECODE=false}, {SCHEMA_COLUMN=newColumn25, DECODE=false}, {SCHEMA_COLUMN=newColumn26, DECODE=false}, {SCHEMA_COLUMN=newColumn27, DECODE=false}, {SCHEMA_COLUMN=newColumn28, DECODE=false}]</pre>
Destination	
Min column number of optimize code	100
Label format	metadata1
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
newColumn1	false	java.util.Date			true	

newColumn2	false	Double			true	
newColumn3	false	Double			true	
newColumn4	false	Double			true	
newColumn5	false	Double			true	
newColumn6	false	Double			true	
newColumn7	false	Double			true	
newColumn8	false	Double			true	
newColumn9	false	Double			true	
newColumn10	false	Double			true	
newColumn11	false	Double			true	
newColumn12	false	Double			true	
newColumn13	false	Double			true	
newColumn14	false	Double			true	
newColumn15	false	Double			true	
newColumn16	false	Double			true	
newColumn17	false	Double			true	
newColumn18	false	Double			true	

newColumn19	false	Double			true	
newColumn20	false	Double			true	
newColumn21	false	Double			true	
newColumn22	false	Double			true	
newColumn23	false	Double			true	
newColumn24	false	Double			true	
newColumn25	false	Double			true	
newColumn26	false	Double			true	
newColumn27	false	Double			true	
newColumn28	false	Double			true	

Original Function Parameters:
Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_15	INPUT(S)	none
	LABEL	pdv	OUTPUT(S)	tMap_9

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_15
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)

Family	File/Input
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DELIM:pdv_Impianti_Arneg_Epta - pdv
File name/Stream	context.PathAttachment+((String)globalMap.get("tFileList_5_CURRENT_FILE"))
CSV options	true


Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	","
Escape char	""
Text enclosure	""
Header	0
Footer	0
Limit	1
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:pdv_Impianti_Arneg_Epta - pdv
Temporary directory	"C:/Users/gabriele.decesare/Documents/Talend/PRIXQUALITY/Talend-Studio-20200219_1130-V7"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=pdv, TRIM=false}]
Check each row structure against schema	false
Check date	false

Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false
Decode table	[[SCHEMA_COLUMN=pdv, DECODE=false]]
Destination	
Min column number of optimize code	100
Label format	pdv
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for pdv :

Column	Key	Type	Length	Precision	Nullable	Comment
pdv	false	String	50		true	

Original Function Parameters: Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_28	INPUT(S)	tJava_10
	LABEL	pdv	OUTPUT(S)	tJavaRow_10

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_28
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DELIM:pdv_Impianti_Arneg_Epta - pdv
File name/Stream	context.PathAttachment+((String)globalMap.get("tFileList_10_CURRENT_FILE"))
CSV options	true
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	","
Escape char	""
Text enclosure	""
Header	0
Footer	0
Limit	1
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:pdv_Impianti_Arneg_Epta - pdv
Temporary directory	"C:/Users/gabriele.decesare/Documents/Talend/PRIXQUALITY/Talend-Studio-20200219_1130-V7
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	."
Extract lines at random	false


Number of lines	10
Trim all columns	false
Check column to trim	[[SCHEMA_COLUMN=pdv, TRIM=false]]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false
Decode table	[[SCHEMA_COLUMN=pdv, DECODE=false]]
Destination	
Min column number of optimize code	100
Label format	pdv
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for pdv :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

pdv	false	String	50		true	
-----	-------	--------	----	--	------	--

Original Function Parameters:
Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_29	INPUT(S)	tJavaRow_10
	LABEL	metadata1	OUTPUT(S)	tMap_19

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_29
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	repository: DELIM:Impianti_Arneg_Epta - metadata
File name/Stream	context.PathAttachment+((String)globalMap.get("tFileList_10_CURRENT_FILE"))
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	","
Escape char	""
Text enclosure	""
Header	6
Footer	0
Limit	
Skip empty rows	true
Uncompress as zip file	false
Die on error	false

Schema	Built-In
Temporary directory	"C:/Users/gabriele.decesare/Documents/Talend/PRIXQUALITY/Talend-Studio-20200219_1130-V7
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=newColumn1, TRIM=false}, {SCHEMA_COLUMN=newColumn2, TRIM=false}, {SCHEMA_COLUMN=newColumn3, TRIM=false}, {SCHEMA_COLUMN=newColumn4, TRIM=false}, {SCHEMA_COLUMN=newColumn5, TRIM=false}, {SCHEMA_COLUMN=newColumn6, TRIM=false}, {SCHEMA_COLUMN=newColumn7, TRIM=false}, {SCHEMA_COLUMN=newColumn8, TRIM=false}, {SCHEMA_COLUMN=newColumn9, TRIM=false}, {SCHEMA_COLUMN=newColumn10, TRIM=false}, {SCHEMA_COLUMN=newColumn11, TRIM=false}, {SCHEMA_COLUMN=newColumn12, TRIM=false}, {SCHEMA_COLUMN=newColumn13, TRIM=false}, {SCHEMA_COLUMN=newColumn14, TRIM=false}, {SCHEMA_COLUMN=newColumn15, TRIM=false}, {SCHEMA_COLUMN=newColumn16, TRIM=false}, {SCHEMA_COLUMN=newColumn17, TRIM=false}, {SCHEMA_COLUMN=newColumn18, TRIM=false}, {SCHEMA_COLUMN=newColumn19, TRIM=false}, {SCHEMA_COLUMN=newColumn20, TRIM=false}, {SCHEMA_COLUMN=newColumn21, TRIM=false}, {SCHEMA_COLUMN=newColumn22, TRIM=false}, {SCHEMA_COLUMN=newColumn23, TRIM=false}, {SCHEMA_COLUMN=newColumn24, TRIM=false}, {SCHEMA_COLUMN=newColumn25, TRIM=false}, {SCHEMA_COLUMN=newColumn26, TRIM=false}, {SCHEMA_COLUMN=newColumn27, TRIM=false}, {SCHEMA_COLUMN=newColumn28, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	true


Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false
Decode table	<pre>[{SCHEMA_COLUMN=newColumn1, DECODE=false}, {SCHEMA_COLUMN=newColumn2, DECODE=false}, {SCHEMA_COLUMN=newColumn3, DECODE=false}, {SCHEMA_COLUMN=newColumn4, DECODE=false}, {SCHEMA_COLUMN=newColumn5, DECODE=false}, {SCHEMA_COLUMN=newColumn6, DECODE=false}, {SCHEMA_COLUMN=newColumn7, DECODE=false}, {SCHEMA_COLUMN=newColumn8, DECODE=false}, {SCHEMA_COLUMN=newColumn9, DECODE=false}, {SCHEMA_COLUMN=newColumn10, DECODE=false}, {SCHEMA_COLUMN=newColumn11, DECODE=false}, {SCHEMA_COLUMN=newColumn12, DECODE=false}, {SCHEMA_COLUMN=newColumn13, DECODE=false}, {SCHEMA_COLUMN=newColumn14, DECODE=false}, {SCHEMA_COLUMN=newColumn15, DECODE=false}, {SCHEMA_COLUMN=newColumn16, DECODE=false}, {SCHEMA_COLUMN=newColumn17, DECODE=false}, {SCHEMA_COLUMN=newColumn18, DECODE=false}, {SCHEMA_COLUMN=newColumn19, DECODE=false}, {SCHEMA_COLUMN=newColumn20, DECODE=false}, {SCHEMA_COLUMN=newColumn21, DECODE=false}, {SCHEMA_COLUMN=newColumn22, DECODE=false}, {SCHEMA_COLUMN=newColumn23, DECODE=false}, {SCHEMA_COLUMN=newColumn24, DECODE=false}, {SCHEMA_COLUMN=newColumn25, DECODE=false}, {SCHEMA_COLUMN=newColumn26, DECODE=false}, {SCHEMA_COLUMN=newColumn27, DECODE=false}, {SCHEMA_COLUMN=newColumn28, DECODE=false}]</pre>
Destination	
Min column number of optimize code	100
Label format	metadata1
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
newColumn1	false	java.util.Date			true	
newColumn2	false	Double			true	
newColumn3	false	Double			true	
newColumn4	false	Double			true	
newColumn5	false	Double			true	
newColumn6	false	Double			true	
newColumn7	false	Double			true	
newColumn8	false	Double			true	
newColumn9	false	Double			true	
newColumn10	false	Double			true	
newColumn11	false	Double			true	
newColumn12	false	Double			true	
newColumn13	false	Double			true	
newColumn14	false	Double			true	
newColumn15	false	Double			true	
newColumn16	false	Double			true	

newColumn17	false	Double			true	
newColumn18	false	Double			true	
newColumn19	false	Double			true	
newColumn20	false	Double			true	
newColumn21	false	Double			true	
newColumn22	false	Double			true	
newColumn23	false	Double			true	
newColumn24	false	Double			true	
newColumn25	false	Double			true	
newColumn26	false	Double			true	
newColumn27	false	Double			true	
newColumn28	false	Double			true	

Original Function Parameters:
Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_30	INPUT(S)	none
	LABEL	pdv	OUTPUT(S)	tMap_19

Component Parameters:

Properties	Values
------------	--------

Unique Name	tFileInputDelimited_30
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true


Schema	repository: DELIM:pdv_Impianti_Arneg_Epta - pdv
File name/Stream	context.PathAttachment+((String)globalMap.get("tFileList_10_CURRENT_FILE"))
CSV options	true
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	","
Escape char	""
Text enclosure	""
Header	0
Footer	0
Limit	1
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:pdv_Impianti_Arneg_Epta - pdv
Temporary directory	"C:/Users/gabriele.decesare/Documents/Talend/PRIXQUALITY/Talend-Studio-20200219_1130-V7
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	."
Extract lines at random	false
Number of lines	10
Trim all columns	false

Check column to trim	[{SCHEMA_COLUMN=pdv, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types (clear the check box to read Byte type as octal and hexadecimal numbers by default)	false
Decode table	[{SCHEMA_COLUMN=pdv, DECODE=false}]
Destination	
Min column number of optimize code	100
Label format	pdv
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for pdv :

Column	Key	Type	Length	Precision	Nullable	Comment
pdv	false	String	50		true	

Original Function Parameters:
Component tFileList

	UNIQUE NAME	tFileList_10	INPUT(S)	tFileList_9
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJava_10


Component Parameters:

Properties	Values
Unique Name	tFileList_10
Component Name	tFileList
Version	0.102 (ALPHA)
Family	File/Management Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileList
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Directory	context.PathAttachment
FileList Type	FILES
Includes subdirectories	false
Case Sensitive	YES
Generate Error if no file found	false
Use Glob Expressions as Filemask (Unchecked means Perl5 Regex Expressions)	true
Files	[[FILEMASK=context.AttachmentArnegEpta]]
By default	true
By file name	false
By file size	false
By modified date	false
ASC	true
DESC	false
Use Exclude Filemask	false
Exclude Filemask	"*.txt"
Format file path to slash(/) style (useful on Windows)	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tFileList

	UNIQUE NAME	tFileList_5	INPUT(S)	tFileList_4
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tJava_5 , tFileList_6


Component Parameters:

Properties	Values
Unique Name	tFileList_5
Component Name	tFileList
Version	0.102 (ALPHA)
Family	File/Management Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tFileList
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Directory	context.PathAttachment
FileList Type	FILES
Includes subdirectories	false
Case Sensitive	YES
Generate Error if no file found	false
Use Glob Expressions as Filemask (Unchecked means Perl5 Regex Expressions)	true
Files	[{FILEMASK=context.AttachmentArnegEpta}]
By default	true
By file name	false
By file size	false
By modified date	false
ASC	true

DESC	false
Use Exclude Filemask	false
Exclude Filemask	"*.txt"
Format file path to slash(/) style (useful on Windows)	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tJavaRow

	UNIQUE NAME	tJavaRow_10	INPUT(S)	tFileInputDelimited_28
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileInputDelimited_29 , tSendMail_3

Component Parameters:

Properties	Values
Unique Name	tJavaRow_10
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code


Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	System.out.println(input_row.pdv); if(input_row.pdv.equals("845_MONZA")){ System.out.println ("true"); context.condition=true; } else { System.out.println ("false"); context.condition=false; }
Import	//import java.util.List;
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaRow_10 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters: Component tJavaRow

	UNIQUE NAME	tJavaRow_5	INPUT(S)	tFileInputDelimited_13
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileInputDelimited_14

Component Parameters:


Properties	Values
Unique Name	tJavaRow_5
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Code	<pre>System.out.println(input_row.pdv); if(input_row.pdv.equals("253_MIRANO_PORARA")){ System.out.println ("true"); context.condition=true; } else { System.out.println ("false"); context.condition=false; }</pre>
Import	//import java.util.List;
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaRow_5 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters: Component tJava

	UNIQUE NAME	tJava_10	INPUT(S)	tFileList_10
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileInputDelimited_28

Component Parameters:


Properties	Values
Unique Name	tJava_10
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println((String)globalMap.get("tFileList_10_CURRENT_FILE"));
Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_10 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tJava

	UNIQUE NAME	tJava_5	INPUT(S)	tFileList_5
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileInputDelimited_13

Component Parameters:


Properties	Values
Unique Name	tJava_5
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println((String)globalMap.get("tFileList_5_CURRENT_FILE"));

Import	//import java.util.List;
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_5 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tPostjob


	UNIQUE NAME	tPostjob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBCclose_1

Component Parameters:

Properties	Values
Unique Name	tPostjob_1
Component Name	tPostjob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true

Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tPrejob


	UNIQUE NAME	tPrejob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBConnection_1

Component Parameters:

Properties	Values
Unique Name	tPrejob_1
Component Name	tPrejob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPrejob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	255;220;180

Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component tSendMail

	UNIQUE NAME	tSendMail_2	INPUT(S)	tDBOutput_10
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tSendMail_2
Component Name	tSendMail
Version	0.101 (ALPHA)
Family	Internet

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSendMail
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
To	"gabriele.decesare@horsa.it"
From	"prix.banchi-frigo@prixquality.com"
Show sender's name?	false
Sendername	"sender"
Cc	
Bcc	


Subject	"Prix.Banchi-Frigo_845_MONZA"
Message	"Temperature non caricata " + ((String)globalMap.get("tFileList_10_CURRENT_FILE"))
Die if the attachment file doesn't exist.	false
Attachments	[]
Other headers	[]
SMTP host	"mail.prixquality.com"
SMTP port	587
SSL Support	false
STARTTLS Support	true
Importance	High
Need authentication?	true
Username	"prix.banchi-frigo"
Password	*****
Die on error	false
MIME subtype from the 'text' MIME type	plain
charset used for encoding message	"ISO-8859-15"
Set localhost	false
Localhost	"localhost"
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tSendMail_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tSendMail

	UNIQUE NAME	tSendMail_3	INPUT(S)	tJavaRow_10
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tSendMail_3
Component Name	tSendMail
Version	0.101 (ALPHA)
Family	Internet
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSendMail
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
To	"gabriele.decesare@horsa.it"
From	"prix.banchi-frigo@prixquality.com"
Show sender's name?	false
Sendername	"sender"
Cc	
Bcc	
Subject	"Prix.Banchi-Frigo_845_MONZA"
Message	"File Temperature non trovato "
Die if the attachment file doesn't exist.	false
Attachments	[]
Other headers	[]


SMTP host	"mail.prixquality.com"
SMTP port	587
SSL Support	false
STARTTLS Support	true
Importance	High
Need authentication?	true
Username	"prix.banchi-frigo"
Password	*****
Die on error	false
MIME subtype from the 'text' MIME type	plain
charset used for encoding message	"ISO-8859-15"
Set localhost	false
Localhost	"localhost"
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tSendMail_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:

Component tUnpivotRow

	UNIQUE NAME	tUnpivotRow_10	INPUT(S)	tMap_19
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_20

Component Parameters:

Properties	Values
Unique Name	tUnpivotRow_10
Component Name	tUnpivotRow
Version	1.1 (FINAL)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tUnpivotRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java
Subjob color	


Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Row keys	[[COLUMN=data_rilevazione], {COLUMN=punto_vendita}]
Include empty/null values? (De-selecting this option will mean rows with no value will be omitted from the output)	true
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tUnpivotRow_10 :

Column	Key	Type	Length	Precision	Nullable	Comment
pivot_key	false	String			true	
pivot_value	false	String			true	
data_rilevazione	false	java.util.Date			true	

punto_vendita	false	String	3		true	
---------------	-------	--------	---	--	------	--

Original Function Parameters:
Component tUnpivotRow

	UNIQUE NAME	tUnpivotRow_5	INPUT(S)	tMap_9 , tFileInputDelimited_15
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_10

Component Parameters:

Properties	Values
Unique Name	tUnpivotRow_5
Component Name	tUnpivotRow
Version	1.1 (FINAL)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tUnpivotRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\PRIXQUALITY\Talend-Studio-20200219_1130-V7.3.1\configuration\lib\java


Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Row keys	[[COLUMN=data_rilevazione], {COLUMN=punto_vendita}]
Include empty/null values? (De-selecting this option will mean rows with no value will be omitted from the output)	true
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for tUnpivotRow_5 :

Column	Key	Type	Length	Precision	Nullable	Comment
pivot_key	false	String			true	
pivot_value	false	String			true	

data_rilevazione	false	java.util.Date			true	
punto_vendita	false	String	3		true	

Original Function Parameters:
Component tMap

	UNIQUE NAME	tMap_10	INPUT(S)	tUnpivotRow_5
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_5



Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	

Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_10 (input):

Mapper table Properties(row20):

Properties	Values
Name	row20
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row20):

Name	Type	Expression	isNullable
pivot_key	String		true
pivot_value	String		true
data_rilevazione	java.util.Date		true
punto_vendita	String		true

Constraint Table Entries(row20):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_10 (output):

Mapper table Properties(out10):

Properties	Values
Name	out10
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out10):

Name	Type	Expression	isNullable
punto_vendita	String	row20.punto_vendita	true
impianto	String	row20.pivot_key	true
fornitore	String	"ARNEG"	true
data_rilevazione	java.util.Date	row20.data_rilevazione	true
temperatura	String	row20.pivot_value	true
file_name	String	((String)globalMap.get("tFileList_5_CURRENT_FILE"))	true

Constraint Table Entries(out10):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_10 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null


Metadata Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Component tMap

	UNIQUE NAME	tMap_19	INPUT(S)	tMap_20 , tFileInputDelimited_30
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tUnpivotRow_10

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_19 (input):
Mapper table Properties(row38):

Properties	Values
Name	row38
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row38):

Name	Type	Expression	isNullable
newColumn1	java.util.Date		true
newColumn2	Double		true
newColumn3	Double		true
newColumn4	Double		true
newColumn5	Double		true
newColumn6	Double		true
newColumn7	Double		true

newColumn8	Double		true
newColumn9	Double		true
newColumn10	Double		true
newColumn11	Double		true
newColumn12	Double		true
newColumn13	Double		true
newColumn14	Double		true
newColumn15	Double		true
newColumn16	Double		true
newColumn17	Double		true
newColumn18	Double		true
newColumn19	Double		true
newColumn20	Double		true
newColumn21	Double		true
newColumn22	Double		true
newColumn23	Double		true
newColumn24	Double		true

newColumn25	Double		true
newColumn26	Double		true
newColumn27	Double		true
newColumn28	Double		true

Constraint Table Entries(row38):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table Properties(row40):

Properties	Values
Name	row40
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row40):

Name	Type	Expression	isNullable
pdv	String		true

Constraint Table Entries(row40):

Name	Type	Expression	isNullable

Mapper table for tMap_19 (output):**Mapper table Properties(out19):**

Properties	Values
Name	out19
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out19):

Name	Type	Expression	isNullable
OF_M_1TN	Double	row38.newColumn2	true
OF_SL1_1TN	Double	row38.newColumn3	true
SL_M_2TN	Double	row38.newColumn4	true
SL_M_3TN	Double	row38.newColumn5	true
SL_SL1_3TN	Double	row38.newColumn6	true
SL_SL2_3TN	Double	row38.newColumn7	true
SL_M_4TN	Double	row38.newColumn8	true
CA_M_5TN	Double	row38.newColumn9	true
BT_M_BT10	Double	row38.newColumn10	true
BT_S1_BT10	Double	row38.newColumn11	true
BT_M_BT11	Double	row38.newColumn12	true
BT_S1_BT11	Double	row38.newColumn13	true
data_rilevazione	java.util.Date	row38.newColumn1	true
punto_vendita	String	StringHandling.SUBSTR(row40.pdv,1,3)	true

Constraint Table Entries(out19):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_19 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null


Metadata Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Component tMap

	UNIQUE NAME	tMap_20	INPUT(S)	tUnpivotRow_10
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_10

Component Parameters:

Properties	Values
------------	--------

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_20 (input):

Mapper table Properties(row39):

Properties	Values
Name	row39
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row39):

Name	Type	Expression	isNullable
pivot_key	String		true
pivot_value	String		true
data_rilevazione	java.util.Date		true
punto_vendita	String		true

Constraint Table Entries(row39):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_20 (output):

Mapper table Properties(out20):

Properties	Values
Name	out20
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out20):

Name	Type	Expression	isNullable
punto_vendita	String	row39.punto_vendita	true
impianto	String	row39.pivot_key	true
fornitore	String	"ARNEG"	true
data_rilevazione	java.util.Date	row39.data_rilevazione	true
temperatura	String	row39.pivot_value	true
file_name	String	((String)globalMap.get("tFileList_10_CURRENT_FILE"))	true

Constraint Table Entries(out20):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_20 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null


Metadata Table Entries(Var):


Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Component tMap

	UNIQUE NAME	tMap_9	INPUT(S)	tMap_9 , tFileInputDelimited_15
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tUnpivotRow_5



Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_9 (input):

Mapper table Properties(row18):

Properties	Values
Name	row18
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row18):

Name	Type	Expression	isNullable
newColumn1	java.util.Date		true
newColumn2	Double		true
newColumn3	Double		true
newColumn4	Double		true
newColumn5	Double		true
newColumn6	Double		true
newColumn7	Double		true

newColumn8	Double		true
newColumn9	Double		true
newColumn10	Double		true
newColumn11	Double		true
newColumn12	Double		true
newColumn13	Double		true
newColumn14	Double		true
newColumn15	Double		true
newColumn16	Double		true
newColumn17	Double		true
newColumn18	Double		true
newColumn19	Double		true
newColumn20	Double		true
newColumn21	Double		true
newColumn22	Double		true
newColumn23	Double		true
newColumn24	Double		true

newColumn25	Double		true
newColumn26	Double		true
newColumn27	Double		true
newColumn28	Double		true

Constraint Table Entries(row18):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table Properties(row19):

Properties	Values
Name	row19
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row19):

Name	Type	Expression	isNullable
pdv	String		true

Constraint Table Entries(row19):

Name	Type	Expression	isNullable

Mapper table for tMap_9 (output):**Mapper table Properties(out9):**

Properties	Values
Name	out9
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out9):

Name	Type	Expression	isNullable
FV_M_01TN	Double	row18.newColumn2	true
FV_S1_01TN	Double	row18.newColumn3	true
SL_M_02TN	Double	row18.newColumn4	true
SL_M_03TN	Double	row18.newColumn5	true
SL_S1_03TN	Double	row18.newColumn6	true
SL_M_04TN	Double	row18.newColumn7	true
SL_S1_04TN	Double	row18.newColumn8	true
SL_S2_04TN	Double	row18.newColumn9	true
CA_M_05TN	Double	row18.newColumn10	true
BT_M_06BT	Double	row18.newColumn11	true
BT_S1_06BT	Double	row18.newColumn12	true
BT_M_07BT	Double	row18.newColumn13	true
BT_S1_07BT	Double	row18.newColumn14	true
data_rilevazione	java.util.Date	row18.newColumn1	true
punto_vendita	String	StringHandling.SUBSTR(row19.pdv,1,3)	true

Constraint Table Entries(out9):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_9 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------