

←→↻

ap-south-1.console.aws.amazon.com/console/home?nc2=h\_si&region=ap-south-1&sc\_channel=ps&src=header-signin&trk=011f28e3-1dfa-405d-894f-3e05b14038a6#

🔍☆🔥⋮

Click to go back, hold to see history

aws🔍Search

[Alt+S]

📄🔔🔗⚙️

Asia Pacific (Mumbai)▼

rutuja\_bhapkar (006096427561)▼

rutuja\_bhapkar

☰

📘

Console HomeInfo

Reset to default layoutAdd widgets

⋮Recently visitedInfo⋮

EC2

S3

View all services

⋮Welcome to AWS⋮

🚀Getting started with AWS

Learn the fundamentals and find valuable information to get the most out of AWS.

📄Training and certification

Learn from AWS experts and advance your skills and knowledge.

🌐AWS Builder Center

Learn, build, and connect with builders in the AWS community.

⋮AWS HealthInfo⋮

Open issues

0Past 7 days

Scheduled changes

0Upcoming and past 7 days

Other notifications

0Past 7 days

Go to AWS Health

⋮Cost and usageInfo⋮

⋮Solutions (13)Info⋮

Vetted Solutions from AWS for popular business and technical use cases.

<Cloud Architect (4)

Platform Engineer (4)

AI Ops (4)>

📄Agent Toolkit for AWS

Feedback

📱Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences



← → ↻

ap-south-1.console.aws.amazon.com/console/home?nc2=h\_si&region=ap-south-1&sc\_channel=ps&src=header-signin&trk=011f28e3-1dfa-405d-894f-3e05b14038a6#

🔍 ☆ 🌐

aws

🔍 RDS

🗨️ Ask Amazon Q

📄 🔔 ⓘ ⚙️

Asia Pacific (Mumbai)

rutuja\_bhapkar (006096427561)

rutuja\_bhapkar

☰

Services

Features

Documentation

Knowledge articles

Marketplace

Blog posts

Events

Tutorials

Services

Features

Documentation



Aurora and RDS

Managed Relational Database Service

☆



Database Migration Service

Managed Database Migration Service

☆



Kinesis

Work with Real-Time Streaming Data

☆

Database Insights

■ CloudWatch feature

Reserved instances

■ Aurora and RDS feature

Proxies

■ Aurora and RDS feature

Were these results helpful?

👍 Yes

👎 No

Documentation

Show more

Reset to default layout

+ Add widgets

⋮

AWS Health

Info

⋮

Open issues

0

Past 7 days

Scheduled changes

0

Upcoming and past 7 days

Other notifications

0

Past 7 days

Go to AWS Health

⋮

Popular business and technical use cases.

Platform Engineer (4)

AI Ops (4)

>

📄 Agent Toolkit for AWS

Feedback

📱 Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences



### Service overview

Viewing data from Asia Pacific (Mumbai) (ap-south-1) Region.

DB clusters

0

DB instances

0

Snapshots

0

Recent events

0

[View service quota](#)

### Explore Aurora & RDS

In this activity, you will learn how to create a database. To begin, choose **Start tutorial**.

**Estimated duration**  
2-5 minutes



aws

Search

[Alt+S]

Asia Pacific (Mumbai)

rutuja\_bhapkar (00b096427561)

rutuja\_bhapkar

Aurora and RDS

Databases

Databases (0)

Group resources

Modify

Actions

Create database

Filter by databases

DB identifier

Status

Role

Engine

Upgrade rollout order

Region ...

Size

No resources

No resources to display

Create database

Express configuration

Full configuration

Restore from S3

Dashboard

Databases

Query editor

CloudWatch Database Insights

Snapshots

Exports in Amazon S3

Automated backups

Reserved instances

Proxies

Subnet groups

Parameter groups

Option groups

Custom engine versions

Zero-ETL integrations

Events

Event subscriptions

Recommendations



## Info



[Learn more](#)

[Upgrade plan ↗](#)

### Engine options

**Info**



C



C



C



ORACLE®

C



## IBM Db2

## Choose a database creation method

○

You set all of the configuration options, including ones for availability, security, backups, and maintenance.

C

Use recommended best-practice configurations. Some configuration options can be changed after the database is created.



- Subnet groups
- Parameter groups
- Option groups
- Custom engine versions
- Zero-ETL integrations

- Events
- Event subscriptions
- Recommendations
- Certificate update

◀ ▶



aws

Search

[Alt+S]

Asia Pacific (Mumbai)

rutuja\_bhapkar (006096427561)

rutuja\_bhapkar

EC2 > Security Groups > sg-0201163189312da14

EC2<div>DashboardAWS Global View ↗EventsInstancesImagesAMI CatalogElastic Block StoreVolumesSnapshotsLifecycle ManagerNetwork & SecuritySecurity GroupsElastic IPsPlacement GroupsKey PairsNetwork InterfacesLoad BalancingLoad BalancersTarget Groups

sg-0201163189312da14 - defaultActions

Details

Security group name

default

Security group ID

sg-0201163189312da14

Description

default VPC security group

VPC ID

vpc-0aaf6a87aa7f5286e ↗

Owner

006096427561

Inbound rules count

0 Permission entries

Outbound rules count

1 Permission entry

Inbound rules

Outbound rules

Sharing

VPC associations

Related resources - new

Tags

Inbound rules

Search

Manage tags

Edit inbound rules

< 1 > ⚙

Name

Security group rule ID

IP version

Type

Protocol

Port range

Source

No security group rules found



Inbound rules control the incoming traffic that's allowed to reach the instance.

Cancel Preview changes Save rules



aws

Search

[Alt+S]

Asia Pacific (Mumbai)

rutuja\_bhapkar (006096427561)

rutuja\_bhapkar

EC2

Security Groups

sg-0201163189312da14

EC2

Dashboard

AWS Global View

Events

Instances

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

Load Balancing

Load Balancers

Target Groups

Test Status

Inbound security group rules successfully modified on security group (sg-0201163189312da14 | default)

Details

sg-0201163189312da14 - default

Actions

Details

Security group name

default

Security group ID

sg-0201163189312da14

Description

default VPC security group

VPC ID

vpc-0aaf6a87aa7f5286e

Owner

006096427561

Inbound rules count

1 Permission entry

Outbound rules count

1 Permission entry

Inbound rules

Outbound rules

Sharing

VPC associations

Related resources - new

Tags

Inbound rules

Manage tags

Edit inbound rules

Search

Name

Security group rule ID

IP version

Type

Protocol

Port range

Source

Loading security group rules



MySQL Workbench

FileEditViewDatabaseToolsScriptingHelp

# Welcome to MySQL Workbench

MySQL Workbench is the official graphical user interface (GUI) tool for MySQL. It allows you to design, create and browse your database schemas, work with database objects and insert data as well as design and run SQL queries to work with stored data. You can also migrate schemas and data from other database vendors to your MySQL database.

[Browse Documentation >](#)[Read the Blog >](#)[Discuss on the Forums >](#)

## Migration Assistant

Migrate your MySQL instances to OCI HeatWave seamlessly.  
Take advantage of the Oracle Always Free offering.

→ Learn More

MySQL Connections +

🔍



Connect using [info](#)

| Database name | Master username | Internet access gateway | Port |
|---------------|-----------------|-------------------------|------|
| postgres      | postgres        | postgres                | 5432 |

| Endpoint type     |
|-------------------|
| Automated backups |

Proxies

|               |  |
|---------------|--|
| Subnet groups |  |
|---------------|--|

| Option groups                                                                                     | Endpoint & port                                                                | Networking                                                                                                                           | Security                                                                                                |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| <b>Endpoint</b><br>The endpoint is the IP address of the host that the application is running on. | <b>Port</b><br>The port is the port number that the application is running on. | <b>Networking</b><br>The networking configuration is the configuration for the network interface that the application is running on. | <b>Security</b><br>The security configuration is the configuration for the security of the application. |

|                       |                                                    |                                  |                                                       |
|-----------------------|----------------------------------------------------|----------------------------------|-------------------------------------------------------|
| Zero-ETL integrations | Endpoint<br>database-1.c788v8g8gici.ap-south-1.rds | Availability Zone<br>ap-south-1b | VPC security groups<br>default (sg-0201163189312da14) |
|-----------------------|----------------------------------------------------|----------------------------------|-------------------------------------------------------|

| Events | Port | VPC                                   | Publicly accessible |
|--------|------|---------------------------------------|---------------------|
|        |      | <a href="#">vpc-0aaf6a87aa7f5286e</a> |                     |

|              |                               |                                            |
|--------------|-------------------------------|--------------------------------------------|
| Subnet group | default-vpc-0aaf6a87aa7f5286e | Certificate authority <a href="#">Info</a> |
|--------------|-------------------------------|--------------------------------------------|

Recommendations **0** [View details](#) [subnet-0bc39957efa0e828f](#) **Certificate authority date**



aws

Search

[Alt+S]

Asia Pacific (Mumbai)

rutuja\_bhaskar (000096427561)

rutuja\_bhaskar

Aurora and RDS

Databases

database-1

Aurora and RDS

Dashboard

Databases

CloudWatch Database Insights

Snapshots

Exports in Amazon S3

Automated backups

Reserved instances

Proxies

Subnet groups

Parameter groups

Option groups

Custom engine versions

Zero-ETL integrations

Events

Event subscriptions

Recommendations

Certificate update

Additional configurations

Connectivity & security

Endpoint & port

database-1.c788y8g8gicj.ap-south-1.rds.amazonaws.com

Port

3306

Endpoint copied

Networking

Availability Zone

ap-south-1b

VPC

vpc-0aaf6a87aa7f5286e

Subnet group

default-vpc-0aaf6a87aa7f5286e

Subnets

subnet-0bc39957efa0e828f

subnet-0ddffc029ac1332f8

subnet-085ab7a6746de00a3

Network type

IPv4

Security

VPC security groups

default (sg-0201163189312da14)

Active

Publicly accessible

Yes

Certificate authority

Info

rds-ca-rsa2048-g1

Certificate authority date

May 20, 2061, 00:10 (UTC+05:30)

DB instance certificate expiration date

August 23, 2027, 20:55 (UTC+05:30)

Connected compute resources (0)

Info

Connections to compute resources that were created automatically by RDS are shown here. Connections to compute resources that were created manually aren't shown.

Filter by compute resources

Actions

1



Setup New Connection

Connection Name:

AWS RDS Project 3

Type a name for the connection

Connection Method:

Standard (TCP/IP)

Method to use to connect to the RDBMS

Parameters

SSL

Advanced

Hostname:

y8g8gicj.ap-south-1.rds.amazonaws.com

Port:

3306

Name or IP address of the server host - and TCP/IP port.

Username:

admin

Name of the user to connect with.

Password:

Store in Vault ...

Clear

The user's password. Will be requested later if it's not set.

Default Schema:

The schema to use as default schema. Leave blank to select it later.


Configure Server Management...

Test Connection

Cancel

OK





MySQL Workbench is the official graphical user interface (GUI) tool for MySQL. It allows you to design, create and browse your database schemas, work with database objects and insert data as well as design and run SQL queries to work with stored data. You can also migrate schemas and data from other database vendors to your MySQL database.

[Browse Documentation >](#)

[Read the Blog >](#)

[Discuss on the Forums >](#)

# Migration Assistant

Migrate your MySQL instances to OCI HeatWave seamlessly.  
Take advantage of the Oracle Always Free offering.

→ Learn More

## MySQL Connections




AWS RDS Project 3

 admin

 database-1.c788y8g8gicj.ap-south-1...









MySQL Workbench

AWS RDS Project 3 - Warnin... x

FileEditViewQueryDatabaseServerToolsScriptingHelp

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

AdministrationSchemas

No object selected

Query 1

Limit to 1000 rows

SQLAdditions

3CREATE TABLE Interns (

4Name VARCHAR(100),

5Role VARCHAR(100),

6Email VARCHAR(150)

7);

8SHOW TABLES;

9

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

Form Editor

Field Types

Result 1 x

Read OnlyContext HelpSnippets


Output

Action Output

| #   | Time     | Action                                                                            | Message           | Duration / Fetch      |
|-----|----------|-----------------------------------------------------------------------------------|-------------------|-----------------------|
| ✓ 1 | 21:55:10 | CREATE DATABASE datawarehouse                                                     | 1 row(s) affected | 1.547 sec             |
| ✓ 2 | 21:55:12 | USE datawarehouse                                                                 | 0 row(s) affected | 1.828 sec             |
| ✓ 3 | 21:55:14 | CREATE TABLE Interns ( Name VARCHAR(100), Role VARCHAR(100), Email VARCHAR(150) ) | 0 row(s) affected | 0.438 sec             |
| ✓ 4 | 21:55:15 | SHOW TABLES                                                                       | 1 row(s) returned | 0.328 sec / 0.000 sec |

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.







MySQL Workbench

AWS RDS Project 3 - Warnin... x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

Administration

Schemas

Information

No object selected

Object Info

Session

Query 1 x

Limit to 5000 rows

21 ('Sahil Patil', 'DevOps Intern', 'sahilpatil@gmail.com'),

22 ('Anjali Pawar', 'Data Analyst Intern', 'anjaliipawar@gmail.com'),

23 ('Vishal Jadhav', 'Cloud Support Intern', 'vishaljadhav@gmail.com')

24 ('Meera Joshi', 'Software Developer Intern', 'meerajoshi@gmail.com

25 ('Aditya Desai', 'Cyber Security Intern', 'adityadesai@gmail.com')

26 • SELECT \* FROM Interns;

27

Result Grid

| Name           | Role                    | Email                   |
|----------------|-------------------------|-------------------------|
| Rutuja Bhapkar | Cloud Intern            | rutujabhapkar@gmail.com |
| Priya Patil    | Python Intern           | priyapatil@gmail.com    |
| Sneha Sharma   | Data Analyst Intern     | snehasharma@gmail.com   |
| Amit Kumar     | AWS Intern              | amitkumar@gmail.com     |
| Rahul Joshi    | DevOps Intern           | rahuljoshi@gmail.com    |
| Neha Singh     | Cloud Engineer Intern   | nehasingh@gmail.com     |
| Akash More     | Data Science Intern     | akashmore@gmail.com     |
| Pooja Deshmukh | Python Developer Intern | poojadesh@gmail.com     |
| Rohan Kulkarni | AWS Cloud Intern        | rohankulkarni@gmail.com |
| Kavya Shah     | Web Developer Intern    | kavyashah@gmail.com     |
| Sahil Patil    | DevOps Intern           | sahilpatil@gmail.com    |
| Anjali Pawar   | Data Analyst Intern     | anjaliipawar@gmail.com  |

Result Grid

Form Editor

Field Types

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Interns 2 x

Read Only Context Help Snippets

Output

Action Output

| #   | Time     | Action                                                                                                      | Message                                                                  | Duration / Fetch      |
|-----|----------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------|
| ✓ 2 | 21:55:12 | USE datawarehouse                                                                                           | 0 row(s) affected                                                        | 1.828 sec             |
| ✓ 3 | 21:55:14 | CREATE TABLE Interns ( Name VARCHAR(100), Role VARCHAR(100), Email VARCHAR(150) )                           | 0 row(s) affected                                                        | 0.438 sec             |
| ✓ 4 | 21:55:15 | SHOW TABLES                                                                                                 | 1 row(s) returned                                                        | 0.328 sec / 0.000 sec |
| ✓ 5 | 22:02:30 | INSERT INTO Interns (Name, Role, Email) VALUES ('Rutuja Bhapkar', 'Cloud Intern', 'rutujabhapkar@gmail.c... | 15 row(s) affected Records: 15 Duplicates: 0 Warnings: 0                 | 1.313 sec             |
| ✗ 6 | 22:02:36 | CREATE DATABASE datawarehouse                                                                               | Error Code: 1007. Can't create database 'datawarehouse'; database exists | 0.375 sec             |
| ✓ 7 | 22:06:31 | SELECT * FROM Interns LIMIT 0, 5000                                                                         | 15 row(s) returned                                                       | 0.109 sec / 0.000 sec |



MySQL Workbench

AWS RDS Project 3 - Warnin...

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

Administration Schemas

Query 1

Limit to 5000 rows

SQL Editor

22 ('Anjali Pawar', 'Data Analyst Intern', 'anjalipawar@gmail.com'),

23 ('Vishal Jadhav', 'Cloud Support Intern', 'vishaljadhav@gmail.com')

24 ('Meera Joshi', 'Software Developer Intern', 'meerajoshi@gmail.com')

25 ('Aditya Desai', 'Cyber Security Intern', 'adityadesai@gmail.com')

26 • SELECT \* FROM Interns;

27 • SHOW DATABASES;

28 • DESCRIBE Interns;

Result Grid

Filter Rows: Export: Wrap Cell Content:

| Field | Type         | Null | Key | Default | Extra |
|-------|--------------|------|-----|---------|-------|
| Name  | varchar(100) | YES  |     | NULL    |       |
| Role  | varchar(100) | YES  |     | NULL    |       |
| Email | varchar(150) | YES  |     | NULL    |       |

Result Grid

Form Editor

Field Types

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 3

Read Only Context Help Snippets



