


1. EXPOSURE OF WEB APPLICATIONS AND TOOLS

Web Form Design:



The screenshot shows a web form titled "Calculator". It contains two input fields labeled "Enter Number 1:" and "Enter Number 2:". Below these fields are three buttons: "Add" (highlighted in yellow), "Sub", and "Clear". At the bottom of the form is a label placeholder "[Label1]". The form is enclosed in a blue border.

Controls Used:

1. Textbox (For No1, No2)
2. Button
3. Label

Default.aspx.cs – Coding:

```
public partial class WebForm1 :System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {
    }
    protected void Button1_Click(object sender, EventArgs e)
    {
        int number1, number2, Total;
        number1 = Convert.ToInt32(TextBox1.Text);
        number2 = Convert.ToInt32(TextBox2.Text);
        Total = number1 + number2;
        Label1.Text = "Sum = " + Total.ToString();
    }
    protected void Button2_Click(object sender, EventArgs e)
    {
        int number1, number2, Sub;
        number1 = Convert.ToInt32(TextBox1.Text);
        number2 = Convert.ToInt32(TextBox2.Text);
        Sub = number1 - number2;
        Label1.Text = "Sub = " + Sub.ToString();
    }
    protected void Button3_Click(object sender, EventArgs e)
    {
        TextBox1.Text = "";
        TextBox2.Text = "";
        Label1.Text = "";
    }
}
```


OUTPUT

The screenshot shows a web browser window with the address bar displaying "localhost:44341/WebForm1". The page content is titled "Calculator" and contains the following elements:

- Input field for "Enter Number 1:" with the value "10".
- Input field for "Enter Number 2:" with the value "20".
- Buttons for "Add", "Sub", and "Clear".
- A display area showing the result "Sum = 30".

2. HTML CONTROLS

Webform Design



The screenshot shows a web browser window with a single tab titled 'WebForm1.aspx'. The page content is titled 'Program - 2 - HTML Controls'. It features a form with three text input fields labeled 'Name :', 'Class :', and 'Marks :'. Below these fields is a 'submit' button. The form is styled with a light blue border and a white background. The browser's address bar shows 'WebForm1.aspx.cs' and 'WebForm1.aspx'.

Controls Used:


1. **HTML Textbox (For Name, Reg. No., Marks)**
2. **HTML Button**

Default.aspx.cs – Coding:

```
public partial class WebForm1 :System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {
        if (IsPostBack)
        {
            string Stu_Name= Request.Form["name1"];
            string Stu_class = Request.Form["class1"];
            string Stu_marks = Request.Form["marks1"];

            Response.Write("Name: " + Stu_Name + "<br />");
            Response.Write("Class: " + Stu_class + "<br />");
            Response.Write("Marks: " + Stu_marks + "<br />");
        }
    }
}
```

OUTPUT DESIGN



localhost:44303/WebForm1

localhost:44303/WebForm1


Program - 2 - HTML Controls

Name :

Class :

Marks :

OUTPUT



localhost:44303/WebForm1

localhost:44303/WebForm1

Name: Mukeshkumar
Class: III BCA
Marks: 90

Program - 2 - HTML Controls


Name :

Class :

Marks :

3. SERVER CONTROLS

Form Design:



Controls Used:

1. Textbox (For Name, Reg. No.)
2. Radio buttons (Course, year)
3. Checkbox (Hobbies)
4. DropDownList (For Subjects)
5. Button
6. Label
7. ListBox (To show the Output)

Default.aspx.cs – Coding:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class _Default :System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {
        TextBox1.Focus();
    }
    protected void Button1_Click(object sender, EventArgs e)
    {
        ListBox1.Items.Clear();
        ListBox1.Items.Add("Student Name: " + TextBox1.Text);
        ListBox1.Items.Add("Student Reg. No.: " + TextBox2.Text);
        ListBox1.Items.Add("Course:" + RadioButtonList1.SelectedItem.ToString());
        ListBox1.Items.Add("Year:" +RadioButtonList2.SelectedItem.ToString());
        foreach (ListItem item in CheckBoxList1.Items)
        {
            if (item.Selected)
            {
                ListBox1.Items.Add(item.Text);
            }
        }
        ListBox1.Items.Add("Subjects: " + DropDownList1.SelectedItem.ToString());

    }
}
```

OUTPUT

Untitled Page x +

localhost:49682/WebSite1/Default.aspx

Student Details

Student Name : Kalaiaarasan

Reg. Number : 11923213006

Course: : ☒ BCA ☐ B.Sc. Computer Science

Year : ☐ I year ☐ II year ☒ III year

Hobbies : ☒ Sports ☐ Cultural ☐ Reading


Subjects : ASP

Submit

Student Name: Kalaiaarasan
Student Reg. No.: 11923213006
Course: BCA
Year: III year
Hobbies: Sports
Subjects: ASP

4. WEB CONTROLS

WEBFORM DESIGN



Controls Used:

1. **Textbox (For Text)**
2. **Radio buttonList (Color)**
3. **CheckboxList (Formatting)**
4. **DropDownList (Font Size)**
5. **Button**
6. **Label**

Default.aspx.cs – Coding:

```
using System.Drawing;
```

```
public partial class Default3 :System.Web.UI.Page
```

```
{
```

```
    protected void Page_Load(object sender, EventArgs e)
```

```
    {
```

```
    }
```

```
    protected void Button1_Click(object sender, EventArgs e)
```

```
    {
```

```
        Label1.Text = TextBox1.Text;
```

```
        string Selectedcolor = RadioButtonList1.SelectedItem.ToString();
```

```
        Label1.ForeColor = Color.FromName(Selectedcolor);
```

```
        Label1.Font.Bold = CheckBoxList1.Items[0].Selected;
```

```
        Label1.Font.Italic = CheckBoxList1.Items[1].Selected;
```


```
        Label1.Font.Underline = CheckBoxList1.Items[2].Selected;
```

```
        Label1.Font.Size = FontUnit.Point(Convert.ToInt32(DropDownList1.SelectedValue));
```

```
    }
```

```
}
```


OUTPUT DESIGN



A screenshot of a web browser window displaying a form titled "Web Controls". The browser's address bar shows "localhost:44311/WebForm1". The form contains the following elements:

- Formatting Text** : A text input field.
- Color** : Three radio buttons labeled "Red", "Green", and "Blue".
- Format** : Three checkboxes labeled "Bold", "Italic", and "Underline".
- Font Size** : A dropdown menu showing "8".
- A **View** button.

OUTPUT



A screenshot of the same web browser window showing the output of the form. The "View" button has been clicked, and the text "Sakthi" is displayed in the center of the page. The text is styled with the following attributes:

- Color** : Blue (selected radio button).
- Format** : Bold, Italic, and Underline (all three checkboxes are checked).
- Font Size** : 40 (selected in the dropdown menu).

The rendered text is ***Sakthi***.

5. LIST CONTROL

WEBFORM DESIGN

LIST CONTROLS	
Customer Name	
Available Books	☐ Big Data ☐ .Net ☐ MP
Address	Chennai
Mode of Payment	☐ Cash On Delivery ☐ Online
Confirm Order	
	Unbound

Controls Used:

1. Textbox (For Customer Name)
2. Checkbox (For Books)
3. DropDownList (Address)
4. RadioButtonList (Mode of Payment)
5. Button
6. List Box (To View the Order details)

Default.aspx.cs – Coding:

```
protected void Button1_Click(object sender, EventArgs e)
{
    ListBox1.Items.Clear();
    ListBox1.Items.Add("Customer Name: " + TextBox1.Text);
    ListBox1.Items.Add("Ordered Books: ");
    ListBox1.Items.Add("-----");
    foreach (ListItem item in CheckBoxList1.Items)
    {
        if (item.Selected)
        {
            ListBox1.Items.Add(item.Text);
        }
    }
    ListBox1.Items.Add("-----");
    ListBox1.Items.Add("Address : "+DropDownList1.SelectedItem.ToString());
    ListBox1.Items.Add("-----");
    ListBox1.Items.Add("Mode of Payment: "+RadioButtonList1.SelectedItem.ToString());
    ListBox1.Items.Add("-----");
    ListBox1.Font.Italic = true;
    ListBox1.Items.Add("Thank You for your Order");

}
```

OUTPUT DESIGN

localhost:50029/WebSite5/Default4.aspx

LIST CONTROLS

Customer Name

Available Books ☐ Big Data ☐ .Net ☐ MP

Address

Mode of Payment ☐ Cash On Delivery ☐ Online

OUTPUT

localhost:50029/WebSite5/Default4.aspx

LIST CONTROLS

Customer Name

Available Books ☒ Big Data ☒ .Net ☒ MP

Address

Mode of Payment ☒ Cash On Delivery ☐ Online

Customer Name: sahana

Ordered Books:

Big Data

.Net

MP

Address : Cuddalore


Mode of Payement: Cash On Delivery

Thank You for your Order

6. RICH CONTROLS

a. AD CONTROL

WEBFORM DESIGN




Controls Used:

1. AdRotator
2. Script Manager
3. UpdatePanel (in Ajax Extensions)
4. Timer (in Ajax Extensions)


XML File - Coding:

```
<?xml version="1.0" encoding="utf-8" ?>
<Advertisements>
  <Ad>
    <ImageUrl>~/images/car.jpg</ImageUrl>
  </Ad>
  <Ad>
    <ImageUrl>~/images/computer.jpg</ImageUrl>
  </Ad>
  <Ad>
    <ImageUrl>~/images/laptop.jpg</ImageUrl>
  </Ad>
  <Ad>
    <ImageUrl>~/images/mobile.jpg</ImageUrl>
  </Ad>
  <Ad>
    <ImageUrl>~/images/fruits.jpg</ImageUrl>
  </Ad>
</Advertisements>
```

OUTPUT - 1:



OUTPUT - 2:



b. VALIDATION CONTROLS

WEBFORM DESIGN

The screenshot shows a web browser window with the title bar 'WebForm1.aspx.cs', 'WebForm1.aspx*', and 'Program6-2B: Overview'. The main content area is titled 'Program 6 B - Validation Controls'. It contains a registration form with the following elements:

- Name :
- Age :
- Email :
- Password :
- Re-Type Password :
-
- [Label1]

Controls Used:

1. Textbox
2. Button
3. Label
4. RequiredFieldValidator
5. Range Validator
6. Regular Expression Validator
7. Compare Validator
8. Validation Summary

Set Properties for each validation control:

1. RequiredFieldValidator

Change the following Properties:

1. ControlToValidate: (Select the control name to validate)
2. Set Focus on Error = True
3. Enabled = True
4. Visible - True
5. Error Message = *Enter the Name
6. Text = *Enter the Name
7. Display = Dynamic

2. Range Validator:

Change the following Properties:

1. ControlToValidate: (Select the control name to validate)
2. Set Focus on Error = True
3. Type = Integer
4. Maximum Value = 100
5. Minimum Value = 0
6. Enabled = True
7. Visible - True
8. Error Message = *Enter the Age between 0 to 100
9. Text = *Enter the Age between 0 to 100
10. Display = Dynamic

3. RegularExpressionValidator:

Change the following Properties:

1. ControlToValidate: (Select the control name to validate)
2. Set Focus on Error = True
2. Validation Expression = Internet Email Address
5. Enabled = True
6. Visible - True
7. Error Message = *Enter Proper Email
8. Text = *Enter Proper Email

9. Display = Dynamic

4. Compare Validator:

Change the following Properties:

1. ControlToValidate = TextBox5 (Select the control name to validate)
2. Control to Compare = TextBox4
3. Set Focus on Error = True
4. Validation Expression = Internet Email Address
5. Enabled = True
6. Visible - True
7. Error Message = *Password Mismatch
8. Text = *Password Mismatch
9. Display = Dynamic
10. Value to compare = password

5. Validation Summary

1. Set Group Name

OUTPUT DESIGN

localhost:44300/WebForm1

Program 6 B - Validation Controls

Name :

Age :

Email :

Password :

Re-Type Password :

Output Design with Validation Controls

localhost:44300/WebForm1

Program 6 B - Validation Controls

Name : *Enter the Name

Age : *Enter the Age


Email : *Enter Email

Password : *Enter Password

Re-Type Password : *Enter Re-Type Password

- *Enter the Name
- *Enter the Age
- *Enter Email
- *Enter Password
- *Enter Re-Type Password

OUTPUT



localhost:44300/WebForm1

localhost:44300/WebForm1

Program 6 B - Validation Controls

Name :

Age :

Email :


Password :

Re-Type Password :

Registration Successful!

c. FILE UPLOAD CONTROL

WEBFORM DESIGN




The screenshot shows a web browser window with a single tab titled 'localhost:44353/WebForm1'. The address bar also displays 'localhost:44353/WebForm1'. The main content area of the browser contains a web form with the following elements:

- A heading **6C - File Upload** centered at the top.
- A label **Select the File:** positioned to the left of the file selection controls.
- A 'Choose File' button followed by the text 'No file chosen'.
- An 'Upload' button and a 'Cancel' button positioned below the 'Choose File' button.


Default.aspx.cs – Coding:

```
protected void Button1_Click(object sender, EventArgs e)
{
    if (FileUpload1.HasFile)
    {
        try
        {
            string fileName = System.IO.Path.GetFileName(FileUpload1.FileName);
            FileUpload1.SaveAs(Server.MapPath("~/Uploads/") + fileName);
            Label1.Text = "File uploaded successfully!";
        }
        catch (Exception ex)
        {
            Label1.Text = "Error: " + ex.Message;
        }
    }
    else
    {
        Label1.Text = "Please select a file to upload.";
    }
}
```


File Selection:



OUTPUT



UploadedFile details in the Windows File Explorer:



FORM DESIGN:

WebForm1.aspx*

dbo.StudentDetails [Data]

7-DataControls-1: Overview

Body

7 - Web Application using Data Controls

Databound Col0	Databound Col1	Databound Col2
abc	0	abc
abc	1	abc
abc	2	abc
abc	3	abc
abc	4	abc

SqlDataSource - SqlDataSource1

TABLE DESIGN:

WebForm1.aspx


dbo.StudentDetails [Data]

7-DataControls-1: Overview

Max Rows: 1000

	RegNo	SName	SClass	SMarks	SPercentage	SEmail	SMobile
	23UBCA01	Anbarasan	BCA	540	90	anbu@gamil.co...	9876543210
	23UBCA02	Kalaiarasan	BCA	570	95	kalai@gmail.com	9898505060
	23UBCA03	Rajadurai	BCA	500	83.33	rajadurai@gmai...	9894909090
	23UBCA04	Mahalakshmi	BCA	580	96.66	maha@gmail.c...	9443094430
	23UBCA05	Durga	BCA	580	96.66	durga@gmail.c...	9655965590
	23UBCA06	Bhuvaneswari	BCA	757	95.83	bhuvaneswari@...	9842098420
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL

OUTPUT




The screenshot shows a web browser window with the address bar displaying 'localhost:44324/WebForm1'. The page content features a section titled '7 - Web Application using Data Controls' which contains a table with student information. The table has seven columns: RegNo, SName, SClass, SMarks, SPercentage, SEmail, and SMobile. It lists six students with their respective details.


RegNo	SName	SClass	SMarks	SPercentage	SEmail	SMobile
23UBCA01	Anbarasan	BCA	540	90	anbu@gamil.com	9876543210
23UBCA02	Kalaiarasan	BCA	570	95	kalai@gmail.com	9898505060
23UBCA03	Rajadurai	BCA	500	83.33	rajadurai@gmail.com	9894909090
23UBCA04	Mahalakshmi	BCA	580	96.66	maha@gmail.com	9443094430
23UBCA05	Durga	BCA	580	96.66	durga@gmail.com	9655965590
23UBCA06	Bhuvaneswari	BCA	757	95.83	bhuvaneswari@gmail.com	9842098420

8. DATA BINDING WITH WEB CONTROLS

FORM DESIGN



OUTPUT



9. DATA BINDING WITH DATA CONTROLS

Form Design:

WebForm1.aspx* 9-DataBinding...ls-1: Overview

9 - Data Binding with Data Controls

Students Details in DetailsView Control

RegNo	abc
SName	abc
SClass	abc
SMarks	0
SPercentage	0
SEmail	abc
SMobile	abc
1 2	

SqlDataSource - SqlDataSource1

Output – 1:

localhost:44334/WebForm1


localhost:44334/WebForm1

9 - Data Binding with Data Controls

Students Details in DetailsView Control

RegNo	23UBCA01
SName	Anbarasan
SClass	BCA
SMarks	540
SPercentage	90
SEmail	anbu@gamil.com
SMobile	9876543210
1 2 3 4 5 6 7 8 9 10	

Output – 2:



The screenshot shows a web browser window with the address bar displaying 'localhost:44334/WebForm1'. The page content is as follows:

9 - Data Binding with Data Controls

Students Details in DetailsView Control

RegNo	23UBCA06
SName	Bhuvaneswari
SClass	BCA
SMarks	575
SPercentage	95.83
SEmail	bhuvaneswari@gmail.com
SMobile	9842098420

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

10.DATABASE APPLICATION TO PERFORM INSERT, UPDATE AND DELETE OPERATIONS

FORM DESIGN:

10. DATABASE APPLICATION

Register No

Name

Department

Email

Phone No

Insert

Update

Delete

Select

Column0

Column1

Column2

abc

abc

abc

abc

abc

abc

abc

abc

abc

abc

abc

abc

abc

abc

abc

Label

TABLE DESIGN:

dbo.CSUP: Table(...ATA\DATABASE.MDF)* 10database.aspx.cs 10database.aspx*			
	Column Name	Data Type	Allow Nulls
	REGNO	nvarchar(50)	☐
	NAME	nvarchar(50)	☐
	DEPT	nvarchar(50)	☐
	MAIL	nvarchar(50)	☐
▶	PHNO	nvarchar(50)	☐
			☐

Default.aspx.cs – Coding:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;

public partial class _10database : System.Web.UI.Page
{
    SqlConnection con;
    SqlCommand com;
    SqlDataAdapter da;
    DataSet ds;

    protected void Page_Load(object sender, EventArgs e)
    {
        con = new SqlConnection("Data
Source=.\SQLEXPRESS;AttachDbFilename=C:\\Users\\CS20230521\\Documents\\Visual
Studio 2010\\WebSites\\WebSite5\\App_Data\\Database.mdf;Integrated Security=True;User
Instance=True");
    }

    protected void Button1_Click(object sender, EventArgs e)
    {
        con.Open();

        com = new SqlCommand("insert into CSUP values('" + TextBox1.Text + "','" +
TextBox2.Text + "','" + TextBox3.Text + "','" + TextBox4.Text +
"',"+TextBox5.Text+"')", con);

        com.ExecuteNonQuery();

        com = new SqlCommand("Select * from CSUP", con);

        da = new SqlDataAdapter(com);
```

```

        DataSet ds = new DataSet();
        da.Fill(ds);
        GridView1.DataSource = ds;
        GridView1.DataBind();
        con.Close();
        Label1.Text = "Student Details added Successfully!";
    }

```

```

protected void Button2_Click(object sender, EventArgs e)
{
    con.Open();

    com = new SqlCommand("Update CSUP set Name='" + TextBox2.Text + "',Dept='" +
        TextBox3.Text + "', mail='" + TextBox4.Text + "', phno='" + TextBox5.Text + "' where
        RegNo='" + TextBox1.Text + "'",con);

    com.ExecuteNonQuery();

    com = new SqlCommand("Select * from CSUP", con);
    da = new SqlDataAdapter(com);
    DataSet ds = new DataSet();
    da.Fill(ds);
    GridView1.DataSource = ds;
    GridView1.DataBind();
    con.Close();

    Label1.Text = "Student Details Updated Successfully!";

}

```

```

protected void Button3_Click(object sender, EventArgs e)
{
    con.Open();

    com = new SqlCommand("Delete from CSUP where RegNo='" + TextBox1.Text +
        "'",con);

    com.ExecuteNonQuery();

    com = new SqlCommand("Select * from CSUP", con);

```

```
        da = new SqlDataAdapter(com);
        DataSet ds = new DataSet();
        da.Fill(ds);
        GridView1.DataSource = ds;
        GridView1.DataBind();
        con.Close();
        Label1.Text = "Student Details Deleted Successfully!";

    }

    protected void Button4_Click(object sender, EventArgs e)
    {
        con.Open();
        com = new SqlCommand("Select * from CSUP", con);
        da = new SqlDataAdapter(com);
        DataSet ds = new DataSet();
        da.Fill(ds);
        GridView1.DataSource = ds;
        GridView1.DataBind();
        con.Close();
        Label1.Text = "All Student Details retrieved Successfully!";

    }
}
```

OUTPUT DESIGN

10. DATABASE APPLICATION

Register No

Name

Department

Email

Phone No

Insert

Update

Delete

Select

Label

OUTPUT : For Insert Query

localhost:61080/WebSite5/10database.aspx

Summarize

10. DATABASE APPLICATION

Register No

5

Name

EEE

Department

CS

Email

EE@gmail.com

Phone No

1234

Insert

Update

Delete

Select

REGNO	NAME	DEPT	MAIL	PHNO
1	AAA	CS	AA@gmail.com	1234
2	BBB	CS	BB@gmail.com	1234
3	CCC	CS	CC@gmail.com	1234
4	DDD	CS	DD@gmail.com	1234
5	EEE	CS	EE@gmail.com	1234

Student Details added Successfully!

OUTPUT : For Update Query

10. DATABASE APPLICATION

Register No

5

Name

FFF

Department

BCA

Email

EE@gmail.com

Phone No

4321

Insert

Update

Delete

Select

REGNO	NAME	DEPT	MAIL	PHNO
1	AAA	CS	AA@gmail.com	1234
2	BBB	CS	BB@gmail.com	1234
3	CCC	CS	CC@gmail.com	1234
4	DDD	CS	DD@gmail.com	1234
5	FFF	BCA	EE@gmail.com	4321

Student Details Updated Successfully!

OUTPUT : For Delete Query

10. DATABASE APPLICATION

Register No

1

Name

Department

Email

Phone No

Insert

Update

Delete

Select

Student Details Deleted Successfully!

REGNO	NAME	DEPT	MAIL	PHNO
2	BBB	CS	BB@gmail.com	1234
3	CCC	CS	CC@gmail.com	1234
4	DDD	CS	DD@gmail.com	1234
5	FFF	BCA	EE@gmail.com	4321

OUTPUT : For View Query

10. DATABASE APPLICATION

Register No

Name

Department

Email

Phone No

Insert

Update

Delete

Select

All Student Details retrieved Successfully!

REGNO	NAME	DEPT	MAIL	PHNO
2	BBB	CS	BB@gmail.com	1234
3	CCC	CS	CC@gmail.com	1234
4	DDD	CS	DD@gmail.com	1234
5	FFF	BCA	EE@gmail.com	4321

11.DATABASE APPLICATION USING DATA CONTROLS TO PERFORM INSERT, UPDATE AND DELETE OPERATIONS

FORM DESIGN:

SqlDataSource - SqlDataSource1

11. DATABASE USING DATACONTROL

REGNO	abc
NAME	abc
DEPT	abc
MAIL	abc
PHNO	abc
Edit Delete New	
1 2	

TABLE DESIGN:

dbo.CSUP: Table(...ATA\DATABASE.MDF)* 11datacontrol.aspx			
	Column Name	Data Type	Allow Nulls
🔑	REGNO	nvarchar(50)	☐
	NAME	nvarchar(50)	☐
	DEPT	nvarchar(50)	☐
	MAIL	nvarchar(50)	☐
▶	PHNO	nvarchar(50)	☐
			☐

OUTPUT DESIGN

11. DATABASE USING DATACONTROL

REGNO	101
NAME	Rahul Verma
DEPT	CSE
MAIL	rahul.v@outlook.com
PHNO	9845012345
Edit Delete New	
1 2 3 4 5 6 7 8 9 10	

OUTPUT: For Insert Query

11. DATABASE USING DATACONTROL

REGNO	111
NAME	sahana
DEPT	Computer Science
MAIL	sahana123@gmail.com
PHNO	987654321
Insert Cancel	

OUTPUT: For Update Query

11. DATABASE USING DATACONTROL

REGNO	111
NAME	Josephine
DEPT	Computer Science
MAIL	sahana123@gmail.com
PHNO	987654321
Update Cancel	
... 2 3 4 5 6 7 8 9 10 11	

12. XML CLASSES

Form Design:

WebForm1.aspx.cs	Students.xml	WebForm1.aspx*  
td.auto-style1		
12 - Implement XML Classes		
Read XML Write XML		
[Literal "Literal1"]		

XML Coding – Students.XML

```
<?xml version="1.0" encoding="utf-8" ?>
<Students>
  <Student>
    <ID>23UBCA01</ID>
    <Name>Kumar</Name>
    <Department>BCA</Department>
  </Student>
  <Student>
    <ID>23UBCA03</ID>
    <Name>Ravi</Name>
    <Department>BCA</Department>
  </Student>
  <Student>
    <ID>23UBCA03</ID>
    <Name>Rani</Name>
    <Department>CS</Department>
  </Student>
</Students>
```

Default.aspx.cs – Coding:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Xml;

public partial class _11xml :System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
```

```

{

}

protected void Button1_Click(object sender, EventArgs e)
{
    try
    {
        XmlDocument doc = new XmlDocument();
        doc.Load(Server.MapPath("~/Students.xml")); // Load XML file

        XmlNodeList employees = doc.SelectNodes("/Students/Student");

        string output = "<b>Student List:</b><br/>";
        foreach (XmlNode emp in employees)
        {
            string id = emp["ID"].InnerText;
            string name = emp["Name"].InnerText;
            string dept = emp["Department"].InnerText;

            output += string.Format("ID: {0}, Name: {1}, Department: {2}<br/>", id, name,
dept);
        }

        Literal1.Text = output;
    }
    catch (Exception ex)
    {
        Literal1.Text = "Error: " + ex.Message;
    }
}

protected void Button2_Click(object sender, EventArgs e)
{
    try

```

```

    {
        string path = Server.MapPath("~/NewStudents.xml");
        using (XmlTextWriter writer = new XmlTextWriter(path,
System.Text.Encoding.UTF8))
        {
            writer.Formatting = Formatting.Indented; // Makes XML readable
            writer.WriteStartDocument();
            writer.WriteStartElement("Students");


                // First Student
            writer.WriteStartElement("Student");
            writer.WriteElementString("ID", "23UBCA04");
            writer.WriteElementString("Name", "Jeyamani");
            writer.WriteElementString("Department", "BCA");
            writer.WriteEndElement(); // Student

                // Second Student
            writer.WriteStartElement("Student");
            writer.WriteElementString("ID", "23UBCA04");
            writer.WriteElementString("Name", "Sasikumar");
            writer.WriteElementString("Department", "BCA");
            writer.WriteEndElement(); // Student
            writer.WriteEndElement(); // Student
            writer.WriteEndDocument();
        }
        Literal1.Text = "XML file 'NewStudents.xml' file has been created successfully!";
    }
    catch (Exception ex)
    {
        Literal1.Text = "Error: " + ex.Message;
    }


}
}

```


OUTPUT DESIGN




OUTPUT Read Data from XML



OUTPUT Write Data to XML



OUTPUT Created XML file content



13.AUTHENTICATION AND AUTHORIZATION

Login Form Design:

13. AUTHENTICATION & AUTHORIZATION

Log In

User Name:

Password:

☐ Remember me next time.

Log In

[New User](#)

Properties:

CreateUserText – New User

CreateUserUrl – Url of the New User Page

DestinationPageUrl – Final Page

New User Form:

13. AUTHENTICATION & AUTHORIZATION

asp:createuserwizard#CreateUserWiz...

Sign Up for Your New Account

User Name:

Password:

Confirm Password:

E-mail:

Security Question:

Security Answer:

The Password and Confirmation Password must match.

Create User

Properties:

ContinueDestinationPageUrl - LoginPage

OUTPUT DESIGN

localhost:61080/WebSite5/13authentication.aspx

13. AUTHENTICATION & AUTHORIZATION

Log In

User Name:

Password:

☐ Remember me next time.

[New User](#)

OUTPUT For New User:

localhost:61080/WebSite5/NewUser.aspx

13. AUTHENTICATION & AUTHORIZATION

Sign Up for Your New Account

User Name:

Password:

Confirm Password:

E-mail:

Security Question:

Security Answer:

localhost:61080/WebSite5/NewUser.aspx

13. AUTHENTICATION & AUTHORIZATION

Complete
Your account has been successfully created.

OUTPUT: For Authentication Successful

① localhost:61080/WebSite5/studentform.aspx

13. AUTHENTICATION & AUTHORIZATION

WELCOME TO STUDENT PAGE

OUTPUT: For Error

① localhost:61080/WebSite5/13authentication.aspx

13. AUTHENTICATION & AUTHORIZATION

Log In

User Name:

Josephine

Password:

☐ Remember me next time.

Your login attempt was not successful. Please try again.

Log In

[New User](#)

14.TICKET RESERVATION USING ASP.NET CONTROLS

FORM DESIGN:

← ↻ ⓘ localhost:61080/WebSite5/14ticket.aspx

14. TICKET RESERVATION

Passenger Name

Age

Train Name & No

Station From

Station To

Travelling Date

≤

February 2026

≥

Mon	Tue	Wed	Thu	Fri	Sat	Sun
<u>26</u>	<u>27</u>	<u>28</u>	<u>29</u>	<u>30</u>	<u>31</u>	<u>1</u>
<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>
<u>9</u>	<u>10</u>	<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>	<u>15</u>
<u>16</u>	<u>17</u>	<u>18</u>	<u>19</u>	<u>20</u>	<u>21</u>	<u>22</u>
<u>23</u>	<u>24</u>	<u>25</u>	<u>26</u>	<u>27</u>	<u>28</u>	<u>1</u>
<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>

Class

☐ AC
 ☐ I Class
 ☐ II Class

Book

Clear

Label

TABLE DESIGN:

dbo.train: Table(...ATA\DATABASE2.MDF) X 10database.aspx.cs 14ticket.aspx.cs

	Column Name	Data Type	Allow Nulls
▶	name	nvarchar(50)	☐
	age	nvarchar(50)	☐
	trainname	nvarchar(50)	☐
	stationfrom	nvarchar(50)	☐
	stationto	nvarchar(50)	☐
	date	nvarchar(50)	☐
	class	nvarchar(50)	☐
			☐

Default.aspx.cs – Coding:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Data.SqlClient;

public partial class _14ticket : System.Web.UI.Page
{
    SqlConnection con;
    SqlCommand com;
    SqlDataAdapter da;
    DataSet ds;

    protected void Page_Load(object sender, EventArgs e)
    {
        con = new SqlConnection("Data
Source=.\SQLEXPRESS;AttachDbFilename=C:\\Users\\CS20230521\\Documents\\Visual
Studio 2010\\WebSites\\WebSite5\\App_Data\\Database2.mdf;Integrated Security=True;User
Instance=True");
    }

    protected void Button1_Click(object sender, EventArgs e)
    {
        con.Open();

        com = new SqlCommand("insert into train values('" + TextBox1.Text + "','" +
        TextBox2.Text + "','" + DropDownList1.SelectedItem.ToString() + "','" +
        DropDownList2.SelectedItem.ToString() + "','" + DropDownList3.SelectedItem.ToString() +
        "','" + Calendar1.SelectedDate + "','" + RadioButtonList1.SelectedItem.ToString() + "')", con);
        com.ExecuteNonQuery();

        com = new SqlCommand("Select * from train", con);

        da = new SqlDataAdapter(com);

        DataSet ds = new DataSet();
```

```
da.Fill(ds);

    GridView1.DataSource = ds;
    GridView1.DataBind();
con.Close();

    Label1.Text = "Ticket Booked Successfully!";
}

protected void Button2_Click(object sender, EventArgs e)
{
Response.Redirect(Request.RawUrl);
}
}
```

OUTPUT DESIGN

←

↺

localhost:61080/WebSite5/14ticket.aspx

14. TICKET RESERVATION

Passenger Name

Josephine

Age

32

Train Name & No

Rameswaram Express ▾

Station From

Cuddalore ▾

Station To

Trichy ▾

Travelling Date

≤

February 2026

≥

Mon	Tue	Wed	Thu	Fri	Sat	Sun
26	27	28	29	30	31	1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	1
2	3	4	5	6	7	8

Class

☐ AC

☐ I Class

☒ II Class

Book

Clear

Ticket Booked Successfully!

name	age	trainname	stationfrom	stationto	date	class
sahana	24	Chozan Express	Cuddalore	Tanjore	14-02-2026 00:00:00	AC
sahana	24	Chozan Express	Cuddalore	Tanjore	27-02-2026 00:00:00	AC
Josephine	32	Rameswaram Express	Cuddalore	Trichy	03-03-2026 00:00:00	II Class

15.ONLINE EXAMINATION USING ASP.NET CONTROLS

FORM DESIGN: Exam Page

localhost:61080/WebSite5/15OnlineExamination.aspx

15. ONLINE EXAMINATION

STUDENT NAME	Sahana
REGISTER NUMBER	15
Question 1:	Which of the Following is the brain of a computer? ☒ CPU ☐ Monitor ☐ Mouse ☐ Keyboard
Question 2:	Which of the Following is an example of Output Device? ☒ Printer ☐ Keyboard ☐ Scanner ☐ Mouse
Question 3:	Which of the Following is an example of Input Device? ☐ CPU ☐ Monitor ☐ Speaker ☒ Keyboard
Question 4:	Which of the Following is Example of Storage Device ? ☐ CPU ☐ Monitor ☐ Mouse ☒ Hard Disk
Question 5:	Which of the Following is an Exapmle of Operating System ☐ CPU ☐ Monitor ☒ Linux ☐ Keyboard
Submit Cancel	

Form Design:Test Page

localhost:61080/WebSite5/ResultPage.aspx?SName=Sahana&SRegNo=15&Marks=5		Summ
RESULT PAGE		
Candidate Name	Sahana	
Register No	15	
Scored Marks	5	
Percentage	100	

ExamPage.aspx.cs – Coding:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

public partial class _15OnlineExamination : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {

    }

    protected void Button1_Click(object sender, EventArgs e)
    {
        string SName = TextBox1.Text;
        string SRegNo = TextBox2.Text;
        int Marks = 0;

        if (RadioButtonList1.SelectedValue=="CPU")
        {
            Marks += 1;
        }
        if (RadioButtonList2.SelectedValue == "Printer")
        {
            Marks += 1;
        }
        if (RadioButtonList3.SelectedValue == "Keyboard")
        {
            Marks += 1;
        }
    }
}
```

```

    }
    if (RadioButtonList4.SelectedValue == "Hard Disk")
    {
        Marks += 1;
    }
    if (RadioButtonList5.SelectedValue == "Linux")
    {
        Marks += 1;
    }
    Response.Redirect("~/ResultPage.aspx?SName=" + SName + "&SRegNo=" + SRegNo +
"&Marks=" + Marks);
}

protected void Button2_Click(object sender, EventArgs e)
{
    Response.Redirect(Request.RawUrl);
}
}

```

ResultPage.aspx.cs – Coding:

```

protected void Page_Load(object sender, EventArgs e)
{
    string sMarks = Request.QueryString["Marks"];
    int marks = Convert.ToInt32(sMarks);
    int percentage = marks * 20;
    Label1.Text = Request.QueryString["SName"];
    Label2.Text = Request.QueryString["SRegNo"];
    Label3.Text = marks.ToString();
    Label4.Text = percentage.ToString();
}

```

OUTPUT – Exam Page:

localhost:61080/WebSite5/15OnlineExamination.aspx

15. ONLINE EXAMINATION

STUDENT NAME

REGISTER NUMBER

Question 1: Which of the Following is the brain of a computer?
☒ CPU ☐ Monitor ☐ Mouse ☐ Keyboard

Question 2: Which of the Following is an example of Output Device?
☒ Printer ☐ Keyboard ☐ Scanner ☐ Mouse

Question 3: Which of the Following is an example of Input Device?
☐ CPU ☐ Monitor ☐ Speaker ☒ Keyboard

Question 4: Which of the Following is Example of Storage Device ?
☐ CPU ☐ Monitor ☐ Mouse ☒ Hard Disk

Question 5: Which of the Following is an Exapmle of Operating System
☐ CPU ☐ Monitor ☒ Linux ☐ Keyboard

OUTPUT – Result Page:

localhost:61080/WebSite5/ResultPage.aspx?SName=Sahana&SRegNo=15&Marks=5

RESULT PAGE	
Candidate Name	Sahana
Register No	15
Scored Marks	5
Percentage	100