

Data Collection and Preprocessing Phase

Date	24 June 2026
Team ID	SWTID-2026-5589
Project Title	Credit Card Approval Prediction
Maximum Marks	6 Marks

Data Exploration and Preprocessing Template

Data has been sourced from Kaggle. Dataset variables will be statistically analyzed to identify patterns and outliers, with Python employed for preprocessing tasks like normalization and feature engineering. Data cleaning will address missing values and outliers, ensuring quality for subsequent analysis and modeling, and forming a strong foundation for insights and predictions.

Section	Description																																																																																																			
Data Overview	application_record.csv Dimension: 438557 rows x 13 columns Descriptive Statistics: <pre>app.describe()</pre><table><thead><tr><th></th><th>ID</th><th>CNT_CHILDREN</th><th>AMT_INCOME_TOTAL</th><th>DAYS_BIRTH</th><th>DAYS_EMPLOYED</th><th>FLAG_MOBIL</th><th>FLAG_WORK_PHONE</th><th>FLAG_PHONE</th><th>FLAG_EMAIL</th><th>CNT_FAM_MEMBERS</th></tr></thead><tbody><tr><td>count</td><td>4.385570e+05</td><td>438557.000000</td><td>4.385570e+05</td><td>438557.000000</td><td>438557.000000</td><td>438557.0</td><td>438557.000000</td><td>438557.000000</td><td>438557.000000</td><td>438557.000000</td></tr><tr><td>mean</td><td>6.022176e+06</td><td>0.427390</td><td>1.875243e+05</td><td>-15997.904649</td><td>60563.675328</td><td>1.0</td><td>0.206133</td><td>0.287771</td><td>0.108207</td><td>2.194465</td></tr><tr><td>std</td><td>5.716370e+05</td><td>0.724882</td><td>1.100869e+05</td><td>4185.030007</td><td>138767.799647</td><td>0.0</td><td>0.404527</td><td>0.452724</td><td>0.310642</td><td>0.897207</td></tr><tr><td>min</td><td>5.008804e+06</td><td>0.000000</td><td>2.610000e+04</td><td>-25201.000000</td><td>-17531.000000</td><td>1.0</td><td>0.000000</td><td>0.000000</td><td>0.000000</td><td>1.000000</td></tr><tr><td>25%</td><td>5.609375e+06</td><td>0.000000</td><td>1.215000e+05</td><td>-19483.000000</td><td>-3103.000000</td><td>1.0</td><td>0.000000</td><td>0.000000</td><td>0.000000</td><td>2.000000</td></tr><tr><td>50%</td><td>6.047745e+06</td><td>0.000000</td><td>1.607805e+05</td><td>-15630.000000</td><td>-1467.000000</td><td>1.0</td><td>0.000000</td><td>0.000000</td><td>0.000000</td><td>2.000000</td></tr><tr><td>75%</td><td>6.456971e+06</td><td>1.000000</td><td>2.250000e+05</td><td>-12514.000000</td><td>-371.000000</td><td>1.0</td><td>0.000000</td><td>1.000000</td><td>0.000000</td><td>3.000000</td></tr><tr><td>max</td><td>7.999952e+06</td><td>19.000000</td><td>6.750000e+06</td><td>-7489.000000</td><td>365243.000000</td><td>1.0</td><td>1.000000</td><td>1.000000</td><td>1.000000</td><td>20.000000</td></tr></tbody></table>		ID	CNT_CHILDREN	AMT_INCOME_TOTAL	DAYS_BIRTH	DAYS_EMPLOYED	FLAG_MOBIL	FLAG_WORK_PHONE	FLAG_PHONE	FLAG_EMAIL	CNT_FAM_MEMBERS	count	4.385570e+05	438557.000000	4.385570e+05	438557.000000	438557.000000	438557.0	438557.000000	438557.000000	438557.000000	438557.000000	mean	6.022176e+06	0.427390	1.875243e+05	-15997.904649	60563.675328	1.0	0.206133	0.287771	0.108207	2.194465	std	5.716370e+05	0.724882	1.100869e+05	4185.030007	138767.799647	0.0	0.404527	0.452724	0.310642	0.897207	min	5.008804e+06	0.000000	2.610000e+04	-25201.000000	-17531.000000	1.0	0.000000	0.000000	0.000000	1.000000	25%	5.609375e+06	0.000000	1.215000e+05	-19483.000000	-3103.000000	1.0	0.000000	0.000000	0.000000	2.000000	50%	6.047745e+06	0.000000	1.607805e+05	-15630.000000	-1467.000000	1.0	0.000000	0.000000	0.000000	2.000000	75%	6.456971e+06	1.000000	2.250000e+05	-12514.000000	-371.000000	1.0	0.000000	1.000000	0.000000	3.000000	max	7.999952e+06	19.000000	6.750000e+06	-7489.000000	365243.000000	1.0	1.000000	1.000000	1.000000	20.000000
		ID	CNT_CHILDREN	AMT_INCOME_TOTAL	DAYS_BIRTH	DAYS_EMPLOYED	FLAG_MOBIL	FLAG_WORK_PHONE	FLAG_PHONE	FLAG_EMAIL	CNT_FAM_MEMBERS																																																																																									
	count	4.385570e+05	438557.000000	4.385570e+05	438557.000000	438557.000000	438557.0	438557.000000	438557.000000	438557.000000	438557.000000																																																																																									
	mean	6.022176e+06	0.427390	1.875243e+05	-15997.904649	60563.675328	1.0	0.206133	0.287771	0.108207	2.194465																																																																																									
std	5.716370e+05	0.724882	1.100869e+05	4185.030007	138767.799647	0.0	0.404527	0.452724	0.310642	0.897207																																																																																										
min	5.008804e+06	0.000000	2.610000e+04	-25201.000000	-17531.000000	1.0	0.000000	0.000000	0.000000	1.000000																																																																																										
25%	5.609375e+06	0.000000	1.215000e+05	-19483.000000	-3103.000000	1.0	0.000000	0.000000	0.000000	2.000000																																																																																										
50%	6.047745e+06	0.000000	1.607805e+05	-15630.000000	-1467.000000	1.0	0.000000	0.000000	0.000000	2.000000																																																																																										
75%	6.456971e+06	1.000000	2.250000e+05	-12514.000000	-371.000000	1.0	0.000000	1.000000	0.000000	3.000000																																																																																										
max	7.999952e+06	19.000000	6.750000e+06	-7489.000000	365243.000000	1.0	1.000000	1.000000	1.000000	20.000000																																																																																										
	credit_record.csv Descriptive Analysis:																																																																																																			

Bivariate Analysis


```
credit['default'] = credit['STATUS'].isin(['2', '3', '4', '5'])

# Step 2: Group by ID, mark if any default
default_status = credit.groupby('ID')['default'].max().reset_index()
default_status['Approved'] = default_status['default'].apply(lambda x: 0 if x else 1)
default_status.drop(columns='default', inplace=True)


# Step 3: Merge with application data
app = app.merge(default_status, on='ID', how='inner')
numeric = ['AMT_INCOME_TOTAL', 'CNT_CHILDREN', 'CNT_FAM_MEMBERS', 'DAYS_BIRTH', 'DAYS_EMPLOYED']

for col in numeric:
    plt.figure(figsize=(6, 4))
    sns.boxplot(x='Approved', y=col, data=app)
    plt.title(f'{col} vs Approval Status')
    plt.show()
```

✓ 1.2s



Multivariate Analysis



Outliers and Anomalies

Done using feature engineering and data cleaning stages as mentioned in notebook.

Data Preprocessing Code Screenshots

Loading Data

```
csv_path = './application_record.csv' # update with actual file name
app = pd.read_csv(csv_path)
app.head()
```

[1] ✓ 1.1s

ME_TYPE	NAME_EDUCATION_TYPE	NAME_FAMILY_STATUS	NAME_HOUSING_TYPE	DAYS_BIRTH	DAYS_EMPLOYED	FLAG_MOBIL	FLAG_WORK_PHONE	FLAG_PHONE	FLAG_EMAIL
Working	Higher education	Civil marriage	Rented apartment	-12005	-4542	1	1	0	0
Working	Higher education	Civil marriage	Rented apartment	-12005	-4542	1	1	0	0
Working	Secondary / secondary special	Married	House / apartment	-21474	-1134	1	0	0	0
associate	Secondary / secondary special	Single / not married	House / apartment	-19110	-3051	1	0	1	1
associate	Secondary / secondary special	Single / not married	House / apartment	-19110	-3051	1	0	1	1

Handling Missing Data

```
app.isnull().sum()
```

[11] ✓ 0.2s

ID	0
CODE_GENDER	0
FLAG_OWN_CAR	0
FLAG_OWN_REALTY	0
CNT_CHILDREN	0
AMT_INCOME_TOTAL	0
NAME_INCOME_TYPE	0
NAME_EDUCATION_TYPE	0
NAME_FAMILY_STATUS	0
NAME_HOUSING_TYPE	0
DAYS_BIRTH	0
DAYS_EMPLOYED	0
FLAG_MOBIL	0
FLAG_WORK_PHONE	0
FLAG_PHONE	0
FLAG_EMAIL	0
OCCUPATION_TYPE	134203
CNT_FAM_MEMBERS	0

dtype: int64

Data Transformation

```
def data_cleansing(data):
    # Adding number of family members with number of children to get overall family members.
    #data['CNT_FAM_MEMBERS'] = data['CNT_FAM_MEMBERS'] + data['CNT_CHILDREN']

    dropped_cols = ['FLAG_MOBIL', 'FLAG_WORK_PHONE', 'FLAG_PHONE',
                    'FLAG_EMAIL', 'OCCUPATION_TYPE', 'CNT_CHILDREN']
    data = data.drop(dropped_cols, axis = 1)

    #converting birth years and days employed to years.
    data['DAYS_BIRTH'] = np.abs(data['DAYS_BIRTH'])/365 #Absolute
    data['DAYS_EMPLOYED'] = data['DAYS_EMPLOYED']/365

    #Cleaning up categorical values to lower the count of dummy variables.
    housing_type = {'House / apartment': 'House / apartment',
                    'With parents': 'With parents',
                    'Municipal apartment': 'House / apartment',
                    'Rented apartment': 'House / apartment',
                    'Office apartment': 'House / apartment',
                    'Co-op apartment': 'House / apartment'}

    income_type = {'Commercial associate': 'Working',
                   'State servant': 'Working',
                   'Working': 'Working',
                   'Pensioner': 'Pensioner',
                   'Student': 'Student'}

    education_type = {'Secondary / secondary special': 'secondary',
                       'Lower secondary': 'secondary',
                       'Higher education': 'Higher education',
                       'Incomplete higher': 'Higher education',
                       'Academic degree': 'Academic degree'}

    family_status = {'Single / not married': 'Single',
                     'Separated': 'Single',
                     'Widow': 'Single',
                     'Civil marriage': 'Married',
                     'Married': 'Married'}

    data['NAME_HOUSING_TYPE'] = data['NAME_HOUSING_TYPE'].map(housing_type)
    data['NAME_INCOME_TYPE'] = data['NAME_INCOME_TYPE'].map(income_type)
    data['NAME_EDUCATION_TYPE'] = data['NAME_EDUCATION_TYPE'].map(education_type)
    data['NAME_FAMILY_STATUS'] = data['NAME_FAMILY_STATUS'].map(family_status)

    return data
data = data_cleansing(app)
data.head()
```

Feature Engineering

Feature Engineering

```
def feature_engineering_target(data):
    good_or_bad = []

    for index, row in data.iterrows():
        paid_off = row['paid_off']
        over_1 = row['pastdue_1-29']
        over_30 = row['pastdue_30-59']
        over_60 = row['pastdue_60-89']
        over_90 = row['pastdue_90-119']
        over_120 = row['pastdue_120-149'] + row['pastdue_over_150']
        no_loan = row['no_loan']

        overall_pastdues = over_1 + over_30 + over_60 + over_90 + over_120

        if overall_pastdues == 0:
            if paid_off >= no_loan or paid_off <= no_loan:
                good_or_bad.append(1)
            elif paid_off == 0 and no_loan == 1:
                good_or_bad.append(1)

        elif overall_pastdues != 0:
            if paid_off > overall_pastdues:
                good_or_bad.append(1)
            elif paid_off <= overall_pastdues:
                good_or_bad.append(0)

        elif paid_off == 0 and no_loan != 0:
            if overall_pastdues <= no_loan or overall_pastdues >= no_loan:
                good_or_bad.append(0)
        else:
            good_or_bad.append(1)

    return good_or_bad
```

```
target = pd.DataFrame()
target['ID'] = pivot_tb.index
target['paid_off'] = pivot_tb['paid_off'].values
target['#_of_pastdues'] = pivot_tb['pastdue_1-29'].values + pivot_tb['pastdue_30-59'].values + \
    pivot_tb['pastdue_60-89'].values + pivot_tb['pastdue_90-119'].values + \
    pivot_tb['pastdue_120-149'].values + pivot_tb['pastdue_over_150'].values

target['no_loan'] = pivot_tb['no_loan'].values
target['target'] = feature_engineering_target(pivot_tb)
credit_app = data_cleansing(app).merge(target, how = 'inner', on = 'ID')
credit_app.drop('ID', axis = 1, inplace = True)
```

Save Processed Data

The processed data was saved dynamically in the app i.e. data frame for application_record.csv