

Coding:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>School SPA - Student & Teacher</title>
  <style>
    /* General Styles */
    body {
      font-family: Arial, Helvetica, sans-serif;
      margin: 0;
      padding: 0;
      background: #f5f5f5;
    }
    header {
      background-color: #4CAF50;
      color: white;
      padding: 20px;
      text-align: center;
    }
    nav {
      display: flex;
      justify-content: center;
      background-color: #333;
    }
    nav a {
```

```
    color: white;
    padding: 14px 20px;
    text-decoration: none;
    text-align: center;
}
nav a:hover{
    background-color: #ddd;
    color: black;
}
.section {
    display: none;
    padding: 40px;
    text-align: center;
}
.active {
    display: block;
}

/* Student Section */
.student {
    background-color: #e3f2fd;
}
.student h2 {
    color: #0d47a1;
}

/* Teacher Section */
.teacher {
```

```
    background-color: #fff3e0;
}
.teacher h2 {
    color: #e65100;
}

/* Form Styles */
form {
    max-width: 400px;
    margin: 20px auto;
    text-align: left;
}
label {
    display: block;
    margin-bottom: 5px;
    font-weight: bold;
}
input, textarea, select {
    width: 100%;
    padding: 10px;
    margin-bottom: 15px;
    border-radius: 5px;
    border: 1px solid #ccc;
    box-sizing: border-box;
}
button {
    background-color: #4CAF50;
    color: white;
```

```
padding: 12px 20px;
border: none;
border-radius: 5px;
cursor: pointer;
}
button:hover {
background-color: #45a049;
}
```

```
/* Footer */
footer {
text-align: center;
padding: 20px;
background: #333;
color: white;
position: fixed;
bottom: 0;
width: 100%;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>School SPA - Student & Teacher Portal</h1>
```

```
</header>
```

```
<nav>
```

```
<a href="#" onclick="showSection('student')">Student</a>
<a href="#" onclick="showSection('teacher')">Teacher</a>
</nav>
<!-- Student Section -->
<div id="student" class="section student active">
  <h2>Student Dashboard</h2>
  <p>Welcome, Student! You can access your courses, assignments, and
profile here.</p>
  <form>
    <label for="sname">Name:</label>
    <input type="text" id="sname" placeholder="Enter your name">

    <label for="scourse">Course:</label>
    <input type="text" id="scourse" placeholder="Enter course name">

    <label for="sassignment">Assignment:</label>
    <textarea id="sassignment" placeholder="Write your assignment
here"></textarea>

    <button type="submit">Submit Assignment</button>
  </form>
</div>
<!-- Teacher Section -->
<div id="teacher" class="section teacher">
  <h2>Teacher Dashboard</h2>
  <p>Welcome, Teacher! You can manage courses, view student
assignments, and update profiles.</p>
  <form>
    <label for="tname">Name:</label>
```

```
<input type="text" id="tname" placeholder="Enter your name">
```

```
<label for="tcourse">Course:</label>
```

```
<input type="text" id="tcourse" placeholder="Enter course name">
```

```
<label for="tfeedback">Feedback:</label>
```

```
<textarea id="tfeedback" placeholder="Provide feedback for  
students"></textarea>
```

```
<button type="submit">Submit Feedback</button>
```

```
</form>
```

```
</div>
```

```
<footer>
```

```
&copy; 2025 School SPA. All rights reserved.
```

```
</footer>
```

```
<script>
```

```
function showSection(sectionId) {  
  const sections = document.querySelectorAll('.section');  
  sections.forEach(sec => sec.classList.remove('active'));  
  document.getElementById(sectionId).classList.add('active');  
}
```

```
</script>
```

```
</body>
```

```
</html>
```