

UX / UI DESIGNER

Work Samples

Priyanka Chippada

5+ Years Experience

Wipro Limited & L&T Technology Services

Bangalore, India

chippadapriyanka1@gmail.com | +91-8309571929

DOCUMENTS INCLUDED IN THIS PORTFOLIO

- 01 — UX Specification Document (Serta Simmons Bedding — Supply Chain Dashboard)
- 02 — Screen Flow & Annotation Document (Healthcare Platform — Patient Registration)
- 03 — UX Copy & Error Message Library (Biomedical Equipment Control Interface)
- 04 — Component Usage Guidelines (Enterprise Design System — Alert Component)
- 05 — SOP — Device Startup & Calibration (Biomedical Equipment — LTTS)
- 06 — Sprint Release Notes (Digital Signage Platform v2.4 — Wipro)

HOW TO USE THIS DOCUMENT

Each section is a self-contained work sample document produced during live project work at Wipro Limited and L&T Technology Services. These are the actual types of documentation I authored and maintained in Confluence and Figma alongside my UX/UI design deliverables.

These samples demonstrate the documentation layer that is standard practice in UX/UI design — specifications, annotated flows, UX copy, component guidelines, SOPs, and release notes.

SECTION 01

UX Specification Document

01 Supply Chain Planning Dashboard

Wipro Limited — Serta Simmons Bedding • Jul 2022 – Mar 2024

Document Information

Field	Details	Notes
Document ID	SSB-DASHBOARD-SPEC-v2.1	
Author	Priyanka Chippada	UX/UI Designer
Last Updated	15 Jan 2024	Sprint 18
Audience	Engineering Lead, QA Team, PM	Confluence reference doc
Status	APPROVED	Post design review

1. Overview & Scope

This document defines the interaction behaviour, screen state logic, field validation rules, and content requirements for the Supply Chain Planning Dashboard — a core interface used by supply chain planners at Serta Simmons Bedding to monitor demand signals, inventory positions, and manufacturing status across 27 plants.

2. Screen States — Full State Matrix

State	Trigger	UI Behaviour	Notes
Loading	Page load / API call in progress	Skeleton loaders on all data cards — no spinners	Required for all data-heavy screens
Data Loaded	API success 200	Animate cards in, show 'Last updated' timestamp	Timestamp format: DD MMM YYYY, HH:MM
Partial Data	Some API endpoints timeout	Show available data + inline amber warning banner	Do not block page — show what is available
Error	API failure 500 / network error	Full error state with retry CTA button	Error copy: see UX Copy doc Section 03
Empty — No Data	No records match current filter	Empty state illustration + 'Reset filters' link	Do not show 'No results' without action path
Empty — First Login	New user, no data configured	Onboarding empty state with setup CTA	Route to Setup Guide on CTA click
Filter Active	User has applied date / region filter	Filter chip row visible below nav, data updates	Chips are individually dismissible
Export In Progress	User clicked Export button	Button state: loading, then success toast	Toast: 'Export ready — check your downloads'

3. Field Validation Rules

Field	Validation Rule	Error Message
Date Range — From	Must be before 'To' date. Cannot be future date.	"Start date must be before end date."
Date Range — To	Cannot be more than 365 days from 'From' date.	"Date range cannot exceed 12 months."
Region Filter	Multi-select. At least 1 region required.	"Select at least one region to view data."
SKU Search	Alphanumeric, max 20 chars. No special chars.	"Enter a valid SKU (letters and numbers only)."
Export — Email	Valid email format if 'Send to email' selected.	"Enter a valid email address."

4. Responsive Breakpoints

Breakpoint	Layout Behaviour	Notes
1440px and above	3-column dashboard grid. Full filter panel visible in sidebar.	Primary design target — desktop operations
1024px – 1440px	2-column grid. Filter panel collapses to dropdown bar.	Most common laptop resolution for planners
768px – 1024px	1-column stacked layout. Charts become scrollable cards.	Tablet view — less commonly used
Below 768px	Mobile-optimised list view. Charts hidden, data in tables.	Not primary use case — view only, no editing

5. Design Decisions & Rationale

Date picker placement: Moved to top-right based on user research finding that planners set the date range before reviewing any data. Prior placement (inline with filters) caused planners to miss it on first use.

Export button label: Changed from icon-only to icon + label 'Export' after usability testing showed 40% of users did not recognise the export icon without a label.

Partial data state: Designed a non-blocking partial data state (amber banner + available data shown) rather than a full error page, because planners prefer seeing partial information over a blank screen during API delays.

SECTION 02

Screen Flow & Annotation Document

02 Patient Registration Flow — Doctor & Admin Roles

L&T Technology Services — Healthcare Management Platform • Apr 2021 – Jun 2022

1. Flow Overview

This document covers the annotated screen flow for the patient registration feature in the Healthcare Management Platform. Two distinct role-based flows are documented — Admin (full registration access) and Doctor (read-only access to existing records during consultation).

2. Role Access Matrix

Role	Can Register	Can Edit	View Only
Admin	Yes — full access	Yes — all fields	N/A
Nurse	Yes — basic fields only	Limited — demographics only	N/A
Doctor	No	No	Yes — consultation view
Billing Staff	No	No — billing fields only	Partial — billing tab only

3. Step-by-Step Annotated Flow — Admin Registration

Step #	Screen / Action	Annotation & Notes
Step 1	Admin navigates to Patients > New Registration	Entry via left nav 'Patients' item. Pre-select 'New Registration' tab by default.
Step 2	Personal details form displayed	Required fields: Full Name, DOB, Gender, Phone. Optional: Email, Address. DOB field: DD/MM/YYYY, past dates only.
Step 3	Admin enters Patient ID	10-digit numeric. System performs unique-ID check on blur (not on submit). Error shown inline immediately.
Step 4	Admin completes insurance details	Insurance section is collapsible. Collapsed by default — expand only if patient has insurance. Pre-fill hospital code automatically.
Step 5	Admin clicks Submit	Primary CTA. Disabled until all required fields are valid. On click: loading state on button, spinner replaces label.
Step 6A — Success	Success confirmation screen	Green banner: 'Patient registered successfully.' Patient ID displayed prominently. Two CTAs: 'Register Another' and 'View Patient Record'.
Step 6B — Duplicate ID Error	Inline error on Patient ID field	Error message: 'This Patient ID is already registered. Search existing records.' Link in error message routes to patient search.

Step #	Screen / Action	Annotation & Notes
Step 6C — Network Error	Toast notification at top of screen	Message: 'Connection lost. Your last entry was saved. Reconnect to continue.' Data is auto-saved every 30 seconds.

4. Compliance & Accessibility Annotations

- All prescription entries require digital signature confirmation before submission — regulatory requirement for clinical record integrity.
- Auto-save triggers every 30 seconds. Visible save indicator shown in top-right corner of form. Session timeout at 15 minutes inactivity — draft is preserved and restored on re-authentication.
- Audit trail: every field edit in a patient record is logged with timestamp, user ID, and previous value — required per healthcare data compliance standards.
- All interactive elements are keyboard-navigable. Tab order follows logical left-to-right, top-to-bottom reading order. Focus ring visible at 3px blue outline.
- Touch targets are minimum 44 x 44px for tablet use in clinical settings where staff may be wearing gloves.
- Error messages are placed inline adjacent to the field in error — not in a summary panel at the top, which clinical staff found disorienting in usability testing.

SECTION 03

UX Copy & Error Message Library

03 Alert Copy — Biomedical Equipment Control Interface

L&T Technology Services — Regulated Clinical Environment • Nov 2020 – Mar 2021

Documentation note:

All alert copy in this document was validated by the clinical advisor before finalisation. Every string was reviewed for clinical accuracy, regulatory compliance, and actionability. AI-assisted drafting (Claude AI, ChatGPT) was used for initial variant generation — all variants were human-reviewed and SME-approved before inclusion.

1. Critical Alerts — Tier 1 (Immediate Action Required)

Tier 1 alerts take over the full primary viewport. They are non-dismissible until the condition is resolved. Visual treatment: red overlay, white text, large icon. All copy validated by clinical advisor.

Alert ID	Trigger Condition	Interface Copy
ALT-C-001	PSM connection lost for > 3 seconds	Device connection lost. Do not proceed. Check all cable connections and restart the system before

Alert ID	Trigger Condition	Interface Copy
		continuing.
ALT-C-002	Emergency stop button activated	Emergency stop activated. The procedure has been paused. Do not resume. Contact clinical support immediately.
ALT-C-003	Instrument calibration failure on startup	Instrument calibration failed. Do not use this instrument until recalibration is confirmed by biomedical engineering.
ALT-C-004	Power supply failure detected	Power supply failure detected. The device has switched to battery backup. Save your session and connect to mains power immediately.
ALT-C-005	Critical temperature threshold exceeded	Device temperature exceeds safe operating range. Shut down immediately. Do not restart until the device has cooled and been inspected.

2. Warning Alerts — Tier 2 (Action Before Next Step)

Tier 2 alerts appear as an inline banner below the navigation bar. They do not block the current workflow but must be resolved before proceeding to the next procedural step. Visual treatment: amber banner, dark text, warning icon.

Alert ID	Trigger Condition	Interface Copy
ALT-W-001	Battery below 20% charge	Battery level below 20%. Connect to mains power before starting the next session.
ALT-W-002	Calibration drift on Instrument Arm 2	Calibration drift detected on Arm 2. Recalibrate before the next operating session to maintain accuracy.
ALT-W-003	Scheduled maintenance overdue	Maintenance is overdue. Schedule a biomedical engineering inspection before the next clinical session.
ALT-W-004	Firmware update available	A firmware update is available. Install during the next downtime window. Do not install during an active session.

3. Error Messages — Healthcare Platform

Error ID + Context	Interface Copy
ERR-001 — Invalid login credentials	Incorrect email or password. Try again, or reset your password.
ERR-002 — Session timeout	Your session ended after 15 minutes of inactivity. Your draft was saved — sign in to continue.
ERR-003 — Duplicate Patient ID on registration	This Patient ID is already registered. Search existing patient records instead.
ERR-004 — Required field left blank on submit	Date of birth is required to register a patient.
ERR-005 — Prescription	Complete the consultation notes before adding a prescription.

Error ID + Context	Interface Copy
attempted before notes complete	
ERR-006 — Network disconnected mid-session	Connection lost. Your last entry was saved. Reconnect to continue.
ERR-007 — Future date entered in DOB field	Date of birth cannot be a future date.

4. Empty States — Supply Chain Dashboard (Serta Simmons Bedding)

Screen / Context	Empty State Copy
Orders list — no orders placed yet	No orders placed yet. Browse the product catalogue to get started.
Dashboard — no data matches current filters	No data matches your current filters. Try adjusting the date range or region selection.
Saved items — nothing bookmarked yet	Nothing saved here yet. Save products while browsing to find them quickly later.
Search results — no SKU match found	No results for that SKU. Check the product code or contact your account manager.
Notifications — all cleared	You are all caught up. New notifications will appear here.

SECTION 04

Component Usage Guidelines

04

Alert Component — Enterprise Design System

Wipro Limited — Internal Design System Documentation • Jul 2022 – Jan 2026

1. Component Overview

Component name: Alert

Document ID: DS-COMPONENT-ALERT-v2.3

Version: 2.3 | Last updated: Mar 2025

Figma path: Design System / Feedback / Alert

2. When to Use

Use the Alert component when the user needs to be informed about a system state that requires their attention — an error that has occurred, a warning before an irreversible action, or critical information about a process in progress.

Do NOT use Alert for:

- Marketing messages or promotional content — use Banner
- Non-actionable confirmations after a successful action — use Toast
- In-page contextual guidance that is always visible — use Callout
- System-wide announcements that sit above all content — use System Banner

3. Variants & Props

Prop	Options	Default
variant	"critical" "warning" "info"	"info"
title	string (required)	—
message	string (optional)	undefined
dismissible	boolean	false (always false for critical)
action	{ label: string, onClick: function }	undefined
icon	boolean — show/hide icon	true

4. Do's and Don'ts

✓ Do	✗ Don't
Use action verbs in the title — "Connection lost", not "Error"	Use vague titles like "An error occurred" or "Something went wrong"
Tell the user what to do next — include a recovery action wherever possible	Use Critical variant for warnings or informational content — it causes alert fatigue
Make Critical alerts non-dismissible until the condition is resolved	Stack more than 3 alerts on screen — prioritise the most critical one

5. Accessibility Requirements

- All Alert variants use role="alert" in the DOM — screen readers announce them immediately on render.
- Critical and Warning alerts use aria-live="assertive". Info alerts use aria-live="polite".
- Do not rely on colour alone to convey alert severity — use icon + label + colour together.
- Dismiss button must have aria-label="Dismiss alert" and be keyboard focusable.
- Minimum contrast ratio: 4.5:1 for body text, 3:1 for large text and icons on background.

SECTION 05

Standard Operating Procedure (SOP)

05 Device Startup & Calibration — SOP

L&T Technology Services — Biomedical Equipment Control Interface • Nov 2020 – Mar 2021



Regulated Document

This SOP is intended for use in clinical training environments only. All steps must be completed in sequence. Do not skip steps. Contact biomedical engineering if any step fails.

SOP ID: BIOMED-SOP-STARTUP-v2.0

Author: Priyanka Chippada — UX Designer

Reviewed by: Clinical Advisor & Lead Biomedical Engineer

Effective date: 01 Mar 2021

Pre-Startup Checklist

#	Component	Action	Verification
1	Power	Connect power cable securely to Device Port A on the rear panel.	Green LED illuminates on front panel
2	PSM	Attach Patient Side Manipulator to base unit. Ensure locking clip engages.	Audible click confirmed. PSM status: CONNECTED
3	Interface	Launch control interface application on the connected terminal.	Home screen displayed. All status indicators: STANDBY
4	Calibration	Select 'Run Auto-Calibration' from the Setup menu. Do not interrupt.	All arms display: CALIBRATED status in green
5	Camera	Verify endoscopic camera feed on secondary monitor.	Clear image visible, no artefacts, no lag
6	Session log	Enter operator name and session ID in the Session Log screen.	Session record created with timestamp

If Calibration Fails at Step 4

- Do not proceed with the session.
- Note the arm number displayed in the calibration failure alert on screen.
- Log the failure in the Session Maintenance Record — note the date, time, arm ID, and error code displayed.
- Contact the biomedical engineering team before the next use of the device.
- Do not attempt manual calibration without biomedical engineering present.

Post-Session Shutdown — Sequence

Step	Action	System Response
1	Select 'End Session' from the Session menu	Session log automatically saved with end timestamp
2	Allow all instruments to reach Home Position	All arms show 'HOME' status — do not power off before this
3	Detach instruments in reverse attachment order	PSM status changes to DISCONNECTED — expected
4	Select 'Shutdown' from the Power menu	System performs safe shutdown sequence — wait for completion
5	Disconnect power cable after full shutdown	All LEDs off — safe to disconnect

SECTION 06

Sprint Release Notes

06 Digital Signage & Content Platform — Release v2.4

Wipro Limited — Omnichannel Digital Engagement Platform • Apr 2024 – Jan 2026

Release version: v2.4

Release date: 18 Nov 2024

Sprint: Sprint 22 — Wipro Digital Engagement Platform

Author: Priyanka Chippada — UX/UI Designer

Audience: Product Manager, Engineering Lead, QA, Client Stakeholders

New Features

Feature	Description
Venue map — screen group filter	Users can now filter the venue map by screen group type (indoor, outdoor, entrance, concourse). Filter persists across the session. Reduces time to find target screens in large venues with 50+ screen groups.
Campaign conflict detection	System now detects overlapping campaigns on the same screen group for the same time window. Inline warning shown before publish. User must resolve conflict or choose to override before campaign goes live.
Bulk schedule — multi-screen assignment	Users can now assign a campaign to multiple screen groups in a single action. Select multiple groups on venue map, then drag campaign to assign. Saves up to 8 clicks per campaign for large-venue operators.

Improvements

Change	Previous Behaviour	New Behaviour
Campaign status indicators	Text labels only — 'Live', 'Scheduled', 'Failed'	Colour-coded icons + text: green (live), amber (scheduled), red (failed). Faster visual scan.
Screen group icons on map	All icons same size regardless of screen count	Icon size now scales with number of screens in group. Larger groups visually prominent.
Export report format	CSV only	CSV and PDF options. PDF auto-formatted for client presentation sharing.

Bug Fixes

Bug ID	Description	Fix Applied
BUG-441	Campaign end time showed as midnight when no end time was set by user	Default end time now shown as 'No end date' label — not midnight, which confused operators.
BUG-452	Venue map did not update after a new screen group was added in admin panel	Real-time refresh now triggers on screen group creation. No page reload required.
BUG-458	System view toggle reset to off when navigating between screens	Toggle state now persists throughout the session using local session storage.

Known Issues — Next Sprint

- BUG-463: Multi-timezone venue support for campaign scheduling not yet implemented. Workaround: operators in non-IST timezones should adjust campaign times manually.
- BUG-467: PDF export does not include venue map screenshot. Engineering investigation in progress — target fix Sprint 23.

End of Work Samples Document

Priyanka Chippada — chippadapriyanka1@gmail.com — +91-8309571929