

```
Command Prompt
Microsoft Windows [Version 10.0.26100.4946]
(c) Microsoft Corporation. All rights reserved.

C:\Users\student5>cd Desktop\student

C:\Users\student5\Desktop\student>python student1_crud.py
Traceback (most recent call last):
  File "C:\Users\student5\Desktop\student\student1_crud.py", line 10, in <module>
    Print("successfully implemented")
    ^^^^^
NameError: name 'Print' is not defined. Did you mean: 'print'?

C:\Users\student5\Desktop\student>python student1_crud.py
successfully implemented

C:\Users\student5\Desktop\student>python student1_crud.py
successfully implemented
Enter ID: 1001
Enter Name: PRIYA
Enter Age: 19
Enter Department: AI&DS
Traceback (most recent call last):
  File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\connection_cext.py", line 772, in cmd_query
    self._cmysql.query(
    ^^^^^^^^^^^^^^^^^^
    query,
    ^^^^^^^
...<3 lines>...
    query_attrs=self.query_attrs,
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
)
^
_mysql_connector.MySQLInterfaceError: Duplicate entry '1001' for key 'students.PRIMARY'

The above exception was the direct cause of the following exception:

Traceback (most recent call last):
  File "C:\Users\student5\Desktop\student\student1_crud.py", line 24, in <module>
    add_student()
    ^^^^^^^^^^^
  File "C:\Users\student5\Desktop\student\student1_crud.py", line 20, in add_student
    cursor.execute(sql, values)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\cursor_cext.py", line 353, in execute
    self._connection.cmd_query(
    ^^^^^^^^^^^^^^^^^^^^^^^^^^
    self._stmt_partition["mappable_stmt"],
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
...<2 lines>...
    raw_as_string=self._raw_as_string,
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

```
Command Prompt
ctrl+alt+1
C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\opentelemetry\context_propagation.py", line 97, in wrapper
    return method(cnx, *args, **kwargs)
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\connection_cext.py", line 781, in cmd_query
    raise get_mysql_exception(
        err.errno, msg=err.msg, sqlstate=err.sqlstate
    ) from err
mysql.connector.errors.IntegrityError: 1062 (23000): Duplicate entry '1001' for key 'students.PRIMARY'

C:\Users\student5\Desktop\student>python student1_crud.py
successfully implemented
Enter ID: 101
Enter Name: priya
Enter Age: 20
Enter Department: AI&DS
Student Added Successfully!

C:\Users\student5\Desktop\student># ----- READ -----
'#' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\student5\Desktop\student>def view_students():
'def' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\student5\Desktop\student> cursor.execute("SELECT * FROM students")
'cursor.execute' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\student5\Desktop\student> records = cursor.fetchall()
'records' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\student5\Desktop\student> print("\nStudent Records")
Unable to initialize device PRN

C:\Users\student5\Desktop\student> print("-----")
Unable to initialize device PRN

C:\Users\student5\Desktop\student> for row in records:
row was unexpected at this time.

C:\Users\student5\Desktop\student> print(row)
Unable to initialize device PRN

C:\Users\student5\Desktop\student>python student1_crud.py
File "C:\Users\student5\Desktop\student\student1_crud.py", line 32
    print(row)
    ^^^^^
```

```
Command Prompt
X + v

IndentationError: expected an indented block after 'for' statement on line 31

C:\Users\student5\Desktop\student>python student1_crud.py
File "C:\Users\student5\Desktop\student\student1_crud.py", line 32
    print(row)
    ^^^^^
IndentationError: expected an indented block after 'for' statement on line 31

C:\Users\student5\Desktop\student>python student1_crud.py
successfully implemented
Enter ID: 101
Enter Name: priya
Enter Age: 20
Enter Department: AI&DS
Traceback (most recent call last):
  File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\connection_cext.py", line 772, in cmd_query
    self._cmysql.query(
    ^^^^^^^^^^^^^^^^^
    query,
    ^^^^^^
...<3 lines>...
    query_attrs=self.query_attrs,
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
)
^
mysql.connector.MySQLInterfaceError: Duplicate entry '101' for key 'students.PRIMARY'

The above exception was the direct cause of the following exception:

Traceback (most recent call last):
  File "C:\Users\student5\Desktop\student\student1_crud.py", line 24, in <module>
    add_student()
    ^^^^^^^^^^^
    ^
  File "C:\Users\student5\Desktop\student\student1_crud.py", line 20, in add_student
    cursor.execute(sql, values)
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\cursor_cext.py", line 353, in execute
    self._connection.cmd_query(
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    self._stmt_partition["mappable_stmt"],
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
...<2 lines>...
    raw_as_string=self._raw_as_string,
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
)
^
  File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\opentelemetry\context_propagation.py", line 97, in wrapper
    return method(cnx, *args, **kwargs)
  File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\connection_cext.py", line 781, in cmd_query
    raise get_mysql_exception(
      err.errno, msg=err.msg, sqlstate=err.sqlstate
```

```
Command Prompt
) from err
mysql.connector.errors.IntegrityError: 1062 (23000): Duplicate entry '101' for key 'students.PRIMARY'

C:\Users\student5\Desktop\student>python student1_crud.py
successfully implemented
Enter ID: 102
Enter Name: PRIYA
Enter Age: 20
Enter Department: AI&DS
Student Added Successfully!

Traceback (most recent call last):
  File "C:\Users\student5\Desktop\student\student1_crud.py", line 34, in <module>
    view_student()
    ^^^^^^^^^^^^^
NameError: name 'view_student' is not defined. Did you mean: 'view_students'?

C:\Users\student5\Desktop\student>python student1_crud.py
successfully implemented
Enter ID: 103
Enter Name: priya
Enter Age: 19
Enter Department: AI&DS
Student Added Successfully!

Student Records
-----
(101, 'priya', 20, 'AI&DS')
(102, 'PRIYA', 20, 'AI&DS')
(103, 'priya', 19, 'AI&DS')
(1001, 'PRIYA', 19, 'AI&DS')

C:\Users\student5\Desktop\student>python student1_crud.py
File "C:\Users\student5\Desktop\student\student1_crud.py", line 39
    sql = "UPDATE students SET department=%s WHERE
          ^
SyntaxError: unterminated string literal (detected at line 39)

C:\Users\student5\Desktop\student>python student1_crud.py
File "C:\Users\student5\Desktop\student\student1_crud.py", line 39
    sql = "UPDATE students SET
          ^
SyntaxError: unterminated string literal (detected at line 39)

C:\Users\student5\Desktop\student>python student1_crud.py
successfully implemented
Enter ID: AI&DS
Traceback (most recent call last):
  File "C:\Users\student5\Desktop\student\student1_crud.py", line 24, in <module>
```

```
Command Prompt
```

```
x + v  
id = int(input("Enter ID: "))  
ValueError: invalid literal for int() with base 10: 'AI&DS'  
  
C:\Users\student5\Desktop\student>python student1_crud.py  
successfully implemented  
Enter ID: 101  
Enter Name: priya  
Enter Age: 20  
Enter Department: AI&DS  
Traceback (most recent call last):  
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\connection_cext.py", line 772, in cmd_query  
    self._cmysql.query(  
        query,  
        ^^^^^^^^  
...<3 lines>...  
        query_attrs=self.query_attrs,  
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
    )  
    ^  
_mysql_connector.MySQLInterfaceError: Duplicate entry '101' for key 'students.PRIMARY'  
  
The above exception was the direct cause of the following exception:  
  
Traceback (most recent call last):  
File "C:\Users\student5\Desktop\student\student1_crud.py", line 24, in <module>  
    add_student()  
    ^^^^^^^^  
File "C:\Users\student5\Desktop\student\student1_crud.py", line 20, in add_student  
    cursor.execute(sql, values)  
    ^^^^^^^^^^^^^^^^^^^^^^^  
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\cursor_cext.py", line 353, in execute  
    self._connection.cmd_query(  
        self._stmt_partition["mappable_stmt"],  
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
...<2 lines>...  
        raw_as_string=self._raw_as_string,  
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
    )  
    ^  
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\opentelemetry\context_propagation.py", line 97, in wrapper  
    return method(cnx, *args, **kwargs)  
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\connection_cext.py", line 781, in cmd_query  
    raise get_mysql_exception(  
        err.errno, msg=err.msg, sqlstate=err.sqlstate  
    ) from err  
mysql.connector.errors.IntegrityError: 1062 (23000): Duplicate entry '101' for key 'students.PRIMARY'  
  
C:\Users\student5\Desktop\student>python student1_crud.py  
successfully implemented
```

```
Command Prompt
```

```
C:\Users\student5\Desktop>python student1_crud.py
id = int(input("Enter ID: "))
ValueError: invalid literal for int() with base 10: 'AI&DS'

C:\Users\student5\Desktop>python student1_crud.py
successfully implemented
Enter ID: 101
Enter Name: priya
Enter Age: 20
Enter Department: AI&DS
Traceback (most recent call last):
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql.connector\connection_cext.py", line 772, in cmd_query
    self._cmysql.query(
        query,
        ^^^^^^
...<3 lines>...
        query_attrs=self.query_attrs,
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    )
    ^
_mysql_connector.MySQLInterfaceError: Duplicate entry '101' for key 'students.PRIMARY'
```

The above exception was the direct cause of the following exception:

```
Traceback (most recent call last):
File "C:\Users\student5\Desktop\student\student1_crud.py", line 24, in <module>
    add_student()
    ^^^^^^^^^^^
File "C:\Users\student5\Desktop\student\student1_crud.py", line 20, in add_student
    cursor.execute(sql, values)
    ^^^^^^^^^^^^^^^^^^^^^^^^^
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql.connector\cursor_cext.py", line 353, in execute
    self._connection.cmd_query(
        self._stmt_partition["mappable_stmt"],
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
...<2 lines>...
        raw_as_string=self._raw_as_string,
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    )
    ^
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql.connector\opentelemetry

```
C:\Users\student5\Desktop>python student1_crud.py
successfully implemented
```


```

```
x + v
```

```
C:\Users\student5\Desktop>python student1_crud.py  
id = int(input("Enter ID: "))  
ValueError: invalid literal for int() with base 10: 'AI&DS'  
  
C:\Users\student5\Desktop>python student1_crud.py  
successfully implemented  
Enter ID: 101  
Enter Name: priya  
Enter Age: 20  
Enter Department: AI&DS  
Traceback (most recent call last):  
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\connection_cext.py", line 772, in cmd_query  
self._cmysql.query(  
    query,  
    ^^^^^^^  
...<3 lines>...  
    query_attrs=self.query_attr,  
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
)  
^  
_mysql_connector.MySQLInterfaceError: Duplicate entry '101' for key 'students.PRIMARY'  
  
The above exception was the direct cause of the following exception:  
  
Traceback (most recent call last):  
File "C:\Users\student5\Desktop\student\student1_crud.py", line 24, in <module>  
add_student()  
     ^  
File "C:\Users\student5\Desktop\student\student1_crud.py", line 20, in add_student  
cursor.execute(sql, values)  
           ^^^^^^^^^^^^^^^^^  
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\cursor_cext.py", line 353, in execute  
self._connection.cmd_query(  
    self._stmt_partition["mappable_stmt"],  
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
...<2 lines>...  
    raw_as_string=self._raw_as_string,  
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^  
)  
^  
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\opentelemetry\context_propagation.py", line 97, in wrapper  
return method(cnx, *args, **kwargs)  
File "C:\Users\student5\AppData\Local\Programs\Python\Python313\Lib\site-packages\mysql\connector\connection_cext.py", line 781, in cmd_query  
raise get_mysql_exception(  
    err.errno, msg=err.msg, sqlstate=err.sqlstate  
) from err  
mysql.connector.errors.IntegrityError: 1062 (23000): Duplicate entry '101' for key 'students.PRIMARY'  
  
C:\Users\student5\Desktop>python student1_crud.py  
successfully implemented
```

```
mysql> SELECT*FROMSTUDENTS;  
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'FROMSTUDENTS' at line 1  
mysql> select* from students;
```

id	name	age	department
1001	PRIYA	19	AI&DS
10001	priya	19	AI&DS

2 rows in set (0.00 sec)

```
mysql> DELETE FROM WHERE id=10001;  
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'WHERE id=10001' at line 1  
mysql> DELETE FROM students WHERE id=10001;  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select* from students;
```

id	name	age	department
1001	PRIYA	19	AI&DS

1 row in set (0.00 sec)

```
mysql> select* from students;
```

id	name	age	department
101	priya	20	AI&DS
1001	PRIYA	19	AI&DS

2 rows in set (0.00 sec)

```
mysql> select* from students;
```

id	name	age	department
101	priya	20	cse
103	priya	19	AI&DS
104	priya	19	AI&DS
1001	PRIYA	19	AI&DS

4 rows in set (0.00 sec)

```
mysql> |
```