

```
mysql> use studentdb;  
Database changed  
mysql> CREATE TABLE studentpp  
-> (  
-> StudentId Int,  
-> FirstName VARCHAR (20),  
-> Address VARCHAR (20),  
-> Age Int,  
-> Percentage Int,  
-> Grade VARCHAR (10)  
-> ) ;  
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> desc studentpp;
```

Field	Type	Null	Key	Default	Extra
StudentId	int	YES		NULL	
FirstName	varchar(20)	YES		NULL	
Address	varchar(20)	YES		NULL	
Age	int	YES		NULL	
Percentage	int	YES		NULL	
Grade	varchar(10)	YES		NULL	

```
6 rows in set (0.00 sec)
```

```
mysql> INSERT INTO studentpp VALUES (201, 'Akash',' Delhi', 18, 89, 'A2');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO studentpp VALUES (202, 'Bhaves', 'Kanpur', 19, 93, 'A1'),
-> (203, 'Yash',' Delhi', 20, 89, 'A2'),
-> (204, 'Bhavna', 'Delhi', 19, 78, 'B1'),
-> (205, 'Yatin', 'Lucknow', 20, 75, 'B1'),
-> (206, 'Ishika', 'Ghaziabad', 19, 51, 'C1'),
-> (207, 'Vivek', 'Goa', 20, 62, 'B2');
```

```
Query OK, 6 rows affected (0.01 sec)
```

```
Records: 6 Duplicates: 0 Warnings: 0
```

```
mysql> select * from studentpp;
```

StudentId	FirstName	Address	Age	Percentage	Grade
201	Akash	Delhi	18	89	A2
202	Bhaves	Kanpur	19	93	A1
203	Yash	Delhi	20	89	A2
204	Bhavna	Delhi	19	78	B1
205	Yatin	Lucknow	20	75	B1
206	Ishika	Ghaziabad	19	51	C1
207	Vivek	Goa	20	62	B2

```
7 rows in set (0.00 sec)
```

```
mysql> select * from studentpp where studentId=201;
```

StudentId	FirstName	Address	Age	Percentage	Grade
201	Akash	Delhi	18	89	A2

```
1 row in set (0.01 sec)
```

```
mysql> delete from studentpp where studentId=203;  
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select * from studentpp  
-> ;
```

StudentId	FirstName	Address	Age	Percentage	Grade
201	Akash	Delhi	18	89	A2
202	Bhaves	Kanpur	19	93	A1
204	Bhavna	Delhi	19	78	B1
205	Yatin	Lucknow	20	75	B1
206	Ishika	Ghaziabad	19	51	C1
207	Vivek	Goa	20	62	B2

```
6 rows in set (0.00 sec)
```

```
mysql> update studentpp set FirstName='priya'where studentid=202;  
Query OK, 1 row affected (0.01 sec)  
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> select * from studentpp  
-> ;
```

StudentId	FirstName	Address	Age	Percentage	Grade
201	Akash	Delhi	18	89	A2
202	priya	Kanpur	19	93	A1
204	Bhavna	Delhi	19	78	B1
205	Yatin	Lucknow	20	75	B1
206	Ishika	Ghaziabad	19	51	C1
207	Vivek	Goa	20	62	B2

```
6 rows in set (0.00 sec)
```

```
mysql> update studentpp set FirstName='priya'where studentid=202;  
Query OK, 0 rows affected (0.00 sec)  
Rows matched: 1  Changed: 0  Warnings: 0
```

```
mysql> select * from studentpp;
```

StudentId	FirstName	Address	Age	Percentage	Grade
201	Akash	Delhi	18	89	A2
202	priya	Kanpur	19	93	A1
204	Bhavna	Delhi	19	78	B1
205	Yatin	Lucknow	20	75	B1
206	Ishika	Ghaziabad	19	51	C1
207	Vivek	Goa	20	62	B2

```
6 rows in set (0.00 sec)
```

```
mysql> |
```