


Pseudo-Random Bit Sequence Generator
Bit rate = Bit rate Bits/s
BESSEL_192412448
NRZ Pulse Generator
CW Laser
Frequency = 193.1 THz
Power = 0 dBm
Mach-Zehnder Modulator
Optical Fiber
Length = 50 km
Photodetector PIN
Low Pass Bessel Filter
Cutoff frequency = 0.75 * Bit rate Hz

BER Analyzer



Signal Index: 0

Auto Set

Show Eye Diagram

Analysis

Max. Q Factor	7.61023
Min. BER	1.3603e-014
Eye Height	5.89199e-005
Threshold	6.44222e-005
Decision Inst.	0.515625

Invert Colors


Color Grade

Patterns


Calculate Patterns

Patterns

Pattern 1	1e-012
Pattern 2	1e-011
Pattern 3	1e-010
Pattern 4	1e-009
Pattern 5	1e-008


BER Analyzer
Signal
GAUSSIAN FILTER
Dbl Click On Objects to open properties. Move Objects with Mouse Drag
Time (bit period)
0
0.5
1
Q
9
7
5
3
1
110 µ
80 µ
50 µ
20 µ
Amplitude (a.u.)
Q Factor
Min BER
Threshold
Height
BER Pattern
Signal Index: 0
Auto Set
Show Eye Diagram
Analysis
Max. Q Factor 9.66861
Min. BER 2.04163e-022
Eye Height 6.81686e-005
Threshold 6.29508e-005
Decision Inst. 0.546875
Invert Colors
Color Grade
Patterns
Calculate Patterns
Patterns
Pattern 1 1e-012
Pattern 2 1e-011
Pattern 3 1e-010
Pattern 4 1e-009
Pattern 5 1e-008

BER Analyzer



Signal

Signal Index: 0

Auto Set

Show Eye Diagram

Analysis

Max. Q Factor	7.61023
Min. BER	1.3603e-014
Eye Height	5.89199e-005
Threshold	6.44222e-005
Decision Inst.	0.515625

Invert Colors

Color Grade


Patterns

Calculate Patterns

Patterns

Pattern 1	1e-012
Pattern 2	1e-011
Pattern 3	1e-010
Pattern 4	1e-009
Pattern 5	1e-008

BER Analyzer



Signal Index: 0

Auto Set

Show Eye Diagram

Analysis

Max. Q Factor	10.1544
Min. BER	1.58047e-024
Eye Height	6.98302e-005
Threshold	6.16837e-005
Decision Inst.	0.53125

Invert Colors

Color Grade

Patterns

Calculate Patterns

Patterns

Pattern 1	1e-012
Pattern 2	1e-011
Pattern 3	1e-010
Pattern 4	1e-009
Pattern 5	1e-008