

Comprehensive Guide to Cultivating and Maintaining Healthy Strawberries

1. Overview

The strawberry plant, known scientifically as *Fragaria × ananassa*, is one of the most rewarding and popular fruiting plants to grow in home gardens, raised beds, and commercial farms alike. Cultivating healthy, vigorous strawberry plants is an incredibly fulfilling endeavor, primarily because these plants are naturally resilient when provided with the correct foundational care. Maintaining a healthy strawberry plant is not merely about reacting to problems as they arise; rather, it is about creating an environment where the plant is so strong, well-fed, and comfortable that it can naturally resist common issues on its own.

To understand how to care for a strawberry plant, it is very important to first understand that not all strawberries behave in the exact same way. Strawberry plants are generally divided into three main categories based on how they respond to the amount of daylight they receive, which in turn dictates when they produce their fruit.

The first category is the June-bearing strawberry, sometimes called a short-day strawberry. These plants are the traditional favorites for many growers because they produce a single, massive harvest of very large berries over a short three-to-four-week period, typically in the late spring or early summer. Because they put all of their energy into one huge burst of fruit, they require a specific type of resting and recovery period after they finish producing.

The second category is the everbearing strawberry. Despite what their name implies, these plants do not actually produce fruit constantly forever. Instead, they typically offer two distinct harvests during the growing season: a moderate harvest in the early summer, followed by a smaller second harvest in the early autumn.

The third category is the day-neutral strawberry. These are modern varieties that do not care how long the sun shines each day. As long as the temperatures are comfortable—neither freezing cold nor scorching hot—day-neutral plants will continuously produce new leaves, flowers, and fruit throughout the entire growing season. Because they work so hard all summer long, they require a very steady, low dose of water and nutrients to keep them healthy.

This exhaustive guide is designed to explain the exact visual signs of a healthy strawberry plant, the common risks that can threaten that health, and the natural, preventive, and practical strategies you can use to ensure your plants live a long life and produce the maximum amount of sweet, delicious fruit. The language used here is simple and clear, ensuring that anyone, regardless of their gardening background, can easily understand and apply these expert practices.

2. Symptoms

A truly healthy strawberry plant shows obvious signs of vigor and strength both above the ground and below the soil. Recognizing these positive symptoms is the best way to know that your gardening practices are working perfectly.

Visible Signs of Health Above the Ground:

- **Bright, Vibrant Leaves:** The leaves of a healthy strawberry plant act like solar panels, capturing sunlight to make food for the plant. Healthy leaves will be a deep, rich green

color and will look slightly glossy. They should stand up crisply and cleanly. When new leaves emerge from the very center of the plant, they should look perfectly formed, without any strange crinkling, yellowing, or brown spots.

- **A Thick, Sturdy Crown:** The crown is the most important part of the strawberry plant. It is the short, thick stem located right at the soil surface. You can think of the crown as the main intersection of the plant: all the leaves grow up from it, all the roots grow down from it, and the flowers emerge directly out of it. A healthy crown feels firm to the touch and sits perfectly level with the soil. Over time, a healthy plant will grow additional crowns right next to the original one, expanding the overall width of the plant.
- **Strong Runner Production:** Strawberries reproduce naturally by sending out long, vine-like stems called runners, or stolons. At the end of each runner, a tiny new "daughter" plant forms. When a mother plant produces thick, fast-growing runners, it is a clear sign that the plant has an abundance of extra energy and is in excellent health.
- **Beautiful, Symmetrical Flowers:** Before there is fruit, there must be flowers. A healthy strawberry plant will produce large clusters of blossoms. Each flower should have bright, clean white petals surrounding a bright yellow center.
- **Perfectly Shaped Fruit:** The ultimate sign of a healthy plant is a large, perfectly shaped, brilliantly red strawberry. If the plant is healthy and well-cared for, the berries will be plump, heavy for their size, and perfectly symmetrical.

Visible Signs of Health Below the Ground: To truly understand the health of a strawberry plant, you sometimes have to look at what is happening beneath the soil. If you were to carefully dig up a healthy plant, you would see very specific indicators of good health.

- **White, Firm Crown Tissue:** If you were to slice a healthy strawberry crown perfectly in half from top to bottom, the inside tissue would look clean, firm, and white or creamy-yellow. When this healthy inside tissue is exposed to the air for a few minutes, it will naturally start to change color, turning golden and then reddish-brown. This is a completely normal reaction, exactly like how a freshly sliced apple turns brown when left on the kitchen counter.
- **Bright Primary Roots:** The main roots of the plant drop straight down from the crown. These are called primary roots or "peg" roots. In a healthy, young plant, these thick roots will be bright white or cream-colored and will feel firm, not mushy. These strong roots typically live for two to three years.
- **A Massive Network of Feeder Roots:** Branching off the main primary roots are thousands of tiny, hair-like roots called secondary roots, or feeder roots. These fine roots are responsible for drinking up all the water and nutrients from the soil. A healthy plant will have a massive, bushy network of these fine, light-colored roots.
- **Normal Aging on Older Roots:** It is important to know that as strawberry roots get older, they naturally build up a protective, waxy layer on their surface. This causes older roots to look dark brown or even black. As long as these dark roots feel firm and have white insides, they are healthy. You do not need to worry about dark roots unless they feel slimy, brittle, or mushy.

3. Causes & Spread

Even the healthiest plants can run into trouble if the conditions around them become stressful. Because this guide focuses on keeping plants healthy, it is essential to understand the common risks and environmental mistakes that cause plants to fail. By knowing what causes stress, you can easily avoid these situations.

- **Planting at the Wrong Depth:** The single most common cause of early plant death happens on the very first day. The crown of the strawberry plant is incredibly sensitive to moisture. If you dig a hole and bury the plant too deeply, the soil will cover the top of the crown. When you water the plant, the soil stays wet against the crown, causing it to rot and turn into mush. The plant will collapse and die. On the other hand, if you plant the strawberry too high, the roots will be exposed to the open air and the hot sun. They will dry out rapidly, and the plant will shrivel up.
 - *How to avoid this:* When planting, make sure the hole is deep enough so the roots can point straight down. Then, carefully pack the soil so that the exact middle of the crown is perfectly level with the top of the soil.
- **Heavy, Compacted Soil (Poor Drainage):** Strawberry roots need to breathe oxygen just as much as they need to drink water. If you plant strawberries in heavy, hard clay soil, or in soil that has been packed down by people walking on it, the water has nowhere to go. The water pools up around the roots, pushing all the oxygen out of the soil. This suffocates the plant and creates a perfect, wet environment for bad fungi (like the ones that cause root rot diseases) to attack the stressed plant.
 - *How to avoid this:* Always plant strawberries in loose, fluffy soil. Mixing lots of organic compost into the dirt before planting helps create tiny air pockets in the soil. If your yard is full of heavy clay, the best solution is to build raised wooden garden beds and fill them with good soil so the extra water can easily drain away.
- **Inconsistent Watering:** Strawberries have very shallow roots. Most of their roots live in the top six to twelve inches of the soil. This means they cannot reach deep down into the earth to find water during a dry spell. If the soil dries out completely, the plant will stop growing, and the developing berries will become tiny, hard, and bitter. However, giving them too much water all at once is just as bad, as it leads to the drowning issues mentioned above.
 - *How to avoid this:* The goal is to keep the soil consistently moist, like a sponge that has been wrung out. It should feel damp to the touch, but not soaking wet.
- **Salt Buildup in the Soil:** Strawberry plants are highly sensitive to salt. When we talk about salt in gardening, we usually mean the leftover minerals from heavy chemical fertilizers or from poor-quality tap water. When too much salt builds up in the soil, it acts like a sponge and actually pulls water out of the plant's roots. This causes the edges of the strawberry leaves to look burnt or scorched, and it severely stunts the plant's growth.
 - *How to avoid this:* Use gentle, natural fertilizers whenever possible. Also, when you water your plants, occasionally give them a very deep soaking to wash any extra salts down deep into the earth, far away from the shallow strawberry roots.
- **Extreme Heat and Sun:** While strawberries love the sun and need at least six to eight hours of direct sunlight a day to make sweet fruit, excessive, blistering heat can cause problems, especially for day-neutral varieties. When the mid-summer temperatures get incredibly hot, day-neutral plants will become stressed and may stop producing flowers entirely to save energy.
 - *How to avoid this:* If you live in a very hot climate, putting a thick layer of light-colored straw mulch on the ground around the plants will keep the soil temperature much cooler. You can also provide them with a little bit of shade in the late afternoon to protect them from the harshest sunlight.

4. Treatment / Remedies

When it comes to keeping strawberry plants healthy, the best treatments are natural remedies that focus on feeding the soil and creating a balanced, cooperative environment in the garden. Rather than using harsh chemicals, expert gardeners use biology and nature to boost the plant's immune system so it can defend itself.

Natural and Home Remedies:

- **Compost:** The absolute best thing you can do for your strawberry plants is to mix rich, dark compost into the soil before you plant them, and then gently sprinkle a little more compost around the base of the plants every spring. Compost is essentially decomposed plant matter, like old leaves and vegetable scraps. It is full of friendly bacteria and natural nutrients. It acts like a slow-release vitamin for your strawberries, giving them exactly what they need over a long period of time. Compost also magically fixes bad soil; it helps sandy soil hold onto water, and it breaks up hard clay soil so roots can push through it easily.
- **Seaweed Extracts (Kelp):** In recent years, scientists and farmers have discovered that spraying strawberry plants with natural seaweed extract provides incredible health benefits. Seaweed contains natural plant hormones, trace minerals, and vitamins that act as a "biostimulant". This means it naturally stimulates the plant to grow bigger and stronger. Studies have shown that giving strawberry plants a dose of seaweed extract can make their roots grow twice as long, make their leaves greener, and help the plants absorb important minerals from the soil much more easily. It also primes the plant's immune system, making it much tougher if it gets too hot or too dry.
- **Companion Planting:** This is a brilliant, natural gardening trick. Companion planting means putting specific types of plants right next to your strawberries because they help each other out. This mimics how plants grow in nature and is highly effective for maintaining a healthy patch.
 - **Borage:** This is a beautiful herb with star-shaped blue flowers. It is widely considered the best possible friend for a strawberry plant. Borage flowers bring thousands of bees to your garden, which is essential for making big berries. At the same time, the borage plant naturally repels insects that want to eat your strawberry leaves.
 - **Alliums (Onions and Chives):** Planting chives, onions, or spring onions in a border around your strawberry bed creates an invisible wall of strong smells. This pungent onion scent confuses bad bugs like aphids and beetles, making them unable to find your sweet strawberries. *Note: While onions and chives are great, you should avoid planting garlic directly next to strawberries, as they do not get along well together.*
 - **Beans and Peas:** Strawberries need a lot of a nutrient called nitrogen to grow big, green leaves. Beans and peas have a special ability to pull invisible nitrogen gas right out of the air and trap it in their roots. By growing bush beans near your strawberries, the beans will naturally fertilize the soil for the strawberries.
 - **Marigolds:** These brightly colored flowers have a very strong, distinct smell that deer and rabbits hate, which helps keep those animals away from your berries. Even more amazingly, the roots of French marigolds release a special natural chemical into the dirt that chases away microscopic soil worms (called nematodes) that would otherwise chew on your strawberry roots.
 - **Sweet Alyssum and Yarrow:** These are flowers that you should plant nearby because they attract "good bugs". They draw in tiny, harmless wasps and ladybugs. These helpful insects are fierce predators that will hunt down and eat the bad bugs.

that try to attack your strawberry plants.

- **Asparagus:** Asparagus and strawberries are perfect roommates. Asparagus roots grow very deep into the ground, while strawberry roots stay right near the surface. This means they can share the exact same patch of dirt without ever fighting each other for water or space.
- **Thyme and Sage:** Low-growing herbs like thyme can be planted between the strawberry plants. They spread out and act like a living carpet, which stops annoying weeds from growing. Herbs like sage have strong smells that hide the sweet scent of the berries from pests.

5. Preventive Measures

The secret to a successful strawberry patch is preventing problems before they ever happen. By setting up your garden correctly and keeping it clean, you can easily avoid most common issues.

- **Crop Rotation:** You cannot grow strawberries in the exact same patch of dirt forever. If you do, the soil will become tired and run out of nutrients. Also, any tiny, microscopic diseases that happen to be in the soil will slowly build up year after year until they overwhelm the plants. To prevent this, expert gardeners practice crop rotation. This means that after a strawberry patch has lived for a few years and starts to slow down, you should pull the plants out and plant something completely different in that spot. You should wait at least one or two full years before planting strawberries in that exact spot again.
- **Using Cover Crops:** When you pull old strawberries out to rest the dirt, you shouldn't just leave the soil bare. You should plant a "cover crop". Cover crops are fast-growing plants like clover, hairy vetch, or buckwheat. You let them grow, and then before they produce seeds, you chop them down and mix them directly into the dirt. As these plants rot in the soil, they turn into a wonderful, natural green manure. This process rebuilds the soil structure and fills it back up with healthy nutrients, perfectly preparing the bed for a new batch of strawberries the following year.
- **Spacing and Airflow:** Most of the diseases that attack strawberry leaves and fruit are caused by fungi and molds. These molds absolutely love dark, wet, and stagnant air. The easiest way to stop mold is to let the wind and the sun do the work for you. When you plant your strawberries, make sure you leave plenty of space between each plant. If you plant them too closely together, they will turn into a thick, tangled jungle. The leaves will stay wet for hours after a rainstorm, which invites disease. By giving them space, the breeze can blow freely between the leaves, drying them off quickly and keeping the plants healthy. If possible, plant your rows so they line up with the direction the wind normally blows in your yard.
- **Garden Sanitation:** Keeping the strawberry bed clean is incredibly important. Mold and bacteria love to hide on dead plant material. You should make it a habit to walk through your garden regularly and clean up. If you see any old, dead, brown leaves, use clean scissors to snip them off. If you see a berry that has started to rot, or one that a bird has pecked at, immediately pick it and throw it away far from the garden. If you leave rotting fruit in the bed, the mold will quickly spread to the healthy berries. At the end of the year, rake up all the dead debris to keep the area spotless.
- **Mulching the Soil:** Bare dirt is the enemy of the strawberry. When it rains, drops of water hit the bare dirt and splash muddy soil up onto the leaves and the fruit. This dirt often

carries diseases. To prevent this, you should cover the bare soil around your plants with a thick layer of clean straw (like wheat or oat straw). The straw acts like a protective carpet. The berries will rest on top of the clean straw instead of sitting in the mud, which keeps them beautiful and rot-free. The straw also acts like an umbrella for the soil, blocking the sun to stop weeds from growing and helping the soil stay perfectly moist.

- **Winter Protection:** If you live in an area where it gets very cold and freezes during the winter, you need to protect your dormant plants. When the temperatures start dropping close to 20 degrees Fahrenheit, you should cover the entire strawberry plant with a thick, cozy blanket of loose straw. This protects the sensitive crowns from the extreme cold wind and prevents the soil from freezing and thawing over and over again, which can actually push the plants out of the ground. In the spring, when it warms up, you gently rake the straw off the plants and leave it on the ground as mulch.

6. Suggestions & Best Practices

To go from simply keeping your plants alive to growing the biggest, sweetest, and most abundant harvest possible, you must pay attention to a few advanced, yet easily understood, best practices. These involve giving the plant exactly what it needs, exactly when it needs it.

Understanding Fertilization Simply: Because strawberry plants grow so many leaves and so much fruit very quickly, they are considered "heavy feeders." They need a good supply of food from the soil.

- **Nitrogen** is the nutrient that makes the leaves grow big and green. However, if you give the plant too much nitrogen in the spring, it will grow a massive jungle of leaves but forget to make any flowers, resulting in no fruit.
- **Phosphorus** helps the plant grow strong roots and lots of flowers.
- **Potassium** is the secret ingredient that makes the fruit large, sweet, and firm.
- Some nutrients, like nitrogen and potassium, are "mobile" inside the plant. This means that if the soil runs out of these nutrients, the plant is smart enough to pull them out of its old leaves and move them to the new leaves or the growing fruit. Other nutrients, like calcium (which makes the berries firm) and iron, are "immobile." They act like bricks in a wall; once the plant puts them somewhere, it cannot move them. These immobile nutrients only travel up into the plant when the plant drinks water from the soil. This is why keeping the soil perfectly watered is so important. If the soil dries out, the plant stops drinking water, which means it also stops drinking calcium and iron, leading to immediate health problems.
- *Best Practice:* For a home garden, applying a balanced, gentle organic fertilizer is usually perfect. For June-bearing plants, the best time to give them their main meal of fertilizer is actually in the late summer, *after* they have finished producing their big crop of fruit. This helps them build up energy to survive the winter. For day-neutral plants, because they produce fruit all summer, they prefer to be fed tiny, weak amounts of fertilizer every few weeks from spring until fall.

Precision Watering: As mentioned earlier, the best way to water strawberries is not with a big overhead sprinkler. Sprinklers get all the leaves and flowers soaking wet, which encourages mold.

- *Best Practice:* Use a drip irrigation hose or a soaker hose. You lay this hose directly on the ground, right next to the base of the plants, and hide it under the straw mulch. When you turn it on, the water slowly drips directly into the soil, exactly where the roots are. The leaves stay perfectly dry, and you do not waste any water.

The Art of Pruning: Pruning means using scissors to cut parts of the plant away. This might sound harmful, but it is actually one of the most powerful tools a gardener has. Pruning allows you to tell the plant where you want it to focus its energy.

- **Pruning Runners:** In their first year of life, strawberry plants (especially June-bearing ones) will try to take over the whole garden by sending out dozens of long runners to make baby plants. Making all these babies takes a massive amount of the mother plant's energy. If you let her do this, she will be too tired to make big fruit. To stop this, you should look at your plants every week and use scissors to snip off these runners as soon as you see them. By cutting the runners off, you force all that energy to stay inside the mother plant. This causes her main crown to grow much thicker and stronger, which guarantees a massive harvest of huge berries the following year.
- **Pruning Early Flowers:** When you first buy a small, dormant strawberry plant and put it in the ground in the spring, it will excitedly try to grow flowers right away. You must be brave and pinch these first flowers off. The tiny new plant does not yet have enough roots to support the heavy work of growing fruit. By pinching off the flowers, you force the plant to spend its first few months growing a massive, healthy root system. Once the roots are big and strong, you can let the plant grow flowers.
- **Pruning Old Leaves:** As the summer goes on, the older leaves around the outside of the plant will start to look dull, yellow, or slightly brown. These leaves are old and tired. They are no longer making energy from the sun; instead, they are acting like parasites, stealing energy from the rest of the plant. Simply cut these ugly leaves off. This saves the plant's energy and also opens up the middle of the plant so fresh air can blow through.
- **Renovation (For June-Bearing Plants Only):** Because June-bearing plants produce one gigantic, exhausting crop of berries in the early summer, they need a special spa treatment afterward called renovation. After you have picked the very last berry of the season, you should take shears (or even a lawnmower set very high) and cut all the leaves off the plants. You must be extremely careful not to cut the thick crown near the dirt. The patch will look completely bald and ruined, but this is a magic trick. You then clean up the patch, pull the weeds, and give them a dose of fertilizer and water. This drastic haircut shocks the plant into waking up. Within a few weeks, it will push out a gorgeous, entirely brand-new canopy of perfectly healthy, bright green leaves. The plant will go into the winter incredibly strong. *Remember, never do this to day-neutral or everbearing plants, as it will destroy their continuous fruiting cycle.*

The Secret to Giant Berries: Perfect Pollination: The strawberry blossom is a fascinating piece of nature. What we think of as the tiny yellow "seeds" on the outside of a strawberry are actually the true botanical fruits, called achenes. The red, sweet, juicy part of the strawberry that we love to eat is just a special swollen tissue that holds all those seeds together.

A single strawberry blossom can have up to 500 tiny female parts inside of it. For a strawberry to grow perfectly large, round, and symmetrical, every single one of those 500 female parts must receive a microscopic grain of pollen. If only half of the flower gets pollinated, the red juicy part will only swell up on that one side. The result will be a small, pinched, hard, ugly, and deformed berry.

- **Best Practice:** While a gentle breeze can move some pollen around, it is almost never enough to perfectly cover all 500 parts. You absolutely need insects to do this work. The more insects you have visiting your flowers, the bigger your berries will be. Studies have shown that for the very largest berries to grow perfectly, a single flower might need to be visited by a bee up to twenty-five separate times.
- **Insect Diversity:** Having just one type of bug isn't enough. Honeybees like to walk on the

top of the flower, while wild bumblebees prefer to dig around the bottom edges. Butterflies and hoverflies also help as they bump around. By planting companion flowers like borage, dill, and sweet alyssum near your strawberries, you will invite all these different insects to a massive pollen party, ensuring perfect fruit. Because these insects are so important, you must never spray chemical bug killers on your blooming strawberry plants, or you will accidentally kill your helpers and ruin your harvest.

- *Hand Pollination:* If you are growing strawberries indoors in a pot, in a greenhouse, or very early in the spring before the bees have woken up, you have to do the insect's job yourself. Take a very soft, clean makeup brush or a small painting brush. Gently brush the outside ring of the flower to pick up the yellow pollen dust on your brush. Then, gently paint that dust in a circular motion all over the very center of the flower. Move from flower to flower, sharing the dust between them. This gentle hand-painting ensures that all the parts are pollinated, leading to beautiful, indoor berries.

7. References / Sources

- Cornell University Cooperative Extension (Guide to Growing Strawberries)
- Penn State Extension (Growing Strawberries; Crown and Root Issues in Strawberries; Plant Disease Clinic)
- University of California Agriculture and Natural Resources (UC Davis) (Strawberry Nutrient Management; Phytophthora Guidelines)
- Oregon State University Extension Service (Strawberry Nutrient Management Guide for Oregon and Washington)
- North Carolina State University (NCSU) Extension (Neopestalotiopsis Leaf, Fruit, and Crown Rot; Plasticulture Considerations)
- University of Connecticut (UConn) Soil and Plant Pest Diagnostic Laboratory
- University of Minnesota Extension (Irrigating Strawberries)
- California Department of Food and Agriculture (Fertilization Guidelines)
- Manitoba Agriculture (Strawberry Cultural and Pest Control)
- University of Kentucky Plant Pathology Extension (Preventing Strawberry Diseases)
- University of Vermont Extension (Crop Rotations and Cover Crops for Strawberries)
- Southern Region Small Fruit Consortium (Crop Rotation Guidelines)
- Ohio State University (OSU) Extension (Pruning Basics; Berry Patch Soil Research)
- Utah State University Extension (Strawberries in the Garden)
- Maine Organic Farmers and Gardeners Association (MOFGA) (Growing Organic Strawberries)
- Journal of the American Society for Horticultural Science (Seaweed Extract and Biostimulant Research)
- Purdue University Extension (Strawberry Pollination)

8. Key Takeaways

- **Understand Your Plant Type:** Know whether you have a June-bearing plant (which needs a post-harvest haircut called renovation) or a day-neutral plant (which needs constant, gentle feeding all summer).
- **The Crown is the Heart:** The thick stem at the soil line is highly sensitive. Always plant it perfectly level with the dirt to prevent it from rotting or drying out.
- **Soil and Water Balance:** Strawberries require loose, fluffy soil enriched with compost.

Use drip irrigation to keep the soil consistently damp like a wrung-out sponge, but never soaking wet, to protect the shallow roots.

- **Harness the Power of Nature:** Boost plant health naturally by applying seaweed extracts to encourage massive root growth, and use organic compost instead of harsh chemical salts.
- **Plant Friends Nearby:** Surround your strawberry patch with helpful companion plants like borage, beans, and marigolds. They naturally add fertilizer to the dirt, confuse pest insects, and invite beneficial predator bugs.
- **Prune for Power:** Do not let the plant waste its energy. Continuously clip off crawling runners, pinch off the very first early flowers, and remove ugly, dying leaves to force the plant to grow stronger crowns and bigger fruit.
- **Protect from Fungi:** Mold loves wet, still air. Give your plants plenty of space to breathe in the wind, keep the garden free of dead leaves and rotting fruit, and use clean straw mulch to stop muddy dirt from splashing onto the berries.
- **Pollination is Everything:** A perfectly shaped, giant strawberry requires hundreds of tiny pollinations on a single flower. Attract a diverse crowd of bees and helpful insects, or gently hand-paint the flowers yourself if growing indoors.

Works cited

1. Strawberries - Cornell Cooperative Extension of Oneida County, <https://cceoneida.com/resources/guide-to-growing-strawberries> 2. Strawberry nutrient management guide for Oregon and Washington ..., <https://extension.oregonstate.edu/catalog/em-9234-strawberry-nutrient-management-guide-oregon-washington> 3. Strawberry Establishment - Planting and Other Basics, <https://extension.psu.edu/strawberry-establishment-planting-and-other-basics> 4. Growing Organic Strawberries - Maine Organic Farmers and Gardeners Association, <https://www.mofga.org/resources/strawberries/growing-organic-strawberries/> 5. 9 Tips for Bigger, Sweeter Homegrown Strawberries - Epic Gardening, <https://www.epicgardening.com/bigger-sweeter-strawberries/> 6. Cultural Pest Control - Province of Manitoba | agriculture - Strawberry, <https://www.gov.mb.ca/agriculture/crops/crop-management/fruit-crops/strawberry-cultural-pest-control.html> 7. Growing Strawberries - Penn State Extension, <https://extension.psu.edu/growing-strawberries> 8. Maximize Your Strawberry Harvest with These Pruning Tips - DripWorks.com, <https://www.dripworks.com/blog/maximize-your-strawberry-harvest-with-these-pruning-tips> 9. Suggested Fertilizer Practices for Strawberries | Soil Nutrient Analysis Laboratory | College of Agriculture, Health and Natural Resources | University of Connecticut, <https://soiltesting.cahnrc.uconn.edu/suggested-fertilizer-practices-for-strawberries/> 10. Crown and Root Issues in Strawberries - Penn State Extension, <https://extension.psu.edu/crown-and-root-issues-in-strawberries> 11. Pruning Basics - Ohio Controlled Environment Agriculture Center, <https://ohceac.osu.edu/CEBPI-Pruning-Basics> 12. Neopestalotiopsis Leaf, Fruit, and Crown Rot of Strawberry, <https://content.ces.ncsu.edu/neopestalotiopsis-leaf-fruit-and-crown-rot-of-strawberry> 13. Neopestalotiopsis Crown, Leaf and Fruit Disease on Strawberry, <https://smallfruits.org/2024/10/neopestalotiopsis-crown-leaf-and-fruit-disease-on-strawberry/> 14. Phytophthora Root and Crown Rot (Red Stele) on Strawberries - UC IPM, <https://ipm.ucanr.edu/PMG/GARDEN/FRUIT/DISEASE/phytoprot.html> 15. The Complete Guide

(Updated 2022) - Strawberry Plant, <https://strawberryplants.org/strawberry-plant/> 16. How to Handle Runners in a 1st Year Strawberry Patch, <https://strawberryplants.org/how-to-handle-runners-in-a-1st-year-strawberry-patch/> 17. Strawberry Pollination (Guide), <https://strawberryplants.org/strawberry-pollination/> 18. Successful pollination key to strawberry, blueberry production - Fruit Growers News, <https://fruitgrowersnews.com/news/successful-pollination-key-to-strawberry-blueberry-production/> 19. Fancy facts on strawberry pollination, <https://ff.hort.purdue.edu/article/4517/> 20. 5 Tips and Tricks to Growing Strawberries Organically - The Seasonal Homestead, <https://www.theseasonalhomestead.com/5-tips-and-tricks-to-growing-strawberries-organically/> 21. Irrigating strawberries | UMN Extension, <https://extension.umn.edu/strawberry-farming/irrigating-strawberries> 22. Strawberry - Nutrient Management, <http://geisseler.ucdavis.edu/Guidelines/Strawberry.html> 23. How to Grow Strawberries in Your Garden | USU, <https://extension.usu.edu/yardandgarden/research/strawberries-in-the-garden> 24. Crop Rotations and Cover Crops for Strawberries - University of Vermont, <https://www.uvm.edu/vtvegandberry/factsheets/rotateberries.html> 25. Strawberry Companion Plants | Kellogg Garden Organics™, <https://kelloggsgarden.com/blog/gardening/strawberry-companion-plants/> 26. Seaweed Extract and Microbial Biostimulants Show Synergistic Effects on Improving Organic Strawberry Production in - ASHS Journals, <https://journals.ashs.org/view/journals/hortsci/59/8/article-p1114.xml> 27. Commercial Seaweed Liquid Extract as Strawberry Biostimulants and Bioethanol Production - PMC, <https://pmc.ncbi.nlm.nih.gov/articles/PMC9865835/> 28. Growing Strawberries in Raised Beds & Maintenance - Grow Organic, <https://www.groworganic.com/blogs/articles/how-to-renovate-renew-maintain-a-strawberry-bed> 29. Is the Juice Worth the Squeeze? Some Notes on the Utility of Seaweed Extracts in Berry Production on the Central Coast | Strawberries and Caneberries, <https://ucanr.edu/blog/strawberries-and-caneberries/article/juice-worth-squeeze-some-notes-utility-seaweed-extracts> 30. Giving strawberries real fight: Seaweed extracts prime plants for optimal yields and profits, <https://berries.net.au/wp-content/uploads/2024/01/ABJ-Summer-2023-STR-Giving-strawberries-real-fight-Seaweed-extracts-prime-plants-for-optimal-yields-and-profits.pdf> 31. The Best (and Worst) Companion Plants for Strawberries - Gardenary, <https://www.gardenary.com/blog/best-companion-plants-for-strawberries> 32. Cultural Calendar for Commercial Strawberry Production - Plant Pathology, <https://plantpathology.mgcafe.uky.edu/files/ppfs-fr-s-30.pdf> 33. Crop Rotation and Summer Cover Crops Can Improve Non-Fumigated Strawberry Production | Southern Region Small Fruit Consortium, <https://smallfruits.org/2025/07/crop-rotation-and-summer-cover-crops-can-improve-non-fumigated-strawberry-production/> 34. Pruning Strawberries - YouTube, <https://www.youtube.com/watch?v=VKqPloADt-c> 35. Drip Irrigation and Fertigation in Strawberries - LSU AgCenter, <https://www.lsuagcenter.com/articles/connected/drip-irrigation-and-fertigation-in-strawberries> 36. Optimizing strawberry yields: Effective hand pollination in closed environments - Valoya, <https://valoya.com/effective-hand-pollination-strawberry-yields/> 37. How to Pollinate Strawberries : The Chef's Garden - YouTube, <https://www.youtube.com/watch?v=gTMoV06mtGw>