ACTIVITY – I

DATA DICTIONARY

A Data Dictionary is a structured table in the BRD that lists and explains all data fields used in a system, project, module, or application.

It ensures that **Business, Development, and Testing teams** have the **same understanding** of each field.

It helps **Business Analysts, Developers, and QA teams** stay aligned on:

- Standard field names
- Accepted data types, lengths, and formats
- Required vs. optional inputs
- Validation and business rules
- Permitted values (e.g., dropdowns, enums)
- How data moves through the system (source → processing → output)

For **QA**, the Data Dictionary becomes a key reference during:

- Input and form validation
- Boundary and limit-based testing
- Negative/invalid data scenarios
- API and system integration checks
- Data mapping and migration verification

Home Page (REQ_01–REQ_03, REQ_22, REQ_23, REQ_30)

- **Home Page – Base**

Field Name	Description (Simple)	Data Type	Length / Format	Mandatory
home_page_id	Unique name/ID for the Home Page	String	Example: HOME	Yes
banner_list	List of banner images or banner IDs shown on top	Array	List of URLs or IDs	No
category_tiles	Categories displayed on the Home Page	Array	Category ID list	Yes

ACTIVIITY-II

The **Waterfall Model** is a **traditional and linear software development method** where the work flows **step-by-step** from one phase to the next, just like water flowing down a waterfall.

Each phase must be **fully completed before moving to the next**, and once a phase is closed, you **cannot go back**.
Because of this, changes are **very limited** after each stage.

This model is **easy to understand**, highly **organized**, and works best when the **requirements are clear, fixed, and well-defined** from the beginning.

Features of the Waterfall Model:

- Sequential Approach
- Document-Driven Process
- Quality Control
- Detailed Planning

Phases of Waterfall Model



ACTIVITY-III

TEST EXECUTION PROCESS

Receive the Build / App Version

- QA receives the latest Flipkart build (APK/IPA) or web release version.
- Build is deployed to the Flipkart QA/Test Environment.
- QA notes:
    - Test Environment URL
    - Credentials
    - Build/Release Version
    - Supported Device List
    - Browser Compatibility Matrix

Example:
Build version 15.4.1 received for Flipkart Android App.

1. Test Case Design

QA team prepares detailed test cases for all Flipkart modules such as:

- Login / Signup
- Search
- Product Listing Page (PLP)
- Product Detail Page (PDP)
- Cart
- Payments
- Orders & Tracking
- Wishlist
- Offers / Coupons
- Returns & Refunds
- Notifications
- Customer Support

ACTIVITY-4

Black Box Testing

Definition

- Testing **without knowing** the internal code or structure.
- Tester focuses only on **inputs and outputs**.
- Checks whether the system works **as per functional requirements**.
- Mainly performed by **QA/Testers**.

Advantages

- No need for coding knowledge
- Tests from user's point of view
- Effective for validation testing
- Helps catch missing functionality
- Suitable for large systems

Disadvantages

- Cannot detect hidden errors in code
- Limited test coverage of internal logic
- Repetition of tests if the tester does not know logic
- Difficult to identify boundary issues in code path
- Only functional issues covered, not internal defects

2. White Box Testing

Definition (Simple Points)

- Testing done with **full knowledge of the code**, internal logic, and structure.
- Focus on **how the code works internally**.
- Usually performed by **developers** or technical testers.
- Includes path coverage, loop testing, statement coverage, etc.

Advantages

ACTIVITY-V

UAT (USER ACCEPTANCE TESTING)

User Acceptance Testing (UAT) is the final stage of software testing where real users test the software to confirm that it meets business needs, is working as expected, and is ready for production.
It ensures the system is user-friendly, accurate, reliable, and aligned with real-world business processes

Acceptance Criteria Attributes

UAT checks that the software is:

- Complete – All required features are present
- Accurate – Functions give correct results
- User-Friendly – Easy for users to navigate
- Performance-ready – Works smoothly
- Reliable – Stable with no crashes
- Secure – Protects data
- Scalable – Handles increasing user load
- Compatible – Works across devices/browsers

Purpose of UAT

- To ensure the software works **correctly in real-world conditions**
- To verify that **business requirements** are met
- To identify **bugs or missing functions** before release
- To allow users to confirm the software is **ready for production**

Who Performs UAT?

UAT is performed by:

- End-users
- Clients / Business owners
- Product users

Types of UAT

1. Beta Acceptance Testing

- Tested by real users in a real environment