RAJALAKSHMI ENGINEERING COLLEGE

Priyadharshini K 251801248-2025-AIDS

P2

Started on	Saturday, 12 September 2026, 11:17 PM
State	Finished
Completed on	Saturday, 12 September 2026, 11:18 PM
Time taken	46 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1		a	g	**g**	**t**	**a**	**b**
s2	**g**	x	**t**	**x**	**a**	**y**	**b**

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab azb	2

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>
#include <string.h>

int max(int a, int b)
{
    return (a > b) ? a : b;
}

int main()
{
    char s1[1000], s2[1000];
    int dp[1001][1001];
    int i, j;

    scanf("%s", s1);
    scanf("%s", s2);

    int n = strlen(s1);
    int m = strlen(s2);

    for(i = 0; i <= n; i++)
        dp[i][0] = 0;

    for(j = 0; j <= m; j++)
        dp[0][j] = 0;

    for(i = 1; i <= n; i++)
    {
        for(j = 1; j <= m; j++)
        {
            if(s1[i-1] == s2[j-1])
                dp[i][j] = dp[i-1][j-1] + 1;
            else
                dp[i][j] = max(dp[i-1][j], dp[i][j-1]);
        }
```

```
36      }
37
38      printf("%d", dp[n][m]);
39
40      return 0;
41  }
```

	Input	Expected	Got	
✔	aab azb	2	2	✔
✔	ABCD ABCD	4	4	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course