Started on	Wednesday, 7 October 2026, 9:58 PM
State	Finished
Completed on	Wednesday, 7 October 2026, 10:38 PM
Time taken	39 mins 42 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1		a	g	**g**	**t**	**a**	**b**
s2		**g**	x	**t**	**x**	**a**	**y**	**b**

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab azb	2

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
#include<string.h>
int main() {
    char s1[100],s2[100];
    int dp[100][100];
    int i,j;

    scanf("%s",s1);
    scanf("%s",s2);

    int n=strlen(s1);
    int m=strlen(s2);

    for(i=0;i<=n;i++){
        for(j=0;j<=m;j++){
            if(i==0||j==0)
               dp[i][j]=0;
            else if(s1[i-1]==s2[j-1])
              dp[i][j]=dp[i-1][j-1]+1;
            else
              dp[i][j]=(dp[i-1][j]>dp[i][j-1])
                      ?dp[i-1][j]
                      :dp[i][j-1];

        }
    }
    printf("%d",dp[n][m]);
    return 0;
}
```

	Input	Expected	Got	
✔	aab azb	2	2	✔
✔	ABCD ABCD	4	4	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.