Name - Wasim Alam Khan
University rollno - 1921216
Student ID. - 19041294

Que1 Develop an android application to demonstrate implict as well as Explict Intent?

```xml
<?xml version ="1.0"
encoding = "utf-8"?>
<RelativeLayout xmlns:android=
"http://schemas.android.com/apk/res/
android"
xmlns:app ="http://schemas.android.com
/apk/res-auto"
xmlns:tools ="http://schemas.android.
com/tools"
android:layout_width =" match_parent"
android:layout_height ="match_parent"
tools:content ="Main Activity"
android:padding = "80dp">


<Button.
android:id ="@+id/b1"
android:layout_width ="wrap_content"


android:layout_height ="wrap_content"
android:layout_margin ="5dp"
android:gravity ="center"
android:text = "Activity"
/>
```

Wasim Khan

< Relative Layout >

MAINACTIVITY. JAVA FILE -

Package
com example. explicit intent

```
import androidx. appcompat. app. App
pCompat Activity;

import android. content. intent;
import android. os Bundle;
import android. view. View;
import android. widget. Button;


Public class Main Activity extends
App Compat Activity {
Button btn1;
@ Override
protected void on create (Bundle
savedInstance state) {
    Super. on Crete (savedInstance state);
set content View (R. layout. activity - main);
btn1 = find View By Id (Rid. b7);
btn1. set on click List ener (new View
on Click Listener () {
    @ override
    Public Void on click ( View view) {

Intent in = new Intent (get Application
Content (). Activity 2. class);
        start Activity (in);
```

Wasim

```
    3
});

  3
3
```

2nd Activity Main. XML FIE-

```
<?xml version = "1.0"
encoding - "utf - 8"?>

<Relative Layout xmlns:android =
"http// schemas. android. com/ apk/res/
android"
  xmlns: app = "http://schemas. android. com
/apk/res - auto"
  xmlns: tools = "http://schemas. android.
com/tool"
android: layout - width - "match - parent"
android. layout - height = "match - parent"
tools: content - "Actiity 2" >


   <TextView
   android:id - "@+id/text View"
   android layout - width - "wrap content
   android layout - height = "wrap - content"
   android: text - "Welcome to another
   activity"


     android: text size - "50dp"
     android: text colour - @ colour/tool -700"
     android: text style - "bold"
     android: padding = "50 dp"
```

android: text colour = @ colour/teal
-700"
android: padding = "50dp"
android: gravity = "center"/>
</Relative Layout>

2ND MAINACTIVITY .JAVA FIE-

Package
com. example. explicit_intent;

import androidx.appcompat.app.App
Compat Activity;

import android.os Bundle

Public class Activity 2 extends.
App compat Activity {

@ override
Protected void on create (Bundle
saved Instance state) {
super on create (saved Instance State);

set Content View (R. layout. activity -2);
}

}

Wasim khan

```
2021-09-10 15:20:11.668 5947-5947/com.example.myapp I/MainActivity: In method onStart
2021-09-10 15:20:11.668 5947-5947/com.example.myapp I/MainActivity: In method onResume
2021-09-10 15:20:11.978 5947-5973/com.example.myapp D/EGL_emulation: eglMakeCurrent: 0xa53a6ba0: ver 3 1 (tinfo 0xb058b7f0)
2021-09-10 15:20:17.192 5947-5947/com.example.myapp I/MainActivity: In method onPause
2021-09-10 15:20:17.243 5947-5973/com.example.myapp D/EGL_emulation: eglMakeCurrent: 0xa53a6ba0: ver 3 1 (tinfo 0xb058b7f0)
2021-09-10 15:20:17.250 5947-5947/com.example.myapp I/MainActivity: In method onStop
2021-09-10 15:20:39.238 5947-5947/com.example.myapp I/MainActivity: In method onStart
2021-09-10 15:20:39.242 5947-5947/com.example.myapp I/MainActivity: In method onResume
2021-09-10 15:20:39.584 5947-5973/com.example.myapp D/EGL_emulation: eglMakeCurrent: 0xa53a6ba0: ver 3 1 (tinfo 0xb058b7f0)
```

TODO   Problems   Terminal   Build   Logcat   Profiler   App Inspection   Run

Launch succeeded (3 minutes ago)