NAME :- SHASHANK BAHUKHANDI
FATHER'S NAME :- SUMAN PRAKASH BAHUKHANDI
UNIVERSITY ROLL NO :- 1922060
COURSE :- B.SC(IT)
SEMESTER :- V^th
PAPER NAME :- MOBILE APPLICATION DEVELOPMENT
PAPER CODE :- PBI-502
TYPE OF EXAM :- Regular

(1) activity_main.xml

<?xml version="1.0" encoding="UTF-8"?><linear
layout tools:context=".MainActivity" android:
layout_height="match_parent" android:orien
tation="vertical" android:layout_width="
match_parent" xmlns:tools="http://schemas.and-
roid.com/tools" xmlns:app="http://schemas.android
com/apk/res-auto"
xmlns:android="http://schemas.android.com/apk/
res/android"><EditText android:layout_height
="wrap_content" android:layout_width="match
parent"
android:gravity="center" android:hint="Enter
url" android:layout_marginTop="100dp"
android:id="@+id/text"/><Button android:
id="@+id/btn1" android:text="Submit"/>
<Button android:layout_height="wrap_
content" android:layout_width="match_parent

Scanned by CamScanner

android:layout_marginTop="100dp" android:id="@+id/button2" android:text="goto activity two" /></LinearLayout>

activity_main2.xml

<?xml version="1.0" encoding="UTF-8"?>
<LinearLayout tools:context=".MainActivity2"
android:orientation="vertical"
android:layout_height="match_parent" android:layout_width="match_parent"
xmlns:tools="http://schemas.android.com/tools"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:android="http://schemas.android.com/apk/res/android">

<TextView android:layout_height="wrap_content"
android:layout_width="match_parent"
android:text="This is activity two" android:gravity="center" android:layout_marginTop="200dp" />
</LinearLayout>

Shashank

Scanned by CamScanner

Main Activity.java

```
package com.example.implicit_explicit;
import androidx.appcompat.app.AppCompat
Activity;
import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;

public class MainActivity extends AppCompat
                                  Activity {
    EditText text;
    Button btn1;
    Button btn2;
    @Override
    protected void onCreate(Bundle savedInstance
                                  State) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        text = findViewById(R.id.text);
        btn1 = findViewById(R.id.btn1);
        btn2 = findViewById(R.id.btn2);
    btn1.setOnClickListener(new View.OnClickListener()
    {
    @Override
```

Show work:-

Scanned by CamScanner

```
@Override
public void onClick(View view){
  String url = text.getText().toString();
  Uri uri = Uri.parse(url);
  Intent intent = new Intent(Intent.ACTION_
  VIEW, uri);
  startActivity(intent);
  }
});
btn2.setOnClickListener(new View.OnClick
Listener() {
@Override
  public void onClick(View view){
    Intent intent = new
Intent(MainActivity.this, com.example.implicit_
explicit.MainActivity2.class);
  startActivity(intent);
  }
});
}
}
```

Shashank..

Scanned by CamScanner



Scanned by CamScanner



Scanned by CamScanner

This is activity two

Scanned by CamScanner