Nome - Wasim Alam khon Student TD - 19041294 Onineesity tollns - 1921216 Quesz Develop an android application to democrate activity life cycle using log cat? package Com. example - activity life cycle; import android x. apprompat. app. Applom. put Activity; import andrad . Oc. Bundle , import android . cetil . log; App Compat Activity Entends Public Static final String Status = mais Activity · Class get simple Nome (); @ oueveride protected void on Create (Bundle Saved Instance Super on Create (Savel Instance State);
Set (ontent view (R. (ayout activity \_ main);
Log - I (Status, "In method on creak ");
3 @ oneverde protected void onstart () {
Supery. onstart();
log. - 1 (Status, "In method on Start");
} Moringlan

(a) Ouly suide Quotested word on Resume () {
Super on Rosume () !
Log i (Status, "Muthod on Resume"). a outerride protected vold on Pause (1) Super. onPause ().
Log - 1 (Status, "In method on Pause"). @ our ride perotected void onstoper ?
Super. onstoper:
tog i (status, "In Method onstop"); protected void on Destroy (15

protected void on Destroy (15

Super on Destroy ();

Log i (Status, "In Method on Restroy"). @ Over gide

< android. Support. Constraintlayoutxminss

android = "http:// schemas. android. Com/apk

[ Just and wild y Xmlns: app = "https". 11 schemas - android. / sustandroid 4 COTO /apk/sus-auto xm/ns: tools = "https: 11 schemas - androld. Comf toots " width= "trap = Content" android a Conjoute width = " match = parent" andrivid ? layout hoight - " motel - parent" android: layout 11 example java point- Comtools 2 content = activity life Lyde o Mai a Astra) 2 1ext view android! layout width = " wrap - Context?"
android: layout - height = " wrap - Context." android ! text - "Hello world", app. layout \_ Constraint Bottom to Bottomby = "pourett. app! layout - Contactons trust Reight - to Lett of "pun app! layout - Conto Constraint Reight - to Reight

app! layout - Constraint

4 Jop - to Top of = "parent"

Landroid - Support - Constraint - Constraint Cay with